



Target Species

Based on 127,887 complete checklists

372 species observed in Georgia, US (region/US-GA) in **Apr** that you need for your **World Life List**

1. Northern Cardinal	75.15% frequency
2. Carolina Wren	60.83%
3. Tufted Titmouse	57.15%
4. Carolina Chickadee	49.73%
5. Red-bellied Woodpecker	49.73%
6. Blue Jay	48.35%
7. Mourning Dove	45.85%
8. Eastern Towhee	43.61%
9. American Crow	41.26%
10. Northern Mockingbird	38.59%
11. Eastern Bluebird	36.94%
12. Downy Woodpecker	36.04%
13. American Robin	35.88%
14. Blue-gray Gnatcatcher	35.14%
15. Chipping Sparrow	33.92%
16. Yellow-rumped Warbler	32.93%
17. House Finch	32.61%
18. Brown Thrasher	31.49%
19. Pine Warbler	30.46%
20. American Goldfinch	28.89%
21. Eastern Phoebe	28.06%
22. Brown-headed Cowbird	27.42%

23. White-eyed Vireo	25.85%
24. Brown-headed Nuthatch	25.64%
25. Great Crested Flycatcher	24.95%
26. Turkey Vulture	23.31%
27. Canada Goose	22.80%
28. White-breasted Nuthatch	22.39%
29. White-throated Sparrow	22.32%
30. Red-winged Blackbird	21.86%
31. Fish Crow	21.64%
32. Red-eyed Vireo	20.58%
33. Northern Rough-winged Swallow	20.50%
34. Ruby-crowned Kinglet	20.42%
35. Northern Parula	20.27%
36. Common Grackle	19.60%
37. Red-shouldered Hawk	18.39%
38. Song Sparrow	18.23%
39. Pileated Woodpecker	16.99%
40. Great Blue Heron	16.51%
41. Chimney Swift	15.79%
42. Ruby-throated Hummingbird	15.79%
43. Palm Warbler	15.50%
44. Gray Catbird	15.27%
45. Barn Swallow	14.78%
46. Black Vulture	14.67%
47. Common Yellowthroat	14.54%
48. European Starling	14.15%
49. Cedar Waxwing	13.10%

50. Black-and-white Warbler	12.33%
51. Summer Tanager	12.11%
52. Red-tailed Hawk	11.24%
53. Mallard	10.92%
54. Yellow-throated Warbler	10.78%
55. Indigo Bunting	10.68%
56. Eastern Kingbird	10.05%
57. Hooded Warbler	9.73%
58. Wood Thrush	9.59%
59. Red-headed Woodpecker	9.22%
60. Yellow-throated Vireo	8.76%
61. Double-crested Cormorant	8.70%
62. Killdeer	8.52%
63. Belted Kingfisher	8.13%
64. Great Egret	8.12%
65. Northern Flicker	7.47%
66. Northern House Wren	7.45%
67. Osprey	7.18%
68. Tree Swallow	6.99%
69. Prairie Warbler	6.97%
70. Hairy Woodpecker	6.96%
71. Scarlet Tanager	6.95%
72. Rose-breasted Grosbeak	6.56%
73. Green Heron	6.12%
74. Louisiana Waterthrush	6.12%
75. Barred Owl	6.02%
76. Blue Grosbeak	5.91%

77. Field Sparrow	5.91%
78. House Sparrow	5.85%
79. Orchard Oriole	5.80%
80. Rock Pigeon	5.76%
81. Wood Duck	5.68%
82. Blue-headed Vireo	5.45%
83. Pine Siskin	5.36%
84. Boat-tailed Grackle	5.31%
85. Purple Martin	5.12%
86. Cape May Warbler	4.87%
87. Blue-winged Teal	4.73%
88. American Redstart	4.73%
89. Solitary Sandpiper	4.44%
90. Snowy Egret	4.32%
91. Eastern Meadowlark	4.29%
92. Cooper's Hawk	4.25%
93. Swamp Sparrow	4.12%
94. Spotted Sandpiper	4.10%
95. Hermit Thrush	4.07%
96. Laughing Gull	4.04%
97. Black-throated Green Warbler	3.94%
98. Prothonotary Warbler	3.88%
99. Ovenbird	3.51%
100. Little Blue Heron	3.41%
101. Savannah Sparrow	3.39%
102. Anhinga	3.34%
103. Blackpoll Warbler	3.27%

104.	Eastern Wood-Pewee	3.07%
105.	Black-throated Blue Warbler	2.99%
106.	Painted Bunting	2.97%
107.	Worm-eating Warbler	2.95%
108.	Kentucky Warbler	2.84%
109.	Broad-winged Hawk	2.76%
110.	Bald Eagle	2.75%
111.	Northern Waterthrush	2.68%
112.	Pied-billed Grebe	2.67%
113.	Wild Turkey	2.65%
114.	Royal Tern	2.59%
115.	Western Cattle-Egret	2.59%
116.	Wood Stork	2.57%
117.	Eurasian Collared-Dove	2.56%
118.	Cliff Swallow	2.50%
119.	Yellow-breasted Chat	2.49%
120.	Brown Pelican	2.45%
121.	Lesser Yellowlegs	2.42%
122.	Greater Yellowlegs	2.39%
123.	American Coot	2.37%
124.	Tricolored Heron	2.35%
125.	Willet	2.32%
126.	Common Gallinule	2.24%
127.	Ring-billed Gull	2.20%
128.	Orange-crowned Warbler	2.18%
129.	Least Sandpiper	2.16%
130.	Forster's Tern	2.12%

131.	Yellow-billed Cuckoo	2.03%
132.	White Ibis	1.94%
133.	Chuck-will's-widow	1.83%
134.	Acadian Flycatcher	1.75%
135.	Dark-eyed Junco	1.74%
136.	Yellow Warbler	1.60%
137.	Swainson's Warbler	1.60%
138.	Common Ground Dove	1.58%
139.	Loggerhead Shrike	1.55%
140.	Baltimore Oriole	1.53%
141.	Northern Bobwhite	1.48%
142.	Marsh Wren	1.48%
143.	Clapper Rail	1.47%
144.	Black-bellied Plover	1.46%
145.	Sanderling	1.32%
146.	Purple Finch	1.31%
147.	Blackburnian Warbler	1.30%
148.	Dunlin	1.29%
149.	Yellow-crowned Night Heron	1.25%
150.	Black-crowned Night Heron	1.24%
151.	Semipalmated Plover	1.23%
152.	Black Skimmer	1.23%
153.	Mississippi Kite	1.16%
154.	Glossy Ibis	1.14%
155.	Chestnut-sided Warbler	1.13%
156.	Whimbrel	1.04%
157.	Ruddy Turnstone	1.02%

158.	Tennessee Warbler	1.01%
159.	Black-necked Stilt	1.00%
160.	Swainson's Thrush	0.9978%
161.	Short-billed Dowitcher	0.9680%
162.	Wilson's Snipe	0.9446%
163.	American Herring Gull	0.9360%
164.	Bobolink	0.9180%
165.	Yellow-bellied Sapsucker	0.9047%
166.	Northern Harrier	0.9000%
167.	Least Tern	0.8977%
168.	Sharp-shinned Hawk	0.8852%
169.	Great Horned Owl	0.8781%
170.	Black-bellied Whistling-Duck	0.8609%
171.	Grasshopper Sparrow	0.8468%
172.	Eastern Whip-poor-will	0.8351%
173.	American Kestrel	0.8289%
174.	Blue-winged Warbler	0.8265%
175.	Bachman's Sparrow	0.8046%
176.	Common Loon	0.7772%
177.	Wilson's Plover	0.7616%
178.	Veery	0.7335%
179.	Swallow-tailed Kite	0.7319%
180.	Roseate Spoonbill	0.6772%
181.	American Oystercatcher	0.6654%
182.	Cerulean Warbler	0.6592%
183.	Pectoral Sandpiper	0.6201%
184.	Hooded Merganser	0.6068%

185.	White-crowned Sparrow	0.5951%
186.	Sandwich Tern	0.5622%
187.	Red-breasted Nuthatch	0.5575%
188.	Red-breasted Merganser	0.5458%
189.	Mottled Duck	0.5278%
190.	American White Pelican	0.5114%
191.	Bonaparte's Gull	0.5083%
192.	Northern Shoveler	0.4887%
193.	Red Knot	0.4864%
194.	Sora	0.4848%
195.	American Bittern	0.4848%
196.	Caspian Tern	0.4832%
197.	Golden-crowned Kinglet	0.4832%
198.	Gull-billed Tern	0.4731%
199.	Lesser Scaup	0.4566%
200.	Ring-necked Duck	0.4559%
201.	Bay-breasted Warbler	0.4223%
202.	Common Nighthawk	0.4137%
203.	Eastern Screech-Owl	0.4105%
204.	Least Bittern	0.4090%
205.	Winter Wren	0.4090%
206.	Sedge Wren	0.3964%
207.	Merlin	0.3957%
208.	King Rail	0.3730%
209.	Marbled Godwit	0.3683%
210.	Red-cockaded Woodpecker	0.3605%
211.	Semipalmated Sandpiper	0.3401%

212.	Piping Plover	0.3378%
213.	Bufflehead	0.3308%
214.	Magnolia Warbler	0.3229%
215.	Ruddy Duck	0.3214%
216.	Western Sandpiper	0.3151%
217.	Horned Lark	0.3151%
218.	Vesper Sparrow	0.3011%
219.	Canada Warbler	0.2651%
220.	American Avocet	0.2127%
221.	Common Tern	0.2080%
222.	Long-billed Dowitcher	0.2064%
223.	American Pipit	0.2064%
224.	Lesser Black-backed Gull	0.2025%
225.	Nashville Warbler	0.1908%
226.	Stilt Sandpiper	0.1791%
227.	Purple Gallinule	0.1759%
228.	Common Raven	0.1759%
229.	Redhead	0.1548%
230.	Gadwall	0.1509%
231.	Peregrine Falcon	0.1439%
232.	Sandhill Crane	0.1368%
233.	Rusty Blackbird	0.1306%
234.	Brown Creeper	0.1267%
235.	Horned Grebe	0.1204%
236.	Seaside Sparrow	0.1196%
237.	Black Scoter	0.1126%
238.	Limpkin	0.1118%


239.	Green-winged Teal	0.1103%
240.	Upland Sandpiper	0.1095%
241.	American Barn Owl	0.1095%
242.	Golden-winged Warbler	0.1095%
243.	Virginia Rail	0.1056%
244.	Bank Swallow	0.1056%
245.	Brewer's Blackbird	0.1024%
246.	American Wigeon	0.0993%
247.	Northern Gannet	0.0962%
248.	Gray Kingbird	0.0946%
249.	American Golden-Plover	0.0876%
250.	Dickcissel	0.0782%
251.	Great Black-backed Gull	0.0704%
252.	Wilson's Warbler	0.0672%
253.	American Woodcock	0.0641%
254.	Gray-cheeked Thrush	0.0602%
255.	White-rumped Sandpiper	0.0579%
256.	Ruffed Grouse	0.0516%
257.	Lincoln's Sparrow	0.0500%
258.	Henslow's Sparrow	0.0477%
259.	Red Crossbill	0.0454%
260.	Scissor-tailed Flycatcher	0.0414%
261.	Western Tanager	0.0414%
262.	Greater White-fronted Goose	0.0399%
263.	Greater Scaup	0.0367%
264.	Evening Grosbeak	0.0336%
265.	Saltmarsh Sparrow	0.0321%

266.	Snow Goose	0.0313%
267.	Nelson's Sparrow	0.0297%
268.	Wilson's Phalarope	0.0274%
269.	Black-billed Cuckoo	0.0266%
270.	Ross's Goose	0.0258%
271.	Surf Scoter	0.0235%
272.	Clay-colored Sparrow	0.0235%
273.	Cave Swallow	0.0227%
274.	Yellow-headed Blackbird	0.0227%
275.	Townsend's Warbler	0.0219%
276.	White-winged Dove	0.0203%
277.	Black-chinned Hummingbird	0.0188%
278.	Reddish Egret	0.0188%
279.	White-winged Scoter	0.0164%
280.	Snowy Plover	0.0164%
281.	Eared Grebe	0.0156%
282.	Red-throated Loon	0.0156%
283.	Lark Sparrow	0.0156%
284.	Long-billed Curlew	0.0149%
285.	Parasitic Jaeger	0.0149%
286.	Great Cormorant	0.0149%
287.	Glaucous Gull	0.0141%
288.	Western Kingbird	0.0125%
289.	Bullock's Oriole	0.0125%
290.	Pacific Loon	0.0117%
291.	White-faced Ibis	0.0110%
292.	Fox Sparrow	0.0110%

293.	Rufous Hummingbird	0.0094%
294.	Red-necked Phalarope	0.0086%
295.	Short-tailed Hawk	0.0086%
296.	Calliope Hummingbird	0.0078%
297.	Common Merganser	0.0070%
298.	Plain Chachalaca	0.0070%
299.	Northern Pintail	0.0063%
300.	Common Goldeneye	0.0055%
301.	Red Phalarope	0.0055%
302.	Warbling Vireo	0.0055%
303.	LeConte's Sparrow	0.0055%
304.	Black Rail	0.0047%
305.	Ruff	0.0047%
306.	Purple Sandpiper	0.0047%
307.	Baird's Sandpiper	0.0047%
308.	Black-legged Kittiwake	0.0047%
309.	Least Flycatcher	0.0047%
310.	Fulvous Whistling-Duck	0.0039%
311.	Red-necked Grebe	0.0039%
312.	Olive-sided Flycatcher	0.0039%
313.	American Tree Sparrow	0.0039%
314.	American Black Duck	0.0031%
315.	Canvasback	0.0031%
316.	Common Eider	0.0031%
317.	Pomarine Jaeger	0.0031%
318.	Black Tern	0.0031%
319.	Leach's Storm-Petrel	0.0031%

320.	Sargasso Shearwater	0.0031%
321.	Long-eared Owl	0.0031%
322.	Cackling Goose	0.0023%
323.	Inca Dove	0.0023%
324.	Long-tailed Duck	0.0016%
325.	Bar-tailed Godwit	0.0016%
326.	Little Gull	0.0016%
327.	Black-capped Petrel	0.0016%
328.	Spotted Towhee	0.0016%
329.	Black-throated Gray Warbler	0.0016%
330.	Dovekie	0.0008%
331.	Black-headed Gull	0.0008%
332.	Franklin's Gull	0.0008%
333.	Iceland Gull	0.0008%
334.	Bridled Tern	0.0008%
335.	Yellow-billed Loon	0.0008%
336.	Wilson's Storm-Petrel	0.0008%
337.	Magnificent Frigatebird	0.0008%
338.	Willow Flycatcher	0.0008%
339.	Ash-throated Flycatcher	0.0008%
340.	Bell's Vireo	0.0008%
341.	Lark Bunting	0.0008%
342.	Mourning Warbler	0.0008%
343.	Brant	0.0000%
344.	Cinnamon Teal	0.0000%
345.	Eurasian Wigeon	0.0000%
346.	King Eider	0.0000%

347.	Harlequin Duck	0.0000%
348.	Smooth-billed Ani	0.0000%
349.	Broad-tailed Hummingbird	0.0000%
350.	Whooping Crane	0.0000%
351.	Hudsonian Godwit	0.0000%
352.	Curlew Sandpiper	0.0000%
353.	Buff-breasted Sandpiper	0.0000%
354.	Arctic Tern	0.0000%
355.	White-tailed Tropicbird	0.0000%
356.	Golden Eagle	0.0000%
357.	Burrowing Owl	0.0000%
358.	Say's Phoebe	0.0000%
359.	Vermilion Flycatcher	0.0000%
360.	Bewick's Wren	0.0000%
361.	Sprague's Pipit	0.0000%
362.	Redpoll	0.0000%
363.	Harris's Sparrow	0.0000%
364.	Green-tailed Towhee	0.0000%
365.	Bachman's Warbler	0.0000%
366.	MacGillivray's Warbler	0.0000%
367.	Kirtland's Warbler	0.0000%
368.	Red-faced Warbler	0.0000%
369.	Black-headed Grosbeak	0.0000%
370.	Lazuli Bunting	0.0000%
371.	Green-breasted Mango	0.0000%
EXOTIC: PROVISIONAL		
372.	Egyptian Goose	0.0008% frequency

EXOTIC: ESCAPEE	
Muscovy Duck	0.9860% frequency 
Helmeted Guineafowl	0.0156%
Swan Goose	0.0133%
Graylag Goose	0.0078%
Red Junglefowl	0.0063%
Indian Peafowl	0.0047%
Mute Swan	0.0039%
Ring-necked Pheasant	0.0031%
Nanday Parakeet	0.0016%
Black Swan	0.0008%
Monk Parakeet	0.0008%
Zebra Finch	0.0008%
Red-crested Cardinal	0.0008%
Trumpeter Swan	0.0000%
HYBRIDS	
Brewster's Warbler (hybrid)	0.0039% frequency
Graylag x Canada Goose (hybrid)	0.0031%
Domestic goose sp. x Canada Goose (hybrid)	0.0031%
Mallard x American Black Duck (hybrid)	0.0023%
Lawrence's Warbler (hybrid)	0.0023%
Muscovy Duck x Mallard (hybrid)	0.0016%
Mallard x Mottled Duck (hybrid)	0.0016%
Golden-winged x Blue-winged Warbler (hybrid)	0.0016%
Snow x Canada Goose (hybrid)	0.0000%