

Target Species

Based on 127,887 complete checklists

372 species observed in Georgia, US (region/US-GA) in **Apr** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	0.8609% frequency
2. Fulvous Whistling-Duck	0.0039%
3. Snow Goose	0.0313%
4. Ross's Goose	0.0258%
5. Greater White-fronted Goose	0.0399%
6. Brant	0.0000%
7. Cackling Goose	0.0023%
8. Canada Goose	22.80%
9. Wood Duck	5.68%
10. Blue-winged Teal	4.73%
11. Cinnamon Teal	0.0000%
12. Northern Shoveler	0.4887%
13. Gadwall	0.1509%
14. Eurasian Wigeon	0.0000%
15. American Wigeon	0.0993%
16. Mallard	10.92%
17. American Black Duck	0.0031%
18. Mottled Duck	0.5278%
19. Northern Pintail	0.0063%
20. Green-winged Teal	0.1103%
21. Canvasback	0.0031%
22. Redhead	0.1548%

23. Ring-necked Duck	0.4559%
24. Greater Scaup	0.0367%
25. Lesser Scaup	0.4566%
26. King Eider	0.0000%
27. Common Eider	0.0031%
28. Harlequin Duck	0.0000%
29. Surf Scoter	0.0235%
30. White-winged Scoter	0.0164%
31. Black Scoter	0.1126%
32. Long-tailed Duck	0.0016%
33. Bufflehead	0.3308%
34. Common Goldeneye	0.0055%
35. Hooded Merganser	0.6068%
36. Common Merganser	0.0070%
37. Red-breasted Merganser	0.5458%
38. Ruddy Duck	0.3214%
39. Plain Chachalaca	0.0070%
40. Northern Bobwhite	1.48%
41. Wild Turkey	2.65%
42. Ruffed Grouse	0.0516%
43. Rock Pigeon	5.76%
44. Eurasian Collared-Dove	2.56%
45. Inca Dove	0.0023%
46. Common Ground Dove	1.58%
47. White-winged Dove	0.0203%
48. Mourning Dove	45.85%
49. Smooth-billed Ani	0.0000%

50. Yellow-billed Cuckoo	2.03%
51. Black-billed Cuckoo	0.0266%
52. Common Nighthawk	0.4137%
53. Chuck-will's-widow	1.83%
54. Eastern Whip-poor-will	0.8351%
55. Chimney Swift	15.79%
56. Ruby-throated Hummingbird	15.79%
57. Black-chinned Hummingbird	0.0188%
58. Calliope Hummingbird	0.0078%
59. Rufous Hummingbird	0.0094%
60. Broad-tailed Hummingbird	0.0000%
61. King Rail	0.3730%
62. Clapper Rail	1.47%
63. Virginia Rail	0.1056%
64. Sora	0.4848%
65. Common Gallinule	2.24%
66. American Coot	2.37%
67. Purple Gallinule	0.1759%
68. Black Rail	0.0047%
69. Limpkin	0.1118%
70. Sandhill Crane	0.1368%
71. Whooping Crane	0.0000%
72. Black-necked Stilt	1.00%
73. American Avocet	0.2127%
74. American Oystercatcher	0.6654%
75. Black-bellied Plover	1.46%
76. American Golden-Plover	0.0876%

77. Killdeer	8.52%
78. Semipalmated Plover	1.23%
79. Piping Plover	0.3378%
80. Wilson's Plover	0.7616%
81. Snowy Plover	0.0164%
82. Upland Sandpiper	0.1095%
83. Whimbrel	1.04%
84. Long-billed Curlew	0.0149%
85. Bar-tailed Godwit	0.0016%
86. Hudsonian Godwit	0.0000%
87. Marbled Godwit	0.3683%
88. Short-billed Dowitcher	0.9680%
89. Long-billed Dowitcher	0.2064%
90. American Woodcock	0.0641%
91. Wilson's Snipe	0.9446%
92. Wilson's Phalarope	0.0274%
93. Red Phalarope	0.0055%
94. Red-necked Phalarope	0.0086%
95. Spotted Sandpiper	4.10%
96. Solitary Sandpiper	4.44%
97. Lesser Yellowlegs	2.42%
98. Willet	2.32%
99. Greater Yellowlegs	2.39%
100. Ruddy Turnstone	1.02%
101. Red Knot	0.4864%
102. Ruff	0.0047%
103. Curlew Sandpiper	0.0000%

104.	Stilt Sandpiper	0.1791%
105.	Buff-breasted Sandpiper	0.0000%
106.	Sanderling	1.32%
107.	Dunlin	1.29%
108.	Purple Sandpiper	0.0047%
109.	Baird's Sandpiper	0.0047%
110.	White-rumped Sandpiper	0.0579%
111.	Least Sandpiper	2.16%
112.	Pectoral Sandpiper	0.6201%
113.	Western Sandpiper	0.3151%
114.	Semipalmated Sandpiper	0.3401%
115.	Parasitic Jaeger	0.0149%
116.	Pomarine Jaeger	0.0031%
117.	Dovekie	0.0008%
118.	Little Gull	0.0016%
119.	Black-legged Kittiwake	0.0047%
120.	Bonaparte's Gull	0.5083%
121.	Black-headed Gull	0.0008%
122.	Laughing Gull	4.04%
123.	Franklin's Gull	0.0008%
124.	Ring-billed Gull	2.20%
125.	American Herring Gull	0.9360%
126.	Great Black-backed Gull	0.0704%
127.	Glaucous Gull	0.0141%
128.	Lesser Black-backed Gull	0.2025%
129.	Iceland Gull	0.0008%
130.	Black Skimmer	1.23%

131.	Bridled Tern	0.0008% <div></div>
132.	Least Tern	0.8977% <div></div>
133.	Gull-billed Tern	0.4731% <div></div>
134.	Caspian Tern	0.4832% <div></div>
135.	Black Tern	0.0031% <div></div>
136.	Forster's Tern	2.12% <div></div>
137.	Arctic Tern	0.0000% <div></div>
138.	Common Tern	0.2080% <div></div>
139.	Sandwich Tern	0.5622% <div></div>
140.	Royal Tern	2.59% <div></div>
141.	Pied-billed Grebe	2.67% <div></div>
142.	Horned Grebe	0.1204% <div></div>
143.	Red-necked Grebe	0.0039% <div></div>
144.	Eared Grebe	0.0156% <div></div>
145.	White-tailed Tropicbird	0.0000% <div></div>
146.	Red-throated Loon	0.0156% <div></div>
147.	Pacific Loon	0.0117% <div></div>
148.	Common Loon	0.7772% <div></div>
149.	Yellow-billed Loon	0.0008% <div></div>
150.	Wilson's Storm-Petrel	0.0008% <div></div>
151.	Leach's Storm-Petrel	0.0031% <div></div>
152.	Black-capped Petrel	0.0016% <div></div>
153.	Sargasso Shearwater	0.0031% <div></div>
154.	Wood Stork	2.57% <div></div>
155.	Magnificent Frigatebird	0.0008% <div></div>
156.	Northern Gannet	0.0962% <div></div>
157.	Anhinga	3.34% <div></div>

158.	Great Cormorant	0.0149%
159.	Double-crested Cormorant	8.70%
160.	White Ibis	1.94%
161.	Glossy Ibis	1.14%
162.	White-faced Ibis	0.0110%
163.	Roseate Spoonbill	0.6772%
164.	American Bittern	0.4848%
165.	Least Bittern	0.4090%
166.	Yellow-crowned Night Heron	1.25%
167.	Black-crowned Night Heron	1.24%
168.	Little Blue Heron	3.41%
169.	Tricolored Heron	2.35%
170.	Reddish Egret	0.0188%
171.	Snowy Egret	4.32%
172.	Green Heron	6.12%
173.	Western Cattle-Egret	2.59%
174.	Great Egret	8.12%
175.	Great Blue Heron	16.51%
176.	American White Pelican	0.5114%
177.	Brown Pelican	2.45%
178.	Black Vulture	14.67%
179.	Turkey Vulture	23.31%
180.	Osprey	7.18%
181.	Swallow-tailed Kite	0.7319%
182.	Golden Eagle	0.0000%
183.	Sharp-shinned Hawk	0.8852%
184.	Cooper's Hawk	4.25%

185.	Northern Harrier	0.9000%
186.	Bald Eagle	2.75%
187.	Mississippi Kite	1.16%
188.	Broad-winged Hawk	2.76%
189.	Red-shouldered Hawk	18.39%
190.	Short-tailed Hawk	0.0086%
191.	Red-tailed Hawk	11.24%
192.	American Barn Owl	0.1095%
193.	Eastern Screech-Owl	0.4105%
194.	Great Horned Owl	0.8781%
195.	Burrowing Owl	0.0000%
196.	Barred Owl	6.02%
197.	Long-eared Owl	0.0031%
198.	Belted Kingfisher	8.13%
199.	Yellow-bellied Sapsucker	0.9047%
200.	Red-headed Woodpecker	9.22%
201.	Red-bellied Woodpecker	49.73%
202.	Downy Woodpecker	36.04%
203.	Red-cockaded Woodpecker	0.3605%
204.	Hairy Woodpecker	6.96%
205.	Pileated Woodpecker	16.99%
206.	Northern Flicker	7.47%
207.	American Kestrel	0.8289%
208.	Merlin	0.3957%
209.	Peregrine Falcon	0.1439%
210.	Olive-sided Flycatcher	0.0039%
211.	Eastern Wood-Pewee	3.07%

212.	Acadian Flycatcher	1.75%
213.	Willow Flycatcher	0.0008%
214.	Least Flycatcher	0.0047%
215.	Eastern Phoebe	28.06%
216.	Say's Phoebe	0.0000%
217.	Vermilion Flycatcher	0.0000%
218.	Ash-throated Flycatcher	0.0008%
219.	Great Crested Flycatcher	24.95%
220.	Western Kingbird	0.0125%
221.	Eastern Kingbird	10.05%
222.	Gray Kingbird	0.0946%
223.	Scissor-tailed Flycatcher	0.0414%
224.	White-eyed Vireo	25.85%
225.	Bell's Vireo	0.0008%
226.	Yellow-throated Vireo	8.76%
227.	Blue-headed Vireo	5.45%
228.	Warbling Vireo	0.0055%
229.	Red-eyed Vireo	20.58%
230.	Loggerhead Shrike	1.55%
231.	Blue Jay	48.35%
232.	American Crow	41.26%
233.	Fish Crow	21.64%
234.	Common Raven	0.1759%
235.	Carolina Chickadee	49.73%
236.	Tufted Titmouse	57.15%
237.	Horned Lark	0.3151%
238.	Bank Swallow	0.1056%

239.	Tree Swallow	6.99%
240.	Purple Martin	5.12%
241.	Northern Rough-winged Swallow	20.50%
242.	Barn Swallow	14.78%
243.	Cliff Swallow	2.50%
244.	Cave Swallow	0.0227%
245.	Ruby-crowned Kinglet	20.42%
246.	Golden-crowned Kinglet	0.4832%
247.	White-breasted Nuthatch	22.39%
248.	Brown-headed Nuthatch	25.64%
249.	Red-breasted Nuthatch	0.5575%
250.	Brown Creeper	0.1267%
251.	Blue-gray Gnatcatcher	35.14%
252.	Northern House Wren	7.45%
253.	Winter Wren	0.4090%
254.	Sedge Wren	0.3964%
255.	Marsh Wren	1.48%
256.	Carolina Wren	60.83%
257.	Bewick's Wren	0.0000%
258.	European Starling	14.15%
259.	Gray Catbird	15.27%
260.	Brown Thrasher	31.49%
261.	Northern Mockingbird	38.59%
262.	Eastern Bluebird	36.94%
263.	Veery	0.7335%
264.	Gray-cheeked Thrush	0.0602%
265.	Swainson's Thrush	0.9978%

266.	Hermit Thrush	4.07%
267.	Wood Thrush	9.59%
268.	American Robin	35.88%
269.	Cedar Waxwing	13.10%
270.	House Sparrow	5.85%
271.	American Pipit	0.2064%
272.	Sprague's Pipit	0.0000%
273.	Evening Grosbeak	0.0336%
274.	House Finch	32.61%
275.	Purple Finch	1.31%
276.	Redpoll	0.0000%
277.	Red Crossbill	0.0454%
278.	Pine Siskin	5.36%
279.	American Goldfinch	28.89%
280.	Bachman's Sparrow	0.8046%
281.	Grasshopper Sparrow	0.8468%
282.	Chipping Sparrow	33.92%
283.	Clay-colored Sparrow	0.0235%
284.	Field Sparrow	5.91%
285.	Lark Sparrow	0.0156%
286.	Lark Bunting	0.0008%
287.	American Tree Sparrow	0.0039%
288.	Fox Sparrow	0.0110%
289.	Dark-eyed Junco	1.74%
290.	White-crowned Sparrow	0.5951%
291.	Harris's Sparrow	0.0000%
292.	White-throated Sparrow	22.32%

293.	Vesper Sparrow	0.3011%
294.	LeConte's Sparrow	0.0055%
295.	Seaside Sparrow	0.1196%
296.	Nelson's Sparrow	0.0297%
297.	Saltmarsh Sparrow	0.0321%
298.	Savannah Sparrow	3.39%
299.	Henslow's Sparrow	0.0477%
300.	Song Sparrow	18.23%
301.	Lincoln's Sparrow	0.0500%
302.	Swamp Sparrow	4.12%
303.	Green-tailed Towhee	0.0000%
304.	Spotted Towhee	0.0016%
305.	Eastern Towhee	43.61%
306.	Yellow-breasted Chat	2.49%
307.	Yellow-headed Blackbird	0.0227%
308.	Bobolink	0.9180%
309.	Eastern Meadowlark	4.29%
310.	Orchard Oriole	5.80%
311.	Bullock's Oriole	0.0125%
312.	Baltimore Oriole	1.53%
313.	Red-winged Blackbird	21.86%
314.	Brown-headed Cowbird	27.42%
315.	Rusty Blackbird	0.1306%
316.	Brewer's Blackbird	0.1024%
317.	Common Grackle	19.60%
318.	Boat-tailed Grackle	5.31%
319.	Ovenbird	3.51%

320.	Worm-eating Warbler	2.95%
321.	Louisiana Waterthrush	6.12%
322.	Northern Waterthrush	2.68%
323.	Bachman's Warbler	0.0000%
324.	Golden-winged Warbler	0.1095%
325.	Blue-winged Warbler	0.8265%
326.	Black-and-white Warbler	12.33%
327.	Prothonotary Warbler	3.88%
328.	Swainson's Warbler	1.60%
329.	Tennessee Warbler	1.01%
330.	Orange-crowned Warbler	2.18%
331.	Nashville Warbler	0.1908%
332.	MacGillivray's Warbler	0.0000%
333.	Mourning Warbler	0.0008%
334.	Kentucky Warbler	2.84%
335.	Common Yellowthroat	14.54%
336.	Hooded Warbler	9.73%
337.	American Redstart	4.73%
338.	Kirtland's Warbler	0.0000%
339.	Cape May Warbler	4.87%
340.	Cerulean Warbler	0.6592%
341.	Northern Parula	20.27%
342.	Magnolia Warbler	0.3229%
343.	Bay-breasted Warbler	0.4223%
344.	Blackburnian Warbler	1.30%
345.	Yellow Warbler	1.60%
346.	Chestnut-sided Warbler	1.13%

347. Blackpoll Warbler	3.27%
348. Black-throated Blue Warbler	2.99%
349. Palm Warbler	15.50%
350. Pine Warbler	30.46%
351. Yellow-rumped Warbler	32.93%
352. Yellow-throated Warbler	10.78%
353. Prairie Warbler	6.97%
354. Black-throated Gray Warbler	0.0016%
355. Townsend's Warbler	0.0219%
356. Black-throated Green Warbler	3.94%
357. Canada Warbler	0.2651%
358. Wilson's Warbler	0.0672%
359. Red-faced Warbler	0.0000%
360. Summer Tanager	12.11%
361. Scarlet Tanager	6.95%
362. Western Tanager	0.0414%
363. Northern Cardinal	75.15%
364. Rose-breasted Grosbeak	6.56%
365. Black-headed Grosbeak	0.0000%
366. Blue Grosbeak	5.91%
367. Lazuli Bunting	0.0000%
368. Indigo Bunting	10.68%
369. Painted Bunting	2.97%
370. Dickcissel	0.0782%
371. Green-breasted Mango	0.0000%
EXOTIC: PROVISIONAL	
372. Egyptian Goose	0.0008% frequency

EXOTIC: ESCAPEE	
Graylag Goose	0.0078% frequency
Swan Goose	0.0133%
Mute Swan	0.0039%
Black Swan	0.0008%
Muscovy Duck	0.9860%
Helmeted Guineafowl	0.0156%
Ring-necked Pheasant	0.0031%
Indian Peafowl	0.0047%
Red Junglefowl	0.0063%
Monk Parakeet	0.0008%
Nanday Parakeet	0.0016%
Zebra Finch	0.0008%
Red-crested Cardinal	0.0008%
Trumpeter Swan	0.0000%
HYBRIDS	
Graylag x Canada Goose (hybrid)	0.0031% frequency
Domestic goose sp. x Canada Goose (hybrid)	0.0031%
Snow x Canada Goose (hybrid)	0.0000%
Muscovy Duck x Mallard (hybrid)	0.0016%
Mallard x American Black Duck (hybrid)	0.0023%
Mallard x Mottled Duck (hybrid)	0.0016%
Golden-winged x Blue-winged Warbler (hybrid)	0.0016%
Brewster's Warbler (hybrid)	0.0039%
Lawrence's Warbler (hybrid)	0.0023%