



Target Species

Based on 59,477 complete checklists

304 species observed in Georgia, US (region/US-GA) in **Aug** that you need for your **World Life List**

1. Northern Cardinal	62.99% frequency
2. Carolina Wren	56.79%
3. Mourning Dove	50.58%
4. Blue Jay	43.36%
5. Carolina Chickadee	43.11%
6. Tufted Titmouse	42.48%
7. American Crow	37.38%
8. Ruby-throated Hummingbird	36.06%
9. Red-bellied Woodpecker	34.34%
10. Downy Woodpecker	32.55%
11. Eastern Towhee	31.69%
12. House Finch	30.02%
13. American Goldfinch	29.86%
14. Eastern Bluebird	28.97%
15. Northern Mockingbird	28.82%
16. White-breasted Nuthatch	24.48%
17. Brown-headed Nuthatch	21.76%
18. Blue-gray Gnatcatcher	18.77%
19. Turkey Vulture	17.24%
20. Great Egret	17.23%
21. Brown Thrasher	16.38%
22. Eastern Phoebe	16.35%

23. Chipping Sparrow	16.33%
24. American Robin	16.03%
25. Great Blue Heron	15.80%
26. Red-shouldered Hawk	15.10%
27. Canada Goose	13.92%
28. White-eyed Vireo	13.11%
29. Gray Catbird	13.02%
30. Pileated Woodpecker	12.87%
31. Chimney Swift	12.81%
32. Barn Swallow	12.61%
33. Killdeer	12.51%
34. Blue Grosbeak	11.03%
35. Fish Crow	10.86%
36. Black Vulture	10.84%
37. Indigo Bunting	10.84%
38. Eastern Kingbird	10.46%
39. Little Blue Heron	9.99%
40. European Starling	9.97%
41. Belted Kingfisher	9.95%
42. Red-eyed Vireo	9.73%
43. Song Sparrow	9.67%
44. Mallard	9.67%
45. Eastern Wood-Pewee	9.59%
46. Red-tailed Hawk	9.22%
47. Green Heron	8.87%
48. Pine Warbler	8.65%
49. Great Crested Flycatcher	8.26%

50. Summer Tanager	7.56%
51. Red-headed Woodpecker	7.24%
52. Rock Pigeon	7.20%
53. Common Grackle	6.96%
54. Snowy Egret	6.95%
55. Yellow-billed Cuckoo	6.77%
56. Osprey	6.58%
57. Mississippi Kite	6.47%
58. Least Sandpiper	5.98%
59. Northern Parula	5.73%
60. Hairy Woodpecker	5.63%
61. Western Cattle-Egret	5.44%
62. Red-winged Blackbird	5.40%
63. White Ibis	5.39%
64. Spotted Sandpiper	5.09%
65. Northern Flicker	5.07%
66. Wood Duck	4.90%
67. Hooded Warbler	4.88%
68. Brown-headed Cowbird	4.85%
69. Common Yellowthroat	4.76%
70. Laughing Gull	4.65%
71. Field Sparrow	4.28%
72. Pectoral Sandpiper	4.20%
73. Anhinga	4.14%
74. Eurasian Collared-Dove	4.12%
75. House Sparrow	4.08%
76. Black-and-white Warbler	3.94%

77. Solitary Sandpiper	3.80%
78. American Redstart	3.65%
79. Cooper's Hawk	3.59%
80. Northern Rough-winged Swallow	3.45%
81. Royal Tern	3.36%
82. Yellow-throated Vireo	3.29%
83. Wood Stork	3.28%
84. Double-crested Cormorant	3.16%
85. Barred Owl	2.90%
86. Tricolored Heron	2.85%
87. Brown Pelican	2.59%
88. Acadian Flycatcher	2.52%
89. Loggerhead Shrike	2.49%
90. Eastern Meadowlark	2.48%
91. Common Ground Dove	2.47%
92. Northern House Wren	2.44%
93. Lesser Yellowlegs	2.27%
94. Semipalmated Sandpiper	2.24%
95. Semipalmated Plover	2.24%
96. Willet	2.20%
97. Painted Bunting	2.17%
98. Roseate Spoonbill	2.08%
99. Yellow Warbler	1.92%
100. Yellow-throated Warbler	1.90%
101. Prairie Warbler	1.89%
102. Common Gallinule	1.86%
103. Swallow-tailed Kite	1.82%

104.	Sanderling	1.80%
105.	Northern Bobwhite	1.76%
106.	Wood Thrush	1.72%
107.	Black-bellied Whistling-Duck	1.70%
108.	Chestnut-sided Warbler	1.69%
109.	Scarlet Tanager	1.65%
110.	Greater Yellowlegs	1.55%
111.	Yellow-crowned Night Heron	1.54%
112.	Ruddy Turnstone	1.54%
113.	Cliff Swallow	1.44%
114.	Black Skimmer	1.42%
115.	Worm-eating Warbler	1.41%
116.	Blue-winged Teal	1.38%
117.	Broad-winged Hawk	1.35%
118.	Black Tern	1.30%
119.	Boat-tailed Grackle	1.27%
120.	Sandwich Tern	1.23%
121.	Purple Martin	1.22%
122.	Clapper Rail	1.19%
123.	Wild Turkey	1.19%
124.	Grasshopper Sparrow	1.16%
125.	Ring-billed Gull	1.15%
126.	Horned Lark	1.14%
127.	Black-bellied Plover	1.13%
128.	Least Tern	1.12%
129.	Pied-billed Grebe	1.12%
130.	Tree Swallow	1.11%

131.	Common Nighthawk	1.10%
132.	Black-crowned Night Heron	1.07%
133.	Orchard Oriole	1.06%
134.	Bald Eagle	1.04%
135.	American Kestrel	1.02%
136.	Forster's Tern	1.00%
137.	Louisiana Waterthrush	0.9567%
138.	Black-throated Green Warbler	0.9415%
139.	Yellow-breasted Chat	0.9046%
140.	Short-billed Dowitcher	0.8777%
141.	Bank Swallow	0.8474%
142.	Western Sandpiper	0.8322%
143.	Cerulean Warbler	0.8272%
144.	Kentucky Warbler	0.7616%
145.	Stilt Sandpiper	0.7566%
146.	American Herring Gull	0.7381%
147.	Common Tern	0.7280%
148.	Great Horned Owl	0.7213%
149.	Prothonotary Warbler	0.7045%
150.	Northern Waterthrush	0.6776%
151.	Glossy Ibis	0.6540%
152.	Black-necked Stilt	0.6389%
153.	Eastern Screech-Owl	0.6372%
154.	Blue-headed Vireo	0.6372%
155.	Lesser Black-backed Gull	0.5918%
156.	Caspian Tern	0.5868%
157.	Blackburnian Warbler	0.5784%

158.	Canada Warbler	0.5582%
159.	Whimbrel	0.5532%
160.	Gull-billed Tern	0.5464%
161.	Upland Sandpiper	0.5246%
162.	Piping Plover	0.5061%
163.	American Oystercatcher	0.4926%
164.	Buff-breasted Sandpiper	0.4052%
165.	Wilson's Plover	0.3918%
166.	Baltimore Oriole	0.3918%
167.	American Avocet	0.3850%
168.	Great Black-backed Gull	0.3749%
169.	Wilson's Phalarope	0.3699%
170.	Reddish Egret	0.3649%
171.	Ovenbird	0.3447%
172.	Bachman's Sparrow	0.3413%
173.	Marsh Wren	0.3312%
174.	Cedar Waxwing	0.3295%
175.	Blue-winged Warbler	0.3228%
176.	American Coot	0.2925%
177.	Dark-eyed Junco	0.2808%
178.	American White Pelican	0.2623%
179.	Gray Kingbird	0.2556%
180.	Red Knot	0.2488%
181.	Least Bittern	0.2169%
182.	Scissor-tailed Flycatcher	0.2119%
183.	Swainson's Warbler	0.2068%
184.	Mottled Duck	0.2018%

185.	Marbled Godwit	0.1950%
186.	King Rail	0.1833%
187.	Eastern Whip-poor-will	0.1799%
188.	Dickcissel	0.1782%
189.	Limpkin	0.1765%
190.	Magnolia Warbler	0.1597%
191.	Ruddy Duck	0.1580%
192.	Olive-sided Flycatcher	0.1530%
193.	Northern Shoveler	0.1446%
194.	Black-throated Blue Warbler	0.1396%
195.	Purple Gallinule	0.1362%
196.	Brown Booby	0.1311%
197.	Golden-winged Warbler	0.1194%
198.	Tennessee Warbler	0.1177%
199.	Common Raven	0.1160%
200.	Ring-necked Duck	0.1143%
201.	Baird's Sandpiper	0.1093%
202.	Sooty Tern	0.1059%
203.	Bridled Tern	0.1042%
204.	Sharp-shinned Hawk	0.1042%
205.	American Golden-Plover	0.1026%
206.	Red-cockaded Woodpecker	0.0992%
207.	Chuck-will's-widow	0.0891%
208.	Veery	0.0841%
209.	Sargasso Shearwater	0.0757%
210.	Red-breasted Nuthatch	0.0757%
211.	Long-billed Dowitcher	0.0723%

212.	Wilson's Snipe	0.0723%
213.	American Barn Owl	0.0723%
214.	Inca Dove	0.0706%
215.	Peregrine Falcon	0.0706%
216.	Seaside Sparrow	0.0656%
217.	Long-billed Curlew	0.0639%
218.	Bobolink	0.0639%
219.	White-faced Ibis	0.0555%
220.	Bell's Vireo	0.0555%
221.	Lark Sparrow	0.0555%
222.	Glaucous Gull	0.0504%
223.	Least Flycatcher	0.0504%
224.	Northern Harrier	0.0488%
225.	Red Crossbill	0.0437%
226.	Red-necked Phalarope	0.0404%
227.	Dunlin	0.0387%
228.	Common Loon	0.0387%
229.	Willow Flycatcher	0.0370%
230.	Rose-breasted Grosbeak	0.0370%
231.	Fulvous Whistling-Duck	0.0353%
232.	Hooded Merganser	0.0336%
233.	Rufous Hummingbird	0.0320%
234.	Snow Goose	0.0303%
235.	Sandhill Crane	0.0303%
236.	Alder Flycatcher	0.0286%
237.	Green-winged Teal	0.0269%
238.	Black Rail	0.0269%

239.	Ross's Goose	0.0252%
240.	Sora	0.0252%
241.	Crested Caracara	0.0235%
242.	White-rumped Sandpiper	0.0219%
243.	Warbling Vireo	0.0202%
244.	Ruffed Grouse	0.0168%
245.	Wilson's Storm-Petrel	0.0168%
246.	Cory's Shearwater	0.0168%
247.	American Woodcock	0.0151%
248.	Long-tailed Jaeger	0.0151%
249.	Pomarine Jaeger	0.0151%
250.	Gadwall	0.0135%
251.	Black Scoter	0.0135%
252.	Red-breasted Merganser	0.0135%
253.	Western Kingbird	0.0135%
254.	Snowy Plover	0.0118%
255.	Black-headed Gull	0.0118%
256.	Sedge Wren	0.0118%
257.	American Wigeon	0.0101%
258.	Bay-breasted Warbler	0.0101%
259.	Wilson's Warbler	0.0101%
260.	White-winged Dove	0.0084%
261.	Black-billed Cuckoo	0.0084%
262.	Brown Noddy	0.0084%
263.	Black-capped Petrel	0.0084%
264.	Great Shearwater	0.0084%
265.	Golden-crowned Kinglet	0.0084%

266.	Cape May Warbler	0.0084%
267.	Greater White-fronted Goose	0.0067%
268.	Northern Pintail	0.0067%
269.	Bufflehead	0.0067%
270.	Bonaparte's Gull	0.0067%
271.	Magnificent Frigatebird	0.0067%
272.	Masked Booby	0.0067%
273.	American Bittern	0.0067%
274.	Merlin	0.0067%
275.	Yellow-bellied Flycatcher	0.0067%
276.	Pine Siskin	0.0067%
277.	Plain Chachalaca	0.0050%
278.	Virginia Rail	0.0050%
279.	Sabine's Gull	0.0050%
280.	Swainson's Thrush	0.0050%
281.	Palm Warbler	0.0050%
282.	American Black Duck	0.0034%
283.	Lesser Scaup	0.0034%
284.	Common Eider	0.0034%
285.	Parasitic Jaeger	0.0034%
286.	Roseate Tern	0.0034%
287.	Horned Grebe	0.0034%
288.	Redhead	0.0017%
289.	Hudsonian Godwit	0.0017%
290.	Red Phalarope	0.0017%
291.	Curlew Sandpiper	0.0017%
292.	White-tailed Tropicbird	0.0017%

293.	Scopoli's Shearwater	0.0017%
294.	Short-tailed Hawk	0.0017%
295.	Philadelphia Vireo	0.0017%
296.	Nashville Warbler	0.0017%
297.	Blackpoll Warbler	0.0017%
298.	Eared Grebe	0.0000%
299.	Leach's Storm-Petrel	0.0000%
300.	Band-rumped Storm-Petrel	0.0000%
301.	Manx Shearwater	0.0000%
302.	White-throated Sparrow	0.0000%
303.	Bachman's Warbler	0.0000%
EXOTIC: PROVISIONAL		
304.	Egyptian Goose	0.0269% frequency <div></div>
EXOTIC: ESCAPEE		
	Muscovy Duck	0.9819% frequency <div></div>
	Helmeted Guineafowl	0.0353% <div></div>
	Swan Goose	0.0286% <div></div>
	Indian Peafowl	0.0235% <div></div>
	Graylag Goose	0.0219% <div></div>
	Mute Swan	0.0101%
	Red Junglefowl	0.0034%
	Monk Parakeet	0.0034%
	Budgerigar	0.0017%
HYBRIDS		
	Domestic goose sp. x Canada Goose (hybrid)	0.0101% frequency
	Lawrence's Warbler (hybrid)	0.0067%
	Graylag x Canada Goose (hybrid)	0.0034%

Snow x Canada Goose (hybrid)	0.0034%
Golden-winged x Blue-winged Warbler (hybrid)	0.0034%
Brewster's Warbler (hybrid)	0.0034%
Mallard x American Black Duck (hybrid)	0.0017%