eBird

Target Species

Based on 59,477 complete checklists

304 species observed in <u>Georgia, US (region/US-GA)</u> in Aug that you need for your World Life List

| 1. Black-bellied Whistling-Duck | 1.70% frequency |
|---------------------------------|-----------------|
| 2. Fulvous Whistling-Duck | 0.0353% |
| 3. Snow Goose | 0.0303% |
| 4. Ross's Goose | 0.0252% |
| 5. Greater White-fronted Goose | 0.0067% |
| 6. Canada Goose | 13.92% |
| 7. Wood Duck | 4.90% |
| 8. Blue-winged Teal | 1.38% |
| 9. Northern Shoveler | 0.1446% |
| 10. Gadwall | 0.0135% |
| 11. American Wigeon | 0.0101% |
| 12. Mallard | 9.67% |
| 13. American Black Duck | 0.0034% |
| 14. Mottled Duck | 0.2018% |
| 15. Northern Pintail | 0.0067% |
| 16. Green-winged Teal | 0.0269% |
| 17. Redhead | 0.0017% |
| 18. Ring-necked Duck | 0.1143% |
| 19. Lesser Scaup | 0.0034% |
| 20. Common Eider | 0.0034% |
| 21. Black Scoter | 0.0135% |
| 22. Bufflehead | 0.0067% |

| 23. Hooded Merganser | 0.0336% |
|-------------------------------|------------|
| 24. Red-breasted Merganser | 0.0135% |
| 25. Ruddy Duck | 0.1580% |
| 26. Plain Chachalaca | 0.0050% |
| 27. Northern Bobwhite | 1.76% |
| 28. Wild Turkey | 1.19% - |
| 29. Ruffed Grouse | 0.0168% |
| 30. Rock Pigeon | 7.20% |
| 31. Eurasian Collared-Dove | 4.12% |
| 32. Inca Dove | 0.0706% |
| 33. Common Ground Dove | 2.47% |
| 34. White-winged Dove | 0.0084% |
| 35. Mourning Dove | 50.58% |
| 36. Yellow-billed Cuckoo | 6.77% |
| 37. Black-billed Cuckoo | 0.0084% |
| 38. Common Nighthawk | 1.10% |
| 39. Chuck-will's-widow | 0.0891% |
| 40. Eastern Whip-poor-will | 0.1799% |
| 41. Chimney Swift | 12.81% |
| 42. Ruby-throated Hummingbird | 36.06% |
| 43. Rufous Hummingbird | 0.0320% |
| 44. King Rail | 0.1833% |
| 45. Clapper Rail | 1.19% |
| 46. Virginia Rail | 0.0050% |
| 47. Sora | 0.0252% |
| 48. Common Gallinule | 1.86% |
| 49. American Coot | 0.2925% |
| | |

| 50. Purple Gallinule | 0.1362% |
|----------------------------|---------|
| 51. Black Rail | 0.0269% |
| 52. Limpkin | 0.1765% |
| 53. Sandhill Crane | 0.0303% |
| 54. Black-necked Stilt | 0.6389% |
| 55. American Avocet | 0.3850% |
| 56. American Oystercatcher | 0.4926% |
| 57. Black-bellied Plover | 1.13% |
| 58. American Golden-Plover | 0.1026% |
| 59. Killdeer | 12.51% |
| 60. Semipalmated Plover | 2.24% |
| 61. Piping Plover | 0.5061% |
| 62. Wilson's Plover | 0.3918% |
| 63. Snowy Plover | 0.0118% |
| 64. Upland Sandpiper | 0.5246% |
| 65. Whimbrel | 0.5532% |
| 66. Long-billed Curlew | 0.0639% |
| 67. Hudsonian Godwit | 0.0017% |
| 68. Marbled Godwit | 0.1950% |
| 69. Short-billed Dowitcher | 0.8777% |
| 70. Long-billed Dowitcher | 0.0723% |
| 71. American Woodcock | 0.0151% |
| 72. Wilson's Snipe | 0.0723% |
| 73. Wilson's Phalarope | 0.3699% |
| 74. Red Phalarope | 0.0017% |
| 75. Red-necked Phalarope | 0.0404% |
| 76. Spotted Sandpiper | 5.09% |

| 77. Solitary Sandpiper | 3.80% |
|------------------------------|---------|
| 78. Lesser Yellowlegs | 2.27% |
| 79. Willet | 2.20% |
| 80. Greater Yellowlegs | 1.55% |
| 81. Ruddy Turnstone | 1.54% |
| 82. Red Knot | 0.2488% |
| 83. Curlew Sandpiper | 0.0017% |
| 84. Stilt Sandpiper | 0.7566% |
| 85. Buff-breasted Sandpiper | 0.4052% |
| 86. Sanderling | 1.80% |
| 87. Dunlin | 0.0387% |
| 88. Baird's Sandpiper | 0.1093% |
| 89. White-rumped Sandpiper | 0.0219% |
| 90. Least Sandpiper | 5.98% |
| 91. Pectoral Sandpiper | 4.20% |
| 92. Western Sandpiper | 0.8322% |
| 93. Semipalmated Sandpiper | 2.24% |
| 94. Long-tailed Jaeger | 0.0151% |
| 95. Parasitic Jaeger | 0.0034% |
| 96. Pomarine Jaeger | 0.0151% |
| 97. Sabine's Gull | 0.0050% |
| 98. Bonaparte's Gull | 0.0067% |
| 99. Black-headed Gull | 0.0118% |
| 100. Laughing Gull | 4.65% |
| 101. Ring-billed Gull | 1.15% |
| 102. American Herring Gull | 0.7381% |
| 103. Great Black-backed Gull | 0.3749% |

| 104. Glaucous Gull | 0.0504% |
|-------------------------------|---------|
| 105. Lesser Black-backed Gull | 0.5918% |
| 106. Black Skimmer | 1.42% |
| 107. Brown Noddy | 0.0084% |
| 108. Sooty Tern | 0.1059% |
| 109. Bridled Tern | 0.1042% |
| 110. Least Tern | 1.12% |
| 111. Gull-billed Tern | 0.5464% |
| 112. Caspian Tern | 0.5868% |
| 113. Black Tern | 1.30% |
| 114. Forster's Tern | 1.00% |
| 115. Common Tern | 0.7280% |
| 116. Roseate Tern | 0.0034% |
| 117. Sandwich Tern | 1.23% |
| 118. Royal Tern | 3.36% |
| 119. Pied-billed Grebe | 1.12% |
| 120. Horned Grebe | 0.0034% |
| 121. Eared Grebe | 0.0000% |
| 122. White-tailed Tropicbird | 0.0017% |
| 123. Common Loon | 0.0387% |
| 124. Wilson's Storm-Petrel | 0.0168% |
| 125. Leach's Storm-Petrel | 0.0000% |
| 126. Band-rumped Storm-Petrel | 0.0000% |
| 127. Black-capped Petrel | 0.0084% |
| 128. Cory's Shearwater | 0.0168% |
| 129. Scopoli's Shearwater | 0.0017% |
| 130. Great Shearwater | 0.0084% |
| | |

| 131. Manx Shearwater | 0.0000% |
|---------------------------------|---------|
| 132. Sargasso Shearwater | 0.0757% |
| 133. Wood Stork | 3.28% |
| 134. Magnificent Frigatebird | 0.0067% |
| 135. Brown Booby | 0.1311% |
| 136. Masked Booby | 0.0067% |
| 137. Anhinga | 4.14% |
| 138. Double-crested Cormorant | 3.16% |
| 139. White Ibis | 5.39% |
| 140. Glossy Ibis | 0.6540% |
| 141. White-faced Ibis | 0.0555% |
| 142. Roseate Spoonbill | 2.08% |
| 143. American Bittern | 0.0067% |
| 144. Least Bittern | 0.2169% |
| 145. Yellow-crowned Night Heron | 1.54% |
| 146. Black-crowned Night Heron | 1.07% |
| 147. Little Blue Heron | 9.99% |
| 148. Tricolored Heron | 2.85% |
| 149. Reddish Egret | 0.3649% |
| 150. Snowy Egret | 6.95% |
| 151. Green Heron | 8.87% |
| 152. Western Cattle-Egret | 5.44% |
| 153. Great Egret | 17.23% |
| 154. Great Blue Heron | 15.80% |
| 155. American White Pelican | 0.2623% |
| 156. Brown Pelican | 2.59% |
| 157. Black Vulture | 10.84% |
| | |

| 158. Turkey Vulture | 17.24% |
|------------------------------|---------|
| 159. Osprey | 6.58% |
| 160. Swallow-tailed Kite | 1.82% |
| 161. Sharp-shinned Hawk | 0.1042% |
| 162. Cooper's Hawk | 3.59% |
| 163. Northern Harrier | 0.0488% |
| 164. Bald Eagle | 1.04% |
| 165. Mississippi Kite | 6.47% |
| 166. Broad-winged Hawk | 1.35% |
| 167. Red-shouldered Hawk | 15.10% |
| 168. Short-tailed Hawk | 0.0017% |
| 169. Red-tailed Hawk | 9.22% |
| 170. American Barn Owl | 0.0723% |
| 171. Eastern Screech-Owl | 0.6372% |
| 172. Great Horned Owl | 0.7213% |
| 173. Barred Owl | 2.90% |
| 174. Belted Kingfisher | 9.95% |
| 175. Red-headed Woodpecker | 7.24% |
| 176. Red-bellied Woodpecker | 34.34% |
| 177. Downy Woodpecker | 32.55% |
| 178. Red-cockaded Woodpecker | 0.0992% |
| 179. Hairy Woodpecker | 5.63% |
| 180. Pileated Woodpecker | 12.87% |
| 181. Northern Flicker | 5.07% |
| 182. Crested Caracara | 0.0235% |
| 183. American Kestrel | 1.02% |
| 184. Merlin | 0.0067% |
| | |

| 185. Peregrine Falcon | 0.0706% |
|--------------------------------|---------|
| 186. Olive-sided Flycatcher | 0.1530% |
| 187. Eastern Wood-Pewee | 9.59% |
| 188. Yellow-bellied Flycatcher | 0.0067% |
| 189. Acadian Flycatcher | 2.52% |
| 190. Alder Flycatcher | 0.0286% |
| 191. Willow Flycatcher | 0.0370% |
| 192. Least Flycatcher | 0.0504% |
| 193. Eastern Phoebe | 16.35% |
| 194. Great Crested Flycatcher | 8.26% |
| 195. Western Kingbird | 0.0135% |
| 196. Eastern Kingbird | 10.46% |
| 197. Gray Kingbird | 0.2556% |
| 198. Scissor-tailed Flycatcher | 0.2119% |
| 199. White-eyed Vireo | 13.11% |
| 200. Bell's Vireo | 0.0555% |
| 201. Yellow-throated Vireo | 3.29% |
| 202. Blue-headed Vireo | 0.6372% |
| 203. Philadelphia Vireo | 0.0017% |
| 204. Warbling Vireo | 0.0202% |
| 205. Red-eyed Vireo | 9.73% |
| 206. Loggerhead Shrike | 2.49% |
| 207. Blue Jay | 43.36% |
| 208. American Crow | 37.38% |
| 209. Fish Crow | 10.86% |
| 210. Common Raven | 0.1160% |
| 211. Carolina Chickadee | 43.11% |
| | |

| 212. Tufted Titmouse | 42.48% |
|------------------------------------|---------|
| 213. Horned Lark | 1.14% |
| 214. Bank Swallow | 0.8474% |
| 215. Tree Swallow | 1.11% |
| 216. Purple Martin | 1.22% |
| 217. Northern Rough-winged Swallow | 3.45% |
| 218. Barn Swallow | 12.61% |
| 219. Cliff Swallow | 1.44% |
| 220. Golden-crowned Kinglet | 0.0084% |
| 221. White-breasted Nuthatch | 24.48% |
| 222. Brown-headed Nuthatch | 21.76% |
| 223. Red-breasted Nuthatch | 0.0757% |
| 224. Blue-gray Gnatcatcher | 18.77% |
| 225. Northern House Wren | 2.44% |
| 226. Sedge Wren | 0.0118% |
| 227. Marsh Wren | 0.3312% |
| 228. Carolina Wren | 56.79% |
| 229. European Starling | 9.97% |
| 230. Gray Catbird | 13.02% |
| 231. Brown Thrasher | 16.38% |
| 232. Northern Mockingbird | 28.82% |
| 233. Eastern Bluebird | 28.97% |
| 234. Veery | 0.0841% |
| 235. Swainson's Thrush | 0.0050% |
| 236. Wood Thrush | 1.72% |
| 237. American Robin | 16.03% |
| 238. Cedar Waxwing | 0.3295% |
| | |

| 239. House Sparrow | 4.08% |
|-----------------------------|---|
| 240. House Finch | 30.02% |
| 241. Red Crossbill | 0.0437% |
| 242. Pine Siskin | 0.0067% |
| 243. American Goldfinch | 29.86% |
| 244. Bachman's Sparrow | 0.3413% |
| 245. Grasshopper Sparrow | 1.16% |
| 246. Chipping Sparrow | 16.33% |
| 247. Field Sparrow | 4.28% |
| 248. Lark Sparrow | 0.0555% |
| 249. Dark-eyed Junco | 0.2808% |
| 250. White-throated Sparrow | 0.0000% |
| 251. Seaside Sparrow | 0.0656% |
| 252. Song Sparrow | 9.67% |
| 253. Eastern Towhee | 31.69% |
| 254. Yellow-breasted Chat | 0.9046% |
| 255. Bobolink | 0.0639% |
| 256. Eastern Meadowlark | 2.48% |
| 257. Orchard Oriole | 1.06% |
| 258. Baltimore Oriole | 0.3918% |
| 259. Red-winged Blackbird | 5.40% |
| 260. Brown-headed Cowbird | 4.85% |
| 261. Common Grackle | 6.96% |
| 262. Boat-tailed Grackle | 1.27% |
| 263. Ovenbird | 0.3447% |
| 264. Worm-eating Warbler | 1.41% - |
| 265. Louisiana Waterthrush | 0.9567% |
| | A second s |

| 266. Northern Waterthrush | 0.6776% |
|---|---|
| 267. Bachman's Warbler | 0.0000% |
| 268. Golden-winged Warbler | 0.1194% |
| 269. Blue-winged Warbler | 0.3228% |
| 270. Black-and-white Warbler | 3.94% |
| 271. Prothonotary Warbler | 0.7045% |
| 272. Swainson's Warbler | 0.2068% |
| 273. Tennessee Warbler | 0.1177% |
| 274. Nashville Warbler | 0.0017% |
| 275. Kentucky Warbler | 0.7616% |
| 276. Common Yellowthroat | 4.76% |
| 277. Hooded Warbler | 4.88% |
| 278. American Redstart | 3.65% |
| 279. Cape May Warbler | 0.0084% |
| 280. Cerulean Warbler | 0.8272% |
| 281. Northern Parula | 5.73% |
| 282. Magnolia Warbler | |
| | 0.1597% |
| 283. Bay-breasted Warbler | 0.1597% |
| | |
| 283. Bay-breasted Warbler | 0.0101% |
| 283. Bay-breasted Warbler 284. Blackburnian Warbler | 0.0101% |
| 283. Bay-breasted Warbler 284. Blackburnian Warbler 285. Yellow Warbler | 0.0101% 0.5784% 1.92% |
| 283. Bay-breasted Warbler 284. Blackburnian Warbler 285. Yellow Warbler 286. Chestnut-sided Warbler | 0.0101% 0.5784% 1.92% 1.69% |
| 283. Bay-breasted Warbler 284. Blackburnian Warbler 285. Yellow Warbler 286. Chestnut-sided Warbler 287. Blackpoll Warbler | 0.0101% 0.5784% 1.92% 1.69% 0.0017% |
| 283. Bay-breasted Warbler 284. Blackburnian Warbler 285. Yellow Warbler 286. Chestnut-sided Warbler 287. Blackpoll Warbler 288. Black-throated Blue Warbler | 0.0101% 0.5784% 1.92% 1.69% 0.0017% 0.1396% |
| 283. Bay-breasted Warbler 284. Blackburnian Warbler 285. Yellow Warbler 286. Chestnut-sided Warbler 287. Blackpoll Warbler 288. Black-throated Blue Warbler 289. Palm Warbler | 0.0101% 0.5784% 1.92% 1.69% 0.0017% 0.1396% 0.0050% |

| 293. Black-throated Green Warbler | 0.9415% |
|---|------------------------------|
| 294. Canada Warbler | 0.5582% |
| 295. Wilson's Warbler | 0.0101% |
| 296. Summer Tanager | 7.56% |
| 297. Scarlet Tanager | 1.65% |
| 298. Northern Cardinal | 62.99% |
| 299. Rose-breasted Grosbeak | 0.0370% |
| 300. Blue Grosbeak | 11.03% |
| 301. Indigo Bunting | 10.84% |
| 302. Painted Bunting | 2.17% |
| 303. Dickcissel | 0.1782% |
| EXOTIC: PROVISIONAL | |
| 304. Egyptian Goose | 0.0269% frequency |
| EXOTIC: ESCAPEE | |
| Graylag Goose | 0.0219% frequency |
| Swan Goose | 0.0286% |
| Mute Swan | 0.0101% |
| Muscovy Duck | 0.9819% |
| Helmeted Guineafowl | 0.0353% |
| Indian Peafowl | 0.0235% |
| Red Junglefowl | 0.0034% |
| Budgerigar | 0.0017% |
| Monk Parakeet | 0.0034% |
| HYBRIDS | |
| | |
| Graylag x Canada Goose (hybrid) | 0.0034% frequency |
| Graylag x Canada Goose (hybrid) Domestic goose sp. x Canada Goose (hybrid) | 0.0034% frequency 0.0101% |

| Mallard x American Black Duck (hybrid) | 0.0017% |
|--|---------|
| Golden-winged x Blue-winged Warbler (hybrid) | 0.0034% |
| Brewster's Warbler (hybrid) | 0.0034% |
| Lawrence's Warbler (hybrid) | 0.0067% |