eBird

Target Species

Based on 60,675 complete checklists

279 species observed in Georgia, US (region/US-GA) in Jul that you need for your World Life List

1. Black-bellied Whistling-Duck	1.54% frequency
2. Snow Goose	0.0165%
3. Ross's Goose	0.0000%
4. Greater White-fronted Goose	0.0264%
5. Canada Goose	12.80%
6. Wood Duck	4.74%
7. Blue-winged Teal	0.0923%
8. Northern Shoveler	0.0231%
9. Gadwall	0.0181%
10. American Wigeon	0.0016%
11. Mallard	8.33%
12. Mottled Duck	0.2126%
13. Northern Pintail	0.0033%
14. Green-winged Teal	0.0066%
15. Canvasback	0.0016%
16. Redhead	0.0033%
17. Ring-necked Duck	0.1104%
18. Lesser Scaup	0.0049%
19. Common Eider	0.0016%
20. Surf Scoter	0.0016%
21. Black Scoter	0.0115%
22. Bufflehead	0.0148%

	0.02628/
23. Hooded Merganser	0.0363%
24. Common Merganser	0.0626%
25. Red-breasted Merganser	0.0033%
26. Ruddy Duck	0.0742%
27. Plain Chachalaca	0.0082%
28. Northern Bobwhite	3.22%
29. Wild Turkey	1.57%
30. Ruffed Grouse	0.0247%
31. Rock Pigeon	6.78%
32. Eurasian Collared-Dove	3.37%
33. Inca Dove	0.0165%
34. Common Ground Dove	2.07%
35. White-winged Dove	0.0330%
36. Mourning Dove	49.95%
37. Yellow-billed Cuckoo	8.18%
37. Yellow-billed Cuckoo	8.18%
37. Yellow-billed Cuckoo38. Common Nighthawk	8.18% 0.7235%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 	8.18% 0.7235% 0.6444%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Eastern Whip-poor-will 	8.18% 0.7235% 0.6444% 0.2670%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Eastern Whip-poor-will 41. Chimney Swift 	8.18% 0.7235% 0.6444% 0.2670% 16.66%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Eastern Whip-poor-will 41. Chimney Swift 42. Ruby-throated Hummingbird 	8.18% 0.7235% 0.6444% 0.2670% 16.66% 28.97%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Eastern Whip-poor-will 41. Chimney Swift 42. Ruby-throated Hummingbird 43. Rufous Hummingbird 	8.18% 0.7235% 0.6444% 0.2670% 16.66% 28.97% 0.0016%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Eastern Whip-poor-will 41. Chimney Swift 42. Ruby-throated Hummingbird 43. Rufous Hummingbird 44. Broad-billed Hummingbird 	8.18% 0.7235% 0.6444% 0.2670% 16.66% 28.97% 0.0016% 0.0099%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Eastern Whip-poor-will 41. Chimney Swift 42. Ruby-throated Hummingbird 43. Rufous Hummingbird 44. Broad-billed Hummingbird 45. King Rail 	8.18% 0.7235% 0.6444% 0.2670% 16.66% 28.97% 0.0016% 0.1763%
 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Eastern Whip-poor-will 41. Chimney Swift 42. Ruby-throated Hummingbird 43. Rufous Hummingbird 44. Broad-billed Hummingbird 45. King Rail 46. Clapper Rail 	8.18% 0.7235% 0.6444% 0.2670% 16.66% 28.97% 0.0016% 0.0099% 0.1763% 1.16%

50. Purple Gallinule	0.1780%
51. Black Rail	0.0247%
52. Limpkin	0.2719%
53. Sandhill Crane	0.0363%
54. Black-necked Stilt	0.6840%
55. American Avocet	0.1731%
56. American Oystercatcher	0.4796%
57. Black-bellied Plover	0.3774%
58. American Golden-Plover	0.0099%
59. Killdeer	9.19%
60. Semipalmated Plover	0.6411%
61. Piping Plover	0.0923%
62. Wilson's Plover	0.5752%
63. Snowy Plover	0.0033%
64. Upland Sandpiper	0.1516%
65. Whimbrel	0.2340%
66. Long-billed Curlew	0.0165%
67. Marbled Godwit	0.1137%
68. Short-billed Dowitcher	0.5670%
69. Long-billed Dowitcher	0.0280%
70. American Woodcock	0.0445%
71. Wilson's Phalarope	0.0824%
72. Red-necked Phalarope	0.0016%
73. Spotted Sandpiper	2.10%
74. Solitary Sandpiper	1.56%
75. Lesser Yellowlegs	0.7219%
76. Willet	1.67%

77. Greater Yellowlegs	0.6939%
78. Ruddy Turnstone	0.3642%
79. Red Knot	0.0346%
80. Ruff	0.0033%
81. Curlew Sandpiper	0.0033%
82. Stilt Sandpiper	0.2242%
83. Buff-breasted Sandpiper	0.0033%
84. Sanderling	0.5455%
85. Dunlin	0.0132%
86. Baird's Sandpiper	0.0181%
87. White-rumped Sandpiper	0.0066%
88. Least Sandpiper	2.50%
89. Pectoral Sandpiper	1.14%
90. Western Sandpiper	0.3708%
91. Semipalmated Sandpiper	0.5999%
92. Pomarine Jaeger	0.0082%
93. South Polar Skua	0.0000%
94. Laughing Gull	4.30%
95. Ring-billed Gull	0.7911%
96. American Herring Gull	0.5192%
97. Great Black-backed Gull	0.1104%
98. Glaucous Gull	0.0527%
99. Lesser Black-backed Gull	0.1978%
100. Black Skimmer	1.37%
101. Sooty Tern	0.0033%
102. Least Tern	1.36%
103. Gull-billed Tern	0.5999%

104. Caspian Tern	0.1599%
105. Black Tern	0.3247%
106. Forster's Tern	0.5093%
107. Common Tern	0.2637%
108. Roseate Tern	0.0033%
109. Sandwich Tern	0.9164%
110. Royal Tern	3.31%
111. American Flamingo	0.0231%
112. Pied-billed Grebe	0.6428%
113. Horned Grebe	0.0016%
114. Common Loon	0.0593%
115. Wilson's Storm-Petrel	0.0033%
116. Band-rumped Storm-Petrel	0.0000%
117. Great Shearwater	0.0082%
118. Sargasso Shearwater	0.0264%
119. Wood Stork	3.27%
120. Magnificent Frigatebird	0.0115%
121. Northern Gannet	0.0033%
122. Brown Booby	0.0264%
123. Anhinga	4.33%
124. Double-crested Cormorant	2.52%
125. White Ibis	5.12%
126. Glossy Ibis	0.7483%
127. White-faced Ibis	0.0445%
128. Roseate Spoonbill	2.41%
129. American Bittern	0.0066%
130. Least Bittern	0.4351%

131. Yellow-crowned Night Heron	2.07%
132. Black-crowned Night Heron	1.02%
133. Little Blue Heron	9.60%
134. Tricolored Heron	2.79%
135. Reddish Egret	0.3659%
136. Snowy Egret	6.25%
137. Green Heron	9.83%
138. Western Cattle-Egret	5.73%
139. Great Egret	15.57%
140. Great Blue Heron	15.34%
141. American White Pelican	0.2686%
142. Brown Pelican	2.58%
143. Black Vulture	11.36%
144. Turkey Vulture	16.33%
145. Osprey	6.60%
146. Swallow-tailed Kite	1.81%
147. Sharp-shinned Hawk	0.0379%
148. Cooper's Hawk	3.02%
149. Northern Harrier	0.0049%
150. Bald Eagle	0.6757%
151. Mississippi Kite	7.50%
152. Broad-winged Hawk	1.82%
153. Red-shouldered Hawk	13.12%
154. Red-tailed Hawk	9.44%
155. American Barn Owl	0.0840%
156. Eastern Screech-Owl	0.3906%
157. Great Horned Owl	0.4911%

158. Burrowing Owl	0.0000%
159. Barred Owl	2.46%
160. Belted Kingfisher	7.96%
161. Red-headed Woodpecker	7.19%
162. Red-bellied Woodpecker	34.87%
163. Downy Woodpecker	30.31%
164. Red-cockaded Woodpecker	0.2077%
165. Hairy Woodpecker	4.50%
166. Pileated Woodpecker	9.90%
167. Northern Flicker	5.14%
168. American Kestrel	0.6246%
169. Merlin	0.0016%
170. Peregrine Falcon	0.0396%
171. Eastern Wood-Pewee	6.77%
172. Acadian Flycatcher	4.42%
173. Willow Flycatcher	0.1285%
174. Least Flycatcher	0.0132%
175. Eastern Phoebe	17.89%
176. Great Crested Flycatcher	14.09%
177. Eastern Kingbird	13.54%
178. Gray Kingbird	0.2588%
179. Scissor-tailed Flycatcher	0.2456%
180. White-eyed Vireo	14.65%
181. Yellow-throated Vireo	2.87%
182. Blue-headed Vireo	1.24%
183. Red-eyed Vireo	9.19%
	1.90%

185. Blue Jay	41.93%
186. American Crow	34.93%
187. Fish Crow	15.82%
188. Common Raven	0.1187%
189. Carolina Chickadee	40.48%
190. Tufted Titmouse	43.37%
191. Horned Lark	0.3791%
192. Bank Swallow	0.2670%
193. Tree Swallow	1.40%
194. Purple Martin	4.69%
195. Northern Rough-winged Swallow	6.04%
196. Barn Swallow	18.78%
197. Cliff Swallow	2.90%
198. Golden-crowned Kinglet	0.0033%
199. White-breasted Nuthatch	21.39%
200. Brown-headed Nuthatch	20.33%
201. Red-breasted Nuthatch	0.0939%
202. Brown Creeper	0.0016%
203. Blue-gray Gnatcatcher	18.09%
204. Northern House Wren	4.08%
205. Winter Wren	0.0148%
206. Marsh Wren	1.17%
207. Carolina Wren	56.44%
208. European Starling	9.13%
209. Gray Catbird	14.56%
210. Brown Thrasher	21.83%
211. Northern Mockingbird	37.07%

212. Eastern Bluebird	33.18%
213. Veery	0.1368%
214. Hermit Thrush	0.0000%
215. Wood Thrush	7.87%
216. American Robin	25.73%
217. Cedar Waxwing	0.5752%
218. House Sparrow	6.08%
219. House Finch	33.70%
220. Red Crossbill	0.0775%
221. Pine Siskin	0.0181%
222. American Goldfinch	26.56%
223. Bachman's Sparrow	0.5653%
224. Grasshopper Sparrow	1.70%
225. Chipping Sparrow	23.30%
226. Field Sparrow	5.42%
227. Lark Sparrow	0.0297%
228. Lark Bunting	0.0000%
229. Dark-eyed Junco	0.4664%
230. White-throated Sparrow	0.0132%
231. Vesper Sparrow	0.0016%
232. Seaside Sparrow	0.0692%
233. Song Sparrow	15.12%
234. Eastern Towhee	39.92%
235. Yellow-breasted Chat	2.87%
236. Bobolink	0.0000%
237. Eastern Meadowlark	4.31%
238. Orchard Oriole	2.71%

239. Baltimore Oriole	0.0115%
240. Red-winged Blackbird	14.16%
241. Shiny Cowbird	0.0132%
242. Brown-headed Cowbird	9.44%
243. Common Grackle	10.84%
244. Boat-tailed Grackle	2.07%
245. Ovenbird	0.3890%
246. Worm-eating Warbler	0.4516%
247. Louisiana Waterthrush	2.08%
248. Northern Waterthrush	0.0016%
249. Bachman's Warbler	0.0000%
250. Blue-winged Warbler	0.0099%
251. Black-and-white Warbler	2.76%
252. Prothonotary Warbler	0.9048%
253. Swainson's Warbler	0.6724%
254. Kentucky Warbler	0.8026%
255. Common Yellowthroat	11.11%
256. Hooded Warbler	2.85%
257. American Redstart	0.6230%
258. Cerulean Warbler	0.1302%
259. Northern Parula	4.89%
260. Bay-breasted Warbler	0.0016%
261. Blackburnian Warbler	0.0808%
262. Yellow Warbler	0.1302%
263. Chestnut-sided Warbler	0.2406%
264. Black-throated Blue Warbler	0.2324%
265. Pine Warbler	6.38%

266. Yellow-rumped Warbler	0.0016%
267. Yellow-throated Warbler	1.75%
268. Prairie Warbler	0.8719%
269. Black-throated Green Warbler	0.7071%
270. Canada Warbler	0.1269%
271. Summer Tanager	9.91%
272. Scarlet Tanager	2.91%
273. Northern Cardinal	68.56%
274. Rose-breasted Grosbeak	0.0478%
275. Blue Grosbeak	12.01%
276. Indigo Bunting	18.01%
277. Painted Bunting	3.27%
278. Dickcissel	0.4845%
EXOTIC: PROVISIONAL	
279. Egyptian Goose	0.0082% frequency
EXOTIC: ESCAPEE	
Graylag Goose	0.0016% frequency
Swan Goose	0.0099%
Mute Swan	0.0396%
Muscovy Duck	0.8949%
Helmeted Guineafowl	0.0231%
Indian Peafowl	0.0264%
Red Junglefowl	0.0165%
Budgerigar	0.0016%
Monk Parakeet	0.0396%

HYBRIDS

Swan Goose x Canada Goose (hybrid)

Domestic goose sp. x Canada Goose (hybrid)	0.0016%
Snow x Canada Goose (hybrid)	0.0016%