



Target Species

Based on 69,935 complete checklists

299 species observed in Georgia, US (region/US-GA) in Jun that you need for your **World Life List**

1. Northern Cardinal	69.87% frequency
2. Carolina Wren	55.47%
3. Mourning Dove	47.15%
4. Tufted Titmouse	45.83%
5. Blue Jay	42.06%
6. Northern Mockingbird	39.98%
7. Eastern Towhee	39.92%
8. Carolina Chickadee	39.17%
9. Red-bellied Woodpecker	37.68%
10. American Crow	37.45%
11. Eastern Bluebird	31.99%
12. House Finch	30.79%
13. Downy Woodpecker	29.00%
14. American Robin	28.99%
15. Brown Thrasher	27.22%
16. Eastern Phoebe	23.49%
17. Chipping Sparrow	23.37%
18. Great Crested Flycatcher	21.07%
19. Blue-gray Gnatcatcher	20.88%
20. Indigo Bunting	19.94%
21. Chimney Swift	19.51%
22. White-breasted Nuthatch	19.47%

23. Brown-headed Nuthatch	19.42%
24. Pine Warbler	19.22%
25. Brown-headed Cowbird	19.06%
26. Common Grackle	18.98%
27. American Goldfinch	18.87%
28. Red-winged Blackbird	18.78%
29. Ruby-throated Hummingbird	18.54%
30. White-eyed Vireo	17.53%
31. Barn Swallow	16.45%
32. Fish Crow	16.40%
33. Red-eyed Vireo	16.30%
34. Turkey Vulture	16.25%
35. Song Sparrow	14.72%
36. Red-shouldered Hawk	14.17%
37. Gray Catbird	13.69%
38. Summer Tanager	13.27%
39. Great Blue Heron	13.25%
40. Northern Rough-winged Swallow	12.76%
41. Common Yellowthroat	12.10%
42. Eastern Kingbird	12.03%
43. Northern Parula	11.49%
44. Wood Thrush	11.21%
45. Blue Grosbeak	11.08%
46. European Starling	11.08%
47. Pileated Woodpecker	10.27%
48. Black Vulture	10.08%
49. Yellow-billed Cuckoo	9.64%

50. Great Egret	9.51%
51. Canada Goose	9.22%
52. Eastern Wood-Pewee	8.11%
53. Green Heron	7.80%
54. Red-headed Woodpecker	7.78%
55. Red-tailed Hawk	7.27%
56. Orchard Oriole	7.19%
57. Yellow-breasted Chat	6.98%
58. Killdeer	6.91%
59. Purple Martin	6.74%
60. Acadian Flycatcher	6.55%
61. House Sparrow	6.27%
62. Mallard	6.14%
63. Field Sparrow	6.06%
64. Northern Bobwhite	5.76%
65. Rock Pigeon	5.54%
66. Yellow-throated Vireo	5.37%
67. Northern Flicker	5.29%
68. Yellow-throated Warbler	5.06%
69. Osprey	5.01%
70. Belted Kingfisher	4.99%
71. Hooded Warbler	4.98%
72. Northern House Wren	4.88%
73. Western Cattle-Egret	4.88%
74. Scarlet Tanager	4.85%
75. Little Blue Heron	4.74%
76. Hairy Woodpecker	4.47%

77. Snowy Egret	4.44%
78. Mississippi Kite	4.13%
79. Boat-tailed Grackle	4.08%
80. Eastern Meadowlark	3.99%
81. Black-and-white Warbler	3.67%
82. Wood Duck	3.63%
83. Anhinga	3.53%
84. Painted Bunting	3.47%
85. Laughing Gull	3.43%
86. White Ibis	3.41%
87. Cliff Swallow	3.23%
88. Wood Stork	2.99%
89. Barred Owl	2.98%
90. Royal Tern	2.88%
91. Prairie Warbler	2.80%
92. Eurasian Collared-Dove	2.77%
93. Cooper's Hawk	2.61%
94. Ovenbird	2.59%
95. Kentucky Warbler	2.45%
96. Double-crested Cormorant	2.41%
97. Louisiana Waterthrush	2.40%
98. Blue-headed Vireo	2.38%
99. Tree Swallow	2.34%
100. Brown Pelican	2.31%
101. Common Ground Dove	2.28%
102. Tricolored Heron	2.22%
103. Prothonotary Warbler	2.15%

104.	Common Gallinule	2.02%
105.	Black-throated Green Warbler	1.94%
106.	Wild Turkey	1.90%
107.	Chuck-will's-widow	1.71%
108.	Broad-winged Hawk	1.71%
109.	Roseate Spoonbill	1.69%
110.	Loggerhead Shrike	1.68%
111.	Black Skimmer	1.50%
112.	Yellow-crowned Night Heron	1.50%
113.	Black-bellied Whistling-Duck	1.37%
114.	Swainson's Warbler	1.37%
115.	Least Tern	1.28%
116.	Clapper Rail	1.23%
117.	Willet	1.19%
118.	Grasshopper Sparrow	1.17%
119.	Worm-eating Warbler	1.08%
120.	Common Nighthawk	1.05%
121.	Marsh Wren	1.02%
122.	Black-crowned Night Heron	1.01%
123.	Bachman's Sparrow	0.9909%
124.	Cedar Waxwing	0.9752%
125.	Wilson's Plover	0.9223%
126.	Glossy Ibis	0.8908%
127.	Black-necked Stilt	0.8808%
128.	American Redstart	0.8436%
129.	Dark-eyed Junco	0.8336%
130.	Chestnut-sided Warbler	0.8322%

131.	Sandwich Tern	0.7893%
132.	Swallow-tailed Kite	0.7507%
133.	Least Bittern	0.7235%
134.	Bald Eagle	0.6735%
135.	Ring-billed Gull	0.6549%
136.	Black-throated Blue Warbler	0.6392%
137.	Eastern Whip-poor-will	0.5906%
138.	Forster's Tern	0.5863%
139.	Gull-billed Tern	0.5777%
140.	American Oystercatcher	0.5291%
141.	American Herring Gull	0.5090%
142.	Great Horned Owl	0.5062%
143.	Veery	0.4933%
144.	Semipalmated Plover	0.4847%
145.	Pied-billed Grebe	0.4490%
146.	Ruddy Turnstone	0.4247%
147.	Dickcissel	0.4232%
148.	Semipalmated Sandpiper	0.4032%
149.	Black-bellied Plover	0.4004%
150.	American Kestrel	0.3961%
151.	Willow Flycatcher	0.3703%
152.	Blackburnian Warbler	0.3389%
153.	Mottled Duck	0.3375%
154.	Red-cockaded Woodpecker	0.3317%
155.	American White Pelican	0.3303%
156.	Sanderling	0.3260%
157.	American Coot	0.3003%

158.	Canada Warbler	0.2946%
159.	Common Raven	0.2817%
160.	Rose-breasted Grosbeak	0.2774%
161.	Purple Gallinule	0.2560%
162.	Gray Kingbird	0.2459%
163.	Reddish Egret	0.2417%
164.	King Rail	0.2359%
165.	Horned Lark	0.2302%
166.	Caspian Tern	0.2288%
167.	Eastern Screech-Owl	0.2173%
168.	Short-billed Dowitcher	0.1902%
169.	Common Tern	0.1859%
170.	Greater Yellowlegs	0.1473%
171.	Red-breasted Nuthatch	0.1444%
172.	Lesser Black-backed Gull	0.1416%
173.	Scissor-tailed Flycatcher	0.1401%
174.	Limpkin	0.1330%
175.	Least Sandpiper	0.1301%
176.	White-rumped Sandpiper	0.1215%
177.	Blue-winged Teal	0.1201%
178.	Yellow Warbler	0.1087%
179.	Least Flycatcher	0.1072%
180.	Whimbrel	0.1015%
181.	American Avocet	0.0972%
182.	Spotted Sandpiper	0.0972%
183.	Seaside Sparrow	0.0958%
184.	Ruffed Grouse	0.0944%

185.	Ruddy Duck	0.0915%
186.	Ring-necked Duck	0.0858%
187.	American Barn Owl	0.0844%
188.	American Flamingo	0.0743%
189.	Pine Siskin	0.0672%
190.	Red Knot	0.0658%
191.	Blue-winged Warbler	0.0644%
192.	Marbled Godwit	0.0586%
193.	Common Loon	0.0586%
194.	Red Crossbill	0.0558%
195.	Peregrine Falcon	0.0515%
196.	Black Tern	0.0486%
197.	Black Scoter	0.0472%
198.	Inca Dove	0.0472%
199.	Baltimore Oriole	0.0443%
200.	Lesser Yellowlegs	0.0415%
201.	American Woodcock	0.0400%
202.	Dunlin	0.0400%
203.	Glaucous Gull	0.0386%
204.	Lark Sparrow	0.0372%
205.	Winter Wren	0.0358%
206.	Shiny Cowbird	0.0358%
207.	Sandhill Crane	0.0343%
208.	Lesser Scaup	0.0329%
209.	Hooded Merganser	0.0329%
210.	Great Black-backed Gull	0.0315%
211.	White-winged Dove	0.0300%

212.	Great Shearwater	0.0300%
213.	Brown Creeper	0.0286%
214.	Neotropic Cormorant	0.0272%
215.	Bobolink	0.0257%
216.	Cerulean Warbler	0.0257%
217.	Northern Shoveler	0.0243%
218.	Plain Chachalaca	0.0243%
219.	South Polar Skua	0.0214%
220.	Wilson's Storm-Petrel	0.0214%
221.	Golden-winged Warbler	0.0214%
222.	Virginia Rail	0.0186%
223.	Stilt Sandpiper	0.0186%
224.	Sharp-shinned Hawk	0.0186%
225.	Greater White-fronted Goose	0.0157%
226.	Red-breasted Merganser	0.0157%
227.	Black Rail	0.0157%
228.	Western Sandpiper	0.0157%
229.	Solitary Sandpiper	0.0143%
230.	Common Merganser	0.0129%
231.	Magnificent Frigatebird	0.0114%
232.	Bufflehead	0.0100%
233.	Piping Plover	0.0100%
234.	Northern Gannet	0.0100%
235.	Green-winged Teal	0.0086%
236.	Pectoral Sandpiper	0.0086%
237.	Heermann's Gull	0.0086%
238.	Sargasso Shearwater	0.0086%

239.	White-faced Ibis	0.0086%
240.	Long-billed Curlew	0.0071%
241.	Long-billed Dowitcher	0.0071%
242.	Pomarine Jaeger	0.0071%
243.	Cave Swallow	0.0071%
244.	White-throated Sparrow	0.0071%
245.	Snow Goose	0.0057%
246.	Surf Scoter	0.0057%
247.	Sooty Tern	0.0057%
248.	Cory's Shearwater	0.0057%
249.	Brown Booby	0.0057%
250.	American Bittern	0.0057%
251.	Redhead	0.0043%
252.	Black-billed Cuckoo	0.0043%
253.	American Golden-Plover	0.0043%
254.	Bonaparte's Gull	0.0043%
255.	Bridled Tern	0.0043%
256.	Band-rumped Storm-Petrel	0.0043%
257.	Golden-crowned Kinglet	0.0043%
258.	Purple Finch	0.0043%
259.	Swamp Sparrow	0.0043%
260.	Gadwall	0.0029%
261.	Greater Scaup	0.0029%
262.	White-winged Scoter	0.0029%
263.	Red-necked Phalarope	0.0029%
264.	Franklin's Gull	0.0029%
265.	Roseate Tern	0.0029%

266.	Northern Harrier	0.0029%
267.	Bank Swallow	0.0029%
268.	Northern Waterthrush	0.0029%
269.	Cackling Goose	0.0014%
270.	American Black Duck	0.0014%
271.	Northern Pintail	0.0014%
272.	Sora	0.0014%
273.	Snowy Plover	0.0014%
274.	Wilson's Phalarope	0.0014%
275.	White-tailed Tropicbird	0.0014%
276.	Black-capped Petrel	0.0014%
277.	Sooty Shearwater	0.0014%
278.	Gray-cheeked Thrush	0.0014%
279.	Evening Grosbeak	0.0014%
280.	Connecticut Warbler	0.0014%
281.	Ross's Goose	0.0000%
282.	American Wigeon	0.0000%
283.	Common Eider	0.0000%
284.	Long-tailed Jaeger	0.0000%
285.	Little Gull	0.0000%
286.	Brown Noddy	0.0000%
287.	Western Grebe	0.0000%
288.	Red-billed Tropicbird	0.0000%
289.	Leach's Storm-Petrel	0.0000%
290.	Masked Booby	0.0000%
291.	Burrowing Owl	0.0000%
292.	Yellow-bellied Sapsucker	0.0000%

293. Olive-sided Flycatcher	0.0000%
294. Western Kingbird	0.0000%
295. Sedge Wren	0.0000%
296. Lark Bunting	0.0000%
297. Bachman's Warbler	0.0000%
298. Magnolia Warbler	0.0000%
EXOTIC: PROVISIONAL	
299. Egyptian Goose	0.0086% frequency
EXOTIC: ESCAPEE	
Muscovy Duck	0.9409% frequency
■	
Helmeted Guineafowl	0.0157%
Red Junglefowl	0.0157%
Monk Parakeet	0.0129%
Indian Peafowl	0.0114%
Mute Swan	0.0100%
Swan Goose	0.0071%
Graylag Goose	0.0057%
Ring-necked Pheasant	0.0000%
Chukar	0.0000%
Pin-tailed Whydah	0.0000%
HYBRIDS	
Swan Goose x Canada Goose (hybrid)	0.0014% frequency
Domestic goose sp. x Canada Goose (hybrid)	0.0014%