

Target Species

Based on 69,935 complete checklists

 $299\,\mathrm{species}$ observed in $\underline{\text{Georgia, US (region/US-GA)}}$ in $\underline{\text{Jun}}$ that you need for your World Life List

	Juli that you heed for your World End Elst
1. Black-bellied Whistling-Duck	1.37% frequency
2. Snow Goose	0.0057%
3. Ross's Goose	0.0000%
4. Greater White-fronted Goose	0.0157%
5. Cackling Goose	0.0014%
6. Canada Goose	9.22%
7. Wood Duck	3.63%
8. Blue-winged Teal	0.1201%
9. Northern Shoveler	0.0243%
10. Gadwall	0.0029%
11. American Wigeon	0.0000%
12. Mallard	6.14%
13. American Black Duck	0.0014%
14. Mottled Duck	0.3375%
15. Northern Pintail	0.0014%
16. Green-winged Teal	0.0086%
17. Redhead	0.0043%
18. Ring-necked Duck	0.0858%
19. Greater Scaup	0.0029%
20. Lesser Scaup	0.0329%
21. Common Eider	0.0000%
22. Surf Scoter	0.0057%

23. White-winged Scoter	0.0029%
24. Black Scoter	0.0472%
25. Bufflehead	0.0100%
26. Hooded Merganser	0.0329%
	0.0129%
27. Common Merganser	
28. Red-breasted Merganser	0.0157%
29. Ruddy Duck	0.0915%
30. Plain Chachalaca	0.0243%
31. Northern Bobwhite	<u>5.76%</u>
32. Wild Turkey	1.90%
33. Ruffed Grouse	0.0944%
34. Rock Pigeon	5.54%
35. Eurasian Collared-Dove	2.77%
36. Inca Dove	0.0472%
37. Common Ground Dove	2.28%
38. White-winged Dove	0.0300%
39. Mourning Dove	47.15%
40. Yellow-billed Cuckoo	9.64%
41. Black-billed Cuckoo	0.0043%
42. Common Nighthawk	1.05%
43. Chuck-will's-widow	1.71%
44. Eastern Whip-poor-will	0.5906%
45. Chimney Swift	19.51%
46. Ruby-throated Hummingbird	18.54%
47. King Rail	0.2359%
48. Clapper Rail	1.23%
49. Virginia Rail	0.0186%

50. Sora	0.0014%
51. Common Gallinule	2.02%
52. American Coot	0.3003%
53. Purple Gallinule	0.2560%
54. Black Rail	0.0157%
55. Limpkin	0.1330%
56. Sandhill Crane	0.0343%
57. Black-necked Stilt	0.8808%
58. American Avocet	0.0972%
59. American Oystercatcher	0.5291%
60. Black-bellied Plover	0.4004%
61. American Golden-Plover	0.0043%
62. Killdeer	6.91%
63. Semipalmated Plover	0.4847%
64. Piping Plover	0.0100%
65. Wilson's Plover	0.9223%
66. Snowy Plover	0.0014%
67. Whimbrel	0.1015%
68. Long-billed Curlew	0.0071%
69. Marbled Godwit	0.0586%
70. Short-billed Dowitcher	0.1902%
71. Long-billed Dowitcher	0.0071%
72. American Woodcock	0.0400%
73. Wilson's Phalarope	0.0014%
74. Red-necked Phalarope	0.0029%
75. Spotted Sandpiper	0.0972%
76. Solitary Sandpiper	0.0143%

77. Lesser Yellowlegs	0.0415%
78. Willet	1.19%
79. Greater Yellowlegs	0.1473%
80. Ruddy Turnstone	0.4247%
81. Red Knot	0.0658%
82. Stilt Sandpiper	0.0186%
83. Sanderling	0.3260%
84. Dunlin	0.0400%
85. White-rumped Sandpiper	0.1215%
86. Least Sandpiper	0.1301%
87. Pectoral Sandpiper	0.0086%
88. Western Sandpiper	0.0157%
89. Semipalmated Sandpiper	0.4032%
90. Long-tailed Jaeger	0.0000%
91. Pomarine Jaeger	0.0071%
92. South Polar Skua	0.0214%
93. Little Gull	0.0000%
94. Bonaparte's Gull	0.0043%
95. Laughing Gull	3.43%
96. Franklin's Gull	0.0029%
97. Heermann's Gull	0.0086%
98. Ring-billed Gull	0.6549%
99. American Herring Gull	0.5090%
100. Great Black-backed Gull	0.0315%
101. Glaucous Gull	0.0386%
102. Lesser Black-backed Gull	0.1416%
103. Black Skimmer	1.50%

104. Brown Noddy	0.0000%
105. Sooty Tern	0.0057%
106. Bridled Tern	0.0043%
107. Least Tern	1.28%
108. Gull-billed Tern	0.5777%
109. Caspian Tern	0.2288%
110. Black Tern	0.0486%
111. Forster's Tern	0.5863%
112. Common Tern	0.1859%
113. Roseate Tern	0.0029%
114. Sandwich Tern	0.7893%
115. Royal Tern	2.88%
116. American Flamingo	0.0743%
117. Pied-billed Grebe	0.4490%
118. Western Grebe	0.0000%
119. White-tailed Tropicbird	0.0014%
120. Red-billed Tropicbird	0.0000%
121. Common Loon	0.0586%
122. Wilson's Storm-Petrel	0.0214%
123. Leach's Storm-Petrel	0.0000%
124. Band-rumped Storm-Petrel	0.0043%
125. Black-capped Petrel	0.0014%
126. Cory's Shearwater	0.0057%
127. Great Shearwater	0.0300%
128. Sooty Shearwater	0.0014%
129. Sargasso Shearwater	0.0086%
130. Wood Stork	2.99%

131. Magnificent Frigatebird	0.0114%
132. Northern Gannet	0.0100%
133. Brown Booby	0.0057%
134. Masked Booby	0.0000%
135. Anhinga	3.53%
136. Double-crested Cormorant	2.41%
137. Neotropic Cormorant	0.0272%
138. White Ibis	3.41%
139. Glossy Ibis	0.8908%
140. White-faced Ibis	0.0086%
141. Roseate Spoonbill	1.69%
142. American Bittern	0.0057%
143. Least Bittern	0.7235%
144. Yellow-crowned Night Heron	1.50%
145. Black-crowned Night Heron	1.01%
146. Little Blue Heron	4.74%
147. Tricolored Heron	2.22%
148. Reddish Egret	0.2417%
149. Snowy Egret	4.44%
150. Green Heron	7.80%
151. Western Cattle-Egret	4.88%
152. Great Egret	9.51%
153. Great Blue Heron	13.25%
154. American White Pelican	0.3303%
155. Brown Pelican	2.31%
156. Black Vulture	10.08%
157. Turkey Vulture	16.25%

158. Osprey	5.01%
159. Swallow-tailed Kite	0.7507%
160. Sharp-shinned Hawk	0.0186%
161. Cooper's Hawk	2.61%
162. Northern Harrier	0.0029%
163. Bald Eagle	0.6735%
164. Mississippi Kite	<u>4.</u> 13%
165. Broad-winged Hawk	1.71%
166. Red-shouldered Hawk	14.17%
167. Red-tailed Hawk	7.27%
168. American Barn Owl	0.0844%
169. Eastern Screech-Owl	0.2173%
170. Great Horned Owl	0.5062%
171. Burrowing Owl	0.0000%
172. Barred Owl	2.98%
173. Belted Kingfisher	<u>4.99</u> %
174. Yellow-bellied Sapsucker	0.0000%
175. Red-headed Woodpecker	7.78%
176. Red-bellied Woodpecker	37.68%
177. Downy Woodpecker	29.00%
178. Red-cockaded Woodpecker	0.3317%
179. Hairy Woodpecker	<u>4.</u> 47%
180. Pileated Woodpecker	10.27%
181. Northern Flicker	5.29%
182. American Kestrel	0.3961%
183. Peregrine Falcon	0.0515%
184. Olive-sided Flycatcher	0.0000%

185. Eastern Wood-Pewee	8.11%
186. Acadian Flycatcher	6.55%
187. Willow Flycatcher	0.3703%
188. Least Flycatcher	0.1072%
189. Eastern Phoebe	23.49%
190. Great Crested Flycatcher	21.07%
191. Western Kingbird	0.0000%
192. Eastern Kingbird	12.03%
193. Gray Kingbird	0.2459%
194. Scissor-tailed Flycatcher	0.1401%
195. White-eyed Vireo	17.53%
196. Yellow-throated Vireo	5.37%
197. Blue-headed Vireo	2.38%
198. Red-eyed Vireo	16.30%
199. Loggerhead Shrike	1.68%
200. Blue Jay	42.06%
201. American Crow	37.45%
202. Fish Crow	16.40%
203. Common Raven	0.2817%
204. Carolina Chickadee	39.17%
205. Tufted Titmouse	45.83%
206. Horned Lark	0.2302%
207. Bank Swallow	0.0029%
208. Tree Swallow	2.34%
209. Purple Martin	6.74%
210. Northern Rough-winged Swallow	12.76%
211. Barn Swallow	16.45%

212. Cliff Swallow	3.23%
213. Cave Swallow	0.0071%
214. Golden-crowned Kinglet	0.0043%
215. White-breasted Nuthatch	19.47%
216. Brown-headed Nuthatch	19.42%
217. Red-breasted Nuthatch	0.1444%
218. Brown Creeper	0.0286%
219. Blue-gray Gnatcatcher	20.88%
220. Northern House Wren	4.88%
221. Winter Wren	0.0358%
222. Sedge Wren	0.0000%
223. Marsh Wren	1.02%
224. Carolina Wren	55.47%
225. European Starling	11.08%
226. Gray Catbird	13.69%
227. Brown Thrasher	27.22%
228. Northern Mockingbird	39.98%
229. Eastern Bluebird	31.99%
230. Veery	0.4933%
231. Gray-cheeked Thrush	0.0014%
232. Wood Thrush	11.21%
233. American Robin	28.99%
234. Cedar Waxwing	0.9752%
235. House Sparrow	6.27%
236. Evening Grosbeak	0.0014%
237. House Finch	30.79%
238. Purple Finch	0.0043%

239. Red Crossbill	0.0558%
240. Pine Siskin	0.0672%
241. American Goldfinch	18.87%
242. Bachman's Sparrow	0.9909%
243. Grasshopper Sparrow	1.17%
244. Chipping Sparrow	23.37%
245. Field Sparrow	6.06%
246. Lark Sparrow	0.0372%
247. Lark Bunting	0.0000%
248. Dark-eyed Junco	0.8336%
249. White-throated Sparrow	0.0071%
250. Seaside Sparrow	0.0958%
251. Song Sparrow	14.72%
252. Swamp Sparrow	0.0043%
253. Eastern Towhee	39.92%
254. Yellow-breasted Chat	6.98%
255. Bobolink	0.0257%
256. Eastern Meadowlark	3.99%
257. Orchard Oriole	7.19%
258. Baltimore Oriole	0.0443%
259. Red-winged Blackbird	18.78%
260. Shiny Cowbird	0.0358%
261. Brown-headed Cowbird	19.06%
262. Common Grackle	18.98%
263. Boat-tailed Grackle	4.08%
264. Ovenbird	2.59%
265. Worm-eating Warbler	1.08%

266. Louisiana Waterthrush	2.40%
267. Northern Waterthrush	0.0029%
268. Bachman's Warbler	0.0000%
269. Golden-winged Warbler	0.0214%
270. Blue-winged Warbler	0.0644%
271. Black-and-white Warbler	3.67%
272. Prothonotary Warbler	2.15%
273. Swainson's Warbler	1.37%
274. Connecticut Warbler	0.0014%
275. Kentucky Warbler	2.45%
276. Common Yellowthroat	12.10%
277. Hooded Warbler	4.98%
278. American Redstart	0.8436%
279. Cerulean Warbler	0.0257%
280. Northern Parula	11.49%
281. Magnolia Warbler	0.0000%
282. Blackburnian Warbler	0.3389%
283. Yellow Warbler	0.1087%
284. Chestnut-sided Warbler	0.8322%
285. Black-throated Blue Warbler	0.6392%
286. Pine Warbler	19.22%
287. Yellow-throated Warbler	5.06%
288. Prairie Warbler	2.80%
289. Black-throated Green Warbler	1.94%
290. Canada Warbler	0.2946%
291. Summer Tanager	13.27%
292. Scarlet Tanager	4.85%

293. Northern Cardinal	69.87%
294. Rose-breasted Grosbeak	0.2774%
295. Blue Grosbeak	11.08%
296. Indigo Bunting	19.94%
297. Painted Bunting	3.47%
298. Dickcissel	0.4232%
EXOTIC: PROVISIONAL	
299. Egyptian Goose	0.0086% frequency
EXOTIC: ESCAPEE	
Graylag Goose	0.0057 % frequency
Swan Goose	0.0071%
Mute Swan	0.0100%
Muscovy Duck	0.9409%
Helmeted Guineafowl	0.0157%
Ring-necked Pheasant	0.0000%
Indian Peafowl	0.0114%
Red Junglefowl	0.0157%
Chukar	0.0000%
Monk Parakeet	0.0129%
Pin-tailed Whydah	0.0000%
HYBRIDS	
Swan Goose x Canada Goose (hybrid)	0.0014% frequency
Domestic goose sp. x Canada Goose (hybrid)	0.0014%