

Target Species

Based on 104,250 complete checklists

342 species observed in Georgia, US (region/US-GA) in Mar that you need for your World Life List

1. Northern Cardinal	70.59% frequency
2. Carolina Wren	55.41%
3. Tufted Titmouse	53.54%
4. Carolina Chickadee	49.54%
5. Red-bellied Woodpecker	45.12%
6. Yellow-rumped Warbler	42.14%
7. Mourning Dove	42.00%
8. Blue Jay	41.76%
9. American Crow	41.35%
10. American Robin	39.70%
11. Eastern Towhee	38.99%
12. Eastern Bluebird	38.40%
13. Downy Woodpecker	37.81%
14. Northern Mockingbird	37.45%
15. Chipping Sparrow	35.77%
16. Pine Warbler	33.71%
17. Eastern Phoebe	31.95%
18. House Finch	30.99%
19. Turkey Vulture	27.81%
20. Ruby-crowned Kinglet	26.82%
21. Brown-headed Nuthatch	25.62%
22. Brown Thrasher	25.51%

23. Song Sparrow	24.95%
24. Canada Goose	24.47%
25. American Goldfinch	24.29%
26. White-throated Sparrow	21.64%
27. Red-winged Blackbird	21.48%
28. White-breasted Nuthatch	20.52%
29. Fish Crow	19.76%
30. Red-shouldered Hawk	18.75%
31. Great Blue Heron	16.09%
32. Brown-headed Cowbird	15.87%
33. Common Grackle	15.49%
34. Black Vulture	14.33%
35. Pileated Woodpecker	14.10%
36. Double-crested Cormorant	13.48%
37. Blue-gray Gnatcatcher	13.39%
38. Northern Flicker	13.22%
39. European Starling	12.43%
40. Mallard	12.41%
41. Cedar Waxwing	11.69%
42. Red-tailed Hawk	11.08%
43. Belted Kingfisher	10.35%
44. Killdeer	9.91%
45. White-eyed Vireo	9.88%
46. Northern Rough-winged Swallow	9.72%
47. Hermit Thrush	9.25%
48. Northern Parula	9.24%
49. Dark-eyed Junco	9.21%

50. Great Egret	9.10%
51. Tree Swallow	8.65%
52. Golden-crowned Kinglet	8.63%
53. Yellow-bellied Sapsucker	8.06%
54. Osprey	7.64%
55. Pied-billed Grebe	7.64%
56. Yellow-throated Warbler	<u>7.4</u> 1%
57. Common Yellowthroat	7.28%
58. Rock Pigeon	6.55%
59. Pine Siskin	6.40%
60. Palm Warbler	6.35%
61. Field Sparrow	6.22%
62. Red-headed Woodpecker	6.18%
63. Swamp Sparrow	6.12%
64. Wood Duck	5.76%
65. Hairy Woodpecker	5.56%
66. House Sparrow	5.37%
67. Ring-billed Gull	5.03%
68. Boat-tailed Grackle	5.00%
69. Black-and-white Warbler	<u>4.</u> 66%
70. Savannah Sparrow	<u>4.</u> 58%
71. Blue-headed Vireo	<u>4.</u> 51%
72. American Coot	<u>4.44</u> %
73. Barn Swallow	<u>4.</u> 42%
74. Laughing Gull	<u>4.</u> 29%
75. Blue-winged Teal	<u>4.28</u> %
76. Eastern Meadowlark	<u>4.</u> 19%

77. Cooper's Hawk	<u>4.</u> 11%
78. Gray Catbird	3.99%
79. Barred Owl	3.97%
80. Purple Martin	3.93%
81. Snowy Egret	3.90%
82. Bald Eagle	3.85%
83. Purple Finch	3.63%
84. Brown Pelican	3.58%
85. Hooded Merganser	3.51%
86. Ring-necked Duck	3.47%
87. Anhinga	3.24%
88. Little Blue Heron	3.20%
89. Bufflehead	3.06%
90. Forster's Tern	3.02%
91. American Kestrel	2.83%
92. Louisiana Waterthrush	2.79%
93. Orange-crowned Warbler	2.65%
94. Ruby-throated Hummingbird	2.63%
95. Eurasian Collared-Dove	2.50%
96. Wilson's Snipe	2.46%
97. Lesser Scaup	2.38%
98. White Ibis	2.36%
99. Common Gallinule	2.36%
100. Winter Wren	2.35%
101. Willet	2.27%
102. Wood Stork	2.26%
103. Tricolored Heron	2.18%

104. Northern House Wren	2.01%
105. Greater Yellowlegs	1.95%
106. Wild Turkey	1.91%
107. Royal Tern	1.90%
108. Northern Harrier	1.88%
109. Bonaparte's Gull	1.83%
110. Loggerhead Shrike	1.77%
111. Northern Shoveler	1.77%
112. Ruddy Duck	1.73%
113. Least Sandpiper	1.64%
114. Common Loon	1.61%
115. Brown Creeper	1.58%
116. Dunlin	1.58%
117. American Herring Gull	1.53%
118. Sanderling	1.50%
119. Yellow-throated Vireo	1.49%
120. Common Ground Dove	1.42%
121. Rusty Blackbird	1.36%
122. Lesser Yellowlegs	1.31%
123. Black-crowned Night Heron	1.30%
124. Baltimore Oriole	1.29%
125. Clapper Rail	1.27%
126. Gadwall	1.24%
127. Marsh Wren	1.21%
128. Red-breasted Merganser	1.15%
129. Black Skimmer	1.12%
130. Green-winged Teal	1.12%

131. Black-bellied Plover	1.10%
132. American Pipit	1.08%
133. Ruddy Turnstone	1.06%
134. Redhead	1.04%
135. Green Heron	1.03%
136. Sharp-shinned Hawk	1.01%
137. Horned Grebe	0.9995%
138. Great Horned Owl	0.9698%
139. Red-breasted Nuthatch	0.9285%
140. Vesper Sparrow	0.9209%
141. American White Pelican	0.8700%
142. Yellow-crowned Night Heron	0.8201%
143. Semipalmated Plover	0.7856%
144. American Oystercatcher	0.7693%
145. Sandhill Crane	0.7520%
146. Pectoral Sandpiper	0.7223%
147. Western Cattle-Egret	0.6763%
148. Short-billed Dowitcher	0.6743%
149. Fox Sparrow	0.6734%
150. Chimney Swift	0.6647%
151. White-crowned Sparrow	0.6647%
152. Glossy Ibis	0.6504%
153. Spotted Sandpiper	0.6456%
154. Bachman's Sparrow	0.6187%
155. Wilson's Plover	0.6101%
156. Western Sandpiper	0.6082%
157. Piping Plover	0.4758%

158. Prairie Warbler	0.4681%
159. American Wigeon	0.4652%
160. Cliff Swallow	0.4499%
161. Black-throated Green Warbler	0.4432%
162. Swallow-tailed Kite	0.4412%
163. Red-eyed Vireo	0.4374%
164. Horned Lark	0.4355%
165. American Bittern	0.4211%
166. Mottled Duck	0.4192%
167. Painted Bunting	0.4192%
168. Red-cockaded Woodpecker	0.4048%
169. Northern Bobwhite	0.3942%
170. Roseate Spoonbill	0.3837%
171. Great Crested Flycatcher	0.3760%
172. King Rail	0.3741%
173. Sora	0.3386%
174. Hooded Warbler	0.3386%
175. Eastern Whip-poor-will	0.3252%
176. Marbled Godwit	0.3213%
177. Greater Scaup	0.3175%
178. Eastern Screech-Owl	0.3165%
179. Sedge Wren	0.3156%
180. Northern Gannet	0.3089%
181. American Avocet	0.3022%
182. Merlin	0.2820%
183. American Woodcock	0.2724%
184. Black-necked Stilt	0.2667%

707 6 19 6 1 1	0.24040/
185. Solitary Sandpiper	0.2494%
186. Great Black-backed Gull	0.2465%
187. Caspian Tern	0.2456%
188. Red Knot	0.2437%
189. Chuck-will's-widow	0.2350%
190. Black Scoter	0.2293%
191. Prothonotary Warbler	0.2235%
192. Rufous Hummingbird	0.2197%
193. Eastern Kingbird	0.2197%
194. Brewer's Blackbird	0.2149%
195. American Golden-Plover	0.2053%
196. American Barn Owl	0.2024%
197. Seaside Sparrow	0.1986%
198. Virginia Rail	0.1966%
199. Sandwich Tern	0.1890%
200. Black-bellied Whistling-Duck	0.1870%
201. Long-billed Dowitcher	0.1717%
202. Greater White-fronted Goose	0.1611%
203. Whimbrel	0.1602%
204. Lesser Black-backed Gull	0.1516%
205. Limpkin	0.1314%
206. Red-throated Loon	0.1285%
207. Common Raven	0.1228%
208. Broad-winged Hawk	0.1199%
209. Peregrine Falcon	0.1199%
210. Canvasback	0.1170%
211. Northern Pintail	0.1074%

212. Grasshopper Sparrow	0.1007%
213. Saltmarsh Sparrow	0.1007%
214. Western Tanager	0.0988%
215. Stilt Sandpiper	0.0969%
216. Snow Goose	0.0921%
217. Lark Bunting	0.0911%
218. Summer Tanager	0.0902%
219. White-winged Scoter	0.0882%
220. Nelson's Sparrow	0.0882%
221. Indigo Bunting	0.0863%
222. Calliope Hummingbird	0.0854%
223. Common Goldeneye	0.0767%
224. Bullock's Oriole	0.0758%
225. Henslow's Sparrow	0.0748%
226. Ross's Goose	0.0719%
227. Red-necked Grebe	0.0710%
228. Eared Grebe	0.0671%
229. Mountain Bluebird	0.0671%
230. Black-chinned Hummingbird	0.0595%
231. Ovenbird	0.0595%
232. Lincoln's Sparrow	0.0575%
233. American Black Duck	0.0566%
234. Long-billed Curlew	0.0537%
235. Cape May Warbler	0.0518%
236. Wood Thrush	0.0441%
237. Evening Grosbeak	0.0422%
238. Thick-billed Longspur	0.0422%

239. White-winged Dove	0.0413%
240. Red Crossbill	0.0413%
241. Common Tern	0.0393%
242. Lark Sparrow	0.0364%
243. Wilson's Warbler	0.0364%
244. Ruff	0.0345%
245. Purple Sandpiper	0.0336%
246. Great Cormorant	0.0336%
247. Surf Scoter	0.0326%
248. LeConte's Sparrow	0.0326%
249. Reddish Egret	0.0316%
250. Orchard Oriole	0.0316%
251. Swainson's Warbler	0.0307%
252. Common Merganser	0.0297%
253. Rose-breasted Grosbeak	0.0297%
254. Vermilion Flycatcher	0.0269%
255. Hooded Oriole	0.0259%
256. Long-tailed Duck	0.0240%
257. Parasitic Jaeger	0.0221%
258. Least Bittern	0.0221%
259. Redpoll	0.0221%
260. Ruffed Grouse	0.0211%
261. Black-legged Kittiwake	0.0211%
262. Western Kingbird	0.0211%
263. Snowy Plover	0.0201%
264. White-faced lbis	0.0182%
265. Say's Phoebe	0.0182%

266. Nashville Warbler	0.0182%
267. Kentucky Warbler	0.0182%
268. Upland Sandpiper	0.0173%
269. Northern Waterthrush	0.0163%
270. Gull-billed Tern	0.0154%
271. Golden Eagle	0.0134%
272. Black-throated Blue Warbler	0.0134%
273. Short-eared Owl	0.0115%
274. Worm-eating Warbler	0.0115%
275. Western Meadowlark	0.0105%
276. Varied Thrush	0.0096%
277. Yellow-breasted Chat	0.0096%
278. American Redstart	0.0096%
279. Tundra Swan	0.0086%
280. Pacific Loon	0.0086%
281. Trumpeter Swan	0.0077%
282. Purple Gallinule	0.0077%
283. Little Gull	0.0077%
284. Least Tern	0.0077%
285. Clay-colored Sparrow	0.0077%
286. Heermann's Gull	0.0067%
287. Burrowing Owl	0.0067%
288. Cackling Goose	0.0058%
289. Plain Chachalaca	0.0058%
290. Iceland Gull	0.0058%
291. Brown Booby	0.0058%
292. Cave Swallow	0.0058%

293. Lapland Longspur	0.0058%
294. Dickcissel	0.0058%
295. Inca Dove	0.0048%
296. Wilson's Phalarope	0.0048%
297. Glaucous Gull	0.0048%
298. Manx Shearwater	0.0048%
299. Ash-throated Flycatcher	0.0048%
300. Harris's Sparrow	0.0048%
301. Magnolia Warbler	0.0048%
302. Blue Grosbeak	0.0048%
303. Allen's Hummingbird	0.0038%
304. Whooping Crane	0.0038%
305. Red Phalarope	0.0038%
306. Black-headed Gull	0.0038%
307. Buff-bellied Hummingbird	0.0029%
308. Semipalmated Sandpiper	0.0029%
309. Yellow-billed Loon	0.0029%
310. Mississippi Kite	0.0029%
311. American Tree Sparrow	0.0029%
312. Virginia's Warbler	0.0029%
313. Blackburnian Warbler	0.0029%
314. Cinnamon Teal	0.0019%
315. Broad-tailed Hummingbird	0.0019%
316. Pomarine Jaeger	0.0019%
317. Razorbill	0.0019%
318. Western Grebe	0.0019%
319. Long-eared Owl	0.0019%

320. Yellow-headed Blackbird	0.0019%
321. Yellow Warbler	0.0019%
322. Lazuli Bunting	0.0019%
323. Common Eider	0.0010%
324. Harlequin Duck	0.0010%
325. Baird's Sandpiper	0.0010%
326. Magnificent Frigatebird	0.0010%
327. Acadian Flycatcher	0.0010%
328. Bank Swallow	0.0010%
329. Veery	0.0010%
330. Eurasian Wigeon	0.0000%
331. Smooth-billed Ani	0.0000%
332. Green-breasted Mango	0.0000%
333. Rivoli's Hummingbird	0.0000%
334. Anna's Hummingbird	0.0000%
335. Broad-billed Hummingbird	0.0000%
336. Bar-tailed Godwit	0.0000%
337. Curlew Sandpiper	0.0000%
338. Rough-legged Hawk	0.0000%
339. Sprague's Pipit	0.0000%
340. Scarlet Tanager	0.0000%
341. Black-headed Grosbeak	0.0000%
EXOTIC: PROVISIONAL	
342. Egyptian Goose	0.0029 % frequency
EXOTIC: ESCAPEE	
Muscovy Duck	1.21% frequency
Mute Swan	0.0355%

Swan Goose	0.0201%
Graylag Goose	0.0086%
Red Junglefowl	0.0067%
Helmeted Guineafowl	0.0058%
Black Swan	0.0038%
Ring-necked Pheasant	0.0029%
Indian Peafowl	0.0019%
Whooper Swan	0.0010%
Mandarin Duck	0.0010%
Spotted Dove	0.0010%
Ruddy Shelduck	0.0000%
Budgerigar	0.0000%
Monk Parakeet	0.0000%
Nanday Parakeet	0.0000%
HYBRIDS	
Blue-winged x Cinnamon Teal (hybrid)	0.0067 % frequency
Mallard x American Black Duck (hybrid)	0.0067%
Domestic goose sp. x Canada Goose (hybrid)	0.0038%
Graylag x Swan Goose (hybrid)	0.0029%
Greater White-fronted x Canada Goose (hybrid)	0.0029%
Muscovy Duck x Mallard (hybrid)	0.0019%
Mallard x Mottled Duck (hybrid)	0.0019%
Swan Goose x Canada Goose (hybrid)	0.0010%
Graylag x Canada Goose (hybrid)	0.0010%
Blue-winged x Green-winged Teal (hybrid)	0.0010%
House x Purple Finch (hybrid)	0.0010%
Black-chinned x Rufous Hummingbird (hybrid)	0.0000%

Brewster's Warbler	hν	brid'	١
DICVISION S VVOIDICE	(iiy	DI IU	,

0.0000%