



Target Species

Based on 109,015 complete checklists

349 species observed in Georgia, US (region/US-GA) in **May** that you need for your **World Life List**

1. Northern Cardinal	72.51% frequency
2. Carolina Wren	57.76%
3. Tufted Titmouse	52.38%
4. Mourning Dove	45.90%
5. Blue Jay	45.72%
6. Red-bellied Woodpecker	44.75%
7. Carolina Chickadee	43.46%
8. Eastern Towhee	41.56%
9. American Crow	40.10%
10. Northern Mockingbird	39.80%
11. Eastern Bluebird	36.05%
12. American Robin	33.62%
13. Great Crested Flycatcher	33.02%
14. Downy Woodpecker	32.97%
15. House Finch	32.71%
16. Brown Thrasher	32.29%
17. Blue-gray Gnatcatcher	28.06%
18. Eastern Phoebe	26.28%
19. Chipping Sparrow	26.00%
20. Pine Warbler	25.14%
21. Red-eyed Vireo	25.03%
22. Brown-headed Cowbird	24.39%

23. Chimney Swift	23.58%
24. Brown-headed Nuthatch	22.78%
25. Common Grackle	22.55%
26. White-breasted Nuthatch	21.35%
27. White-eyed Vireo	21.27%
28. Red-winged Blackbird	21.03%
29. Indigo Bunting	20.56%
30. American Goldfinch	20.20%
31. Gray Catbird	18.72%
32. Turkey Vulture	18.21%
33. Northern Rough-winged Swallow	18.13%
34. Barn Swallow	17.72%
35. Fish Crow	17.44%
36. Ruby-throated Hummingbird	17.41%
37. Song Sparrow	17.34%
38. Canada Goose	17.27%
39. Summer Tanager	17.07%
40. Northern Parula	16.20%
41. Red-shouldered Hawk	15.85%
42. Pileated Woodpecker	15.23%
43. European Starling	15.11%
44. Great Blue Heron	15.00%
45. Common Yellowthroat	13.83%
46. Eastern Kingbird	13.48%
47. Wood Thrush	13.45%
48. Black Vulture	12.31%
49. Eastern Wood-Pewee	11.78%

50. Blue Grosbeak	10.55%
51. Cedar Waxwing	9.97%
52. Red-tailed Hawk	9.73%
53. Mallard	9.41%
54. Scarlet Tanager	9.04%
55. American Redstart	8.73%
56. Killdeer	8.70%
57. Red-headed Woodpecker	8.61%
58. Orchard Oriole	8.31%
59. Hooded Warbler	8.19%
60. Black-and-white Warbler	8.12%
61. Yellow-billed Cuckoo	7.99%
62. Yellow-throated Warbler	7.93%
63. Great Egret	7.67%
64. Acadian Flycatcher	7.63%
65. Yellow-throated Vireo	7.53%
66. Green Heron	7.42%
67. Northern House Wren	6.74%
68. Yellow-breasted Chat	6.74%
69. House Sparrow	6.40%
70. Hairy Woodpecker	5.96%
71. Northern Flicker	5.73%
72. Purple Martin	5.70%
73. Osprey	5.69%
74. Rock Pigeon	5.61%
75. Belted Kingfisher	5.53%
76. Field Sparrow	5.36%

77. Spotted Sandpiper	5.09%
78. Boat-tailed Grackle	4.96%
79. Eastern Meadowlark	4.81%
80. Rose-breasted Grosbeak	4.67%
81. Blackpoll Warbler	4.62%
82. Wood Duck	4.49%
83. Barred Owl	4.41%
84. Louisiana Waterthrush	4.24%
85. Snowy Egret	4.20%
86. Mississippi Kite	4.12%
87. Ovenbird	4.08%
88. Tree Swallow	4.04%
89. Double-crested Cormorant	3.78%
90. Cliff Swallow	3.68%
91. Black-throated Green Warbler	3.58%
92. Kentucky Warbler	3.55%
93. Painted Bunting	3.53%
94. Prairie Warbler	3.47%
95. Little Blue Heron	3.45%
96. Yellow-rumped Warbler	3.45%
97. Prothonotary Warbler	3.36%
98. Northern Bobwhite	3.30%
99. Anhinga	3.28%
100. Blue-headed Vireo	3.27%
101. Laughing Gull	3.20%
102. Western Cattle-Egret	3.18%
103. Swainson's Thrush	3.12%

104.	Least Sandpiper	3.05%
105.	Cape May Warbler	3.01%
106.	Black-throated Blue Warbler	2.91%
107.	Solitary Sandpiper	2.89%
108.	Cooper's Hawk	2.87%
109.	Palm Warbler	2.86%
110.	Eurasian Collared-Dove	2.76%
111.	Wood Stork	2.64%
112.	Royal Tern	2.62%
113.	Wild Turkey	2.36%
114.	White Ibis	2.33%
115.	Chestnut-sided Warbler	2.29%
116.	Semipalmated Plover	2.26%
117.	Semipalmated Sandpiper	2.22%
118.	Broad-winged Hawk	2.19%
119.	Worm-eating Warbler	2.15%
120.	Brown Pelican	2.11%
121.	Chuck-will's-widow	2.11%
122.	Common Gallinule	2.04%
123.	Tricolored Heron	2.03%
124.	Yellow Warbler	1.94%
125.	Swainson's Warbler	1.92%
126.	Common Ground Dove	1.84%
127.	Loggerhead Shrike	1.64%
128.	Veery	1.63%
129.	Bobolink	1.63%
130.	Northern Waterthrush	1.57%

131.	Willet	1.53%
132.	Lesser Yellowlegs	1.52%
133.	Blackburnian Warbler	1.46%
134.	Grasshopper Sparrow	1.41%
135.	Black Skimmer	1.41%
136.	Magnolia Warbler	1.40%
137.	Bald Eagle	1.36%
138.	Black-bellied Whistling-Duck	1.36%
139.	White-throated Sparrow	1.35%
140.	Sanderling	1.31%
141.	Black-bellied Plover	1.31%
142.	Clapper Rail	1.24%
143.	Pine Siskin	1.24%
144.	Least Tern	1.21%
145.	Yellow-crowned Night Heron	1.18%
146.	Ruddy Turnstone	1.14%
147.	Common Nighthawk	1.13%
148.	Blue-winged Teal	1.10%
149.	Roseate Spoonbill	1.07%
150.	Dunlin	1.05%
151.	Wimbrel	1.04%
152.	Tennessee Warbler	1.02%
153.	Ring-billed Gull	1.01%
154.	Marsh Wren	0.9714%
155.	Black-necked Stilt	0.9595%
156.	Dark-eyed Junco	0.9540%
157.	Black-crowned Night Heron	0.9476%

158.	Canada Warbler	0.9476%
159.	Glossy Ibis	0.9283%
160.	Savannah Sparrow	0.9191%
161.	Bay-breasted Warbler	0.9008%
162.	Greater Yellowlegs	0.8907%
163.	Forster's Tern	0.8843%
164.	Bachman's Sparrow	0.8751%
165.	Swallow-tailed Kite	0.7971%
166.	Baltimore Oriole	0.7770%
167.	Wilson's Plover	0.7714%
168.	Short-billed Dowitcher	0.7237%
169.	Ruby-crowned Kinglet	0.6971%
170.	Eastern Whip-poor-will	0.6962%
171.	Dickcissel	0.6733%
172.	American Coot	0.6724%
173.	Gull-billed Tern	0.6430%
174.	Sandwich Tern	0.6329%
175.	American Herring Gull	0.6146%
176.	Least Bittern	0.6054%
177.	Pied-billed Grebe	0.5907%
178.	American Oystercatcher	0.5816%
179.	White-rumped Sandpiper	0.5797%
180.	Great Horned Owl	0.5476%
181.	Red Knot	0.5357%
182.	Mottled Duck	0.4550%
183.	Common Raven	0.4183%
184.	Connecticut Warbler	0.4073%

185.	Gray-cheeked Thrush	0.3990%
186.	American White Pelican	0.3954%
187.	American Kestrel	0.3752%
188.	Willow Flycatcher	0.3752%
189.	Red-cockaded Woodpecker	0.3577%
190.	Eastern Screech-Owl	0.3541%
191.	Bank Swallow	0.3256%
192.	King Rail	0.3128%
193.	Pectoral Sandpiper	0.2807%
194.	Horned Lark	0.2623%
195.	Caspian Tern	0.2532%
196.	Swamp Sparrow	0.2532%
197.	Red-breasted Nuthatch	0.2504%
198.	Cerulean Warbler	0.2394%
199.	Purple Gallinule	0.2367%
200.	Blue-winged Warbler	0.2137%
201.	Ring-necked Duck	0.2128%
202.	Common Loon	0.2110%
203.	Gray Kingbird	0.2092%
204.	Common Tern	0.1945%
205.	Red-breasted Merganser	0.1706%
206.	Stilt Sandpiper	0.1697%
207.	Marbled Godwit	0.1559%
208.	Peregrine Falcon	0.1486%
209.	Northern Harrier	0.1449%
210.	Limpkin	0.1376%
211.	Lesser Black-backed Gull	0.1376%

212.	Sharp-shinned Hawk	0.1321%
213.	Ruffed Grouse	0.1238%
214.	Sora	0.1128%
215.	Western Sandpiper	0.1119%
216.	Hooded Merganser	0.1073%
217.	Least Flycatcher	0.1037%
218.	American Barn Owl	0.1027%
219.	Scissor-tailed Flycatcher	0.1000%
220.	Ruddy Duck	0.0972%
221.	Olive-sided Flycatcher	0.0954%
222.	American Avocet	0.0945%
223.	Northern Shoveler	0.0936%
224.	Piping Plover	0.0917%
225.	Merlin	0.0890%
226.	Black Scoter	0.0853%
227.	Sedge Wren	0.0853%
228.	White-crowned Sparrow	0.0816%
229.	Lark Sparrow	0.0752%
230.	Seaside Sparrow	0.0752%
231.	Wilson's Snipe	0.0743%
232.	Long-billed Dowitcher	0.0734%
233.	Nashville Warbler	0.0734%
234.	Bonaparte's Gull	0.0697%
235.	Reddish Egret	0.0679%
236.	Lesser Scaup	0.0661%
237.	Red Crossbill	0.0661%
238.	Baird's Sparrow	0.0661%

239.	Sandhill Crane	0.0642%
240.	Wilson's Storm-Petrel	0.0624%
241.	American Bittern	0.0624%
242.	Mourning Warbler	0.0615%
243.	Black-billed Cuckoo	0.0605%
244.	Golden-winged Warbler	0.0578%
245.	Wilson's Phalarope	0.0541%
246.	American Woodcock	0.0523%
247.	Red-necked Phalarope	0.0505%
248.	Virginia Rail	0.0431%
249.	Hermit Thrush	0.0394%
250.	American Pipit	0.0394%
251.	Wilson's Warbler	0.0385%
252.	Great Black-backed Gull	0.0376%
253.	Black Tern	0.0367%
254.	Purple Finch	0.0367%
255.	Northern Gannet	0.0349%
256.	Brown Creeper	0.0330%
257.	Gadwall	0.0321%
258.	Sargasso Shearwater	0.0266%
259.	Winter Wren	0.0266%
260.	Orange-crowned Warbler	0.0257%
261.	Bufflehead	0.0248%
262.	White-winged Dove	0.0248%
263.	American Wigeon	0.0220%
264.	Redhead	0.0220%
265.	Warbling Vireo	0.0202%

266.	Surf Scoter	0.0183%
267.	White-winged Scoter	0.0183%
268.	Ruff	0.0183%
269.	Bridled Tern	0.0183%
270.	Upland Sandpiper	0.0165%
271.	Black-capped Petrel	0.0147%
272.	Black Rail	0.0138%
273.	Nelson's Sparrow	0.0138%
274.	Lincoln's Sparrow	0.0138%
275.	Greater White-fronted Goose	0.0128%
276.	Leach's Storm-Petrel	0.0128%
277.	Greater Scaup	0.0119%
278.	Baird's Sandpiper	0.0119%
279.	American Flamingo	0.0119%
280.	Golden-crowned Kinglet	0.0110%
281.	Green-winged Teal	0.0101%
282.	Plain Chachalaca	0.0101%
283.	Glaucous Gull	0.0101%
284.	Saltmarsh Sparrow	0.0101%
285.	Ross's Goose	0.0083%
286.	Pomarine Jaeger	0.0083%
287.	Common Merganser	0.0073%
288.	Sooty Tern	0.0073%
289.	Horned Grebe	0.0073%
290.	Yellow-bellied Sapsucker	0.0073%
291.	Western Tanager	0.0073%
292.	Snow Goose	0.0064%

293.	Northern Pintail	0.0064%
294.	Snowy Plover	0.0064%
295.	Pacific Loon	0.0064%
296.	Magnificent Frigatebird	0.0064%
297.	Short-eared Owl	0.0064%
298.	Western Kingbird	0.0064%
299.	Cave Swallow	0.0064%
300.	Fulvous Whistling-Duck	0.0055%
301.	Inca Dove	0.0055%
302.	Arctic Tern	0.0055%
303.	Cory's Shearwater	0.0055%
304.	Cackling Goose	0.0046%
305.	Band-rumped Storm-Petrel	0.0046%
306.	Alder Flycatcher	0.0046%
307.	Philadelphia Vireo	0.0046%
308.	Evening Grosbeak	0.0046%
309.	American Black Duck	0.0027%
310.	American Golden-Plover	0.0027%
311.	Great Shearwater	0.0027%
312.	Sooty Shearwater	0.0027%
313.	Yellow-headed Blackbird	0.0027%
314.	Shiny Cowbird	0.0027%
315.	Common Eider	0.0018%
316.	Purple Sandpiper	0.0018%
317.	Little Gull	0.0018%
318.	Franklin's Gull	0.0018%
319.	White-faced Ibis	0.0018%

320.	Short-tailed Hawk	0.0018%
321.	Yellow-bellied Flycatcher	0.0018%
322.	Clay-colored Sparrow	0.0018%
323.	Harris's Sparrow	0.0018%
324.	Vesper Sparrow	0.0018%
325.	Brant	0.0009%
326.	Canvasback	0.0009%
327.	Blue-throated Mountain-gem	0.0009%
328.	Long-billed Curlew	0.0009%
329.	Parasitic Jaeger	0.0009%
330.	Roseate Tern	0.0009%
331.	Scopoli's Shearwater	0.0009%
332.	Manx Shearwater	0.0009%
333.	Snail Kite	0.0009%
334.	LeConte's Sparrow	0.0009%
335.	Brewer's Blackbird	0.0009%
336.	Common Goldeneye	0.0000%
337.	Buff-breasted Sandpiper	0.0000%
338.	Sabine's Gull	0.0000%
339.	White-tailed Tropicbird	0.0000%
340.	Red-billed Tropicbird	0.0000%
341.	Brown Booby	0.0000%
342.	Masked Booby	0.0000%
343.	Long-eared Owl	0.0000%
344.	Bicknell's Thrush	0.0000%
345.	Sprague's Pipit	0.0000%
346.	Lark Bunting	0.0000%

347. Henslow's Sparrow	0.0000%
348. Kirtland's Warbler	0.0000%
EXOTIC: PROVISIONAL	
349. Egyptian Goose	0.0009% frequency
EXOTIC: ESCAPEE	
Muscovy Duck	0.9127% frequency
Mute Swan	0.0220%
Helmeted Guineafowl	0.0211%
Swan Goose	0.0183%
Indian Peafowl	0.0174%
Graylag Goose	0.0055%
Red Junglefowl	0.0046%
Ring-necked Pheasant	0.0018%
Cockatiel	0.0000%
Budgerigar	0.0000%
Trumpeter Swan	0.0000%
HYBRIDS	
Domestic goose sp. x Canada Goose (hybrid)	0.0046% frequency
Brewster's Warbler (hybrid)	0.0037%
Mallard x Mottled Duck (hybrid)	0.0027%
Mallard x American Black Duck (hybrid)	0.0018%
Graylag x Swan Goose (hybrid)	0.0009%
Muscovy Duck x Mallard (hybrid)	0.0009%
Golden-winged x Blue-winged Warbler (hybrid)	0.0009%