



Target Species

Based on 65,825 complete checklists

349 species observed in Georgia, US (region/US-GA) in Nov that you need for your **World Life List**

1. Northern Cardinal	55.43% frequency
2. Carolina Wren	52.62%
3. Carolina Chickadee	49.28%
4. Tufted Titmouse	44.34%
5. Red-bellied Woodpecker	42.64%
6. American Crow	42.25%
7. Eastern Phoebe	39.89%
8. Blue Jay	39.33%
9. Downy Woodpecker	35.35%
10. Ruby-crowned Kinglet	35.05%
11. Eastern Bluebird	34.92%
12. Northern Mockingbird	33.71%
13. Mourning Dove	29.55%
14. House Finch	29.09%
15. Yellow-rumped Warbler	28.98%
16. Song Sparrow	28.25%
17. American Robin	28.04%
18. Eastern Towhee	27.94%
19. White-breasted Nuthatch	26.05%
20. White-throated Sparrow	25.53%
21. Turkey Vulture	25.46%
22. Brown-headed Nuthatch	24.52%

23. American Goldfinch	22.54%
24. Northern Flicker	22.54%
25. Chipping Sparrow	22.38%
26. Great Blue Heron	19.74%
27. Golden-crowned Kinglet	19.69%
28. Canada Goose	16.47%
29. Belted Kingfisher	16.35%
30. Red-winged Blackbird	16.03%
31. Brown Thrasher	15.43%
32. Pine Warbler	14.77%
33. Red-shouldered Hawk	14.68%
34. Double-crested Cormorant	14.59%
35. Hermit Thrush	14.40%
36. Yellow-bellied Sapsucker	14.15%
37. Black Vulture	13.15%
38. Killdeer	13.01%
39. Red-tailed Hawk	12.84%
40. Mallard	12.71%
41. Pileated Woodpecker	12.33%
42. Great Egret	11.42%
43. Pied-billed Grebe	10.90%
44. European Starling	10.68%
45. Swamp Sparrow	10.07%
46. Palm Warbler	9.17%
47. Common Grackle	9.16%
48. Dark-eyed Junco	8.99%
49. Cedar Waxwing	7.98%

50. Rock Pigeon	7.04%
51. Savannah Sparrow	7.00%
52. Red-headed Woodpecker	6.50%
53. Northern House Wren	6.36%
54. Hairy Woodpecker	6.26%
55. Fish Crow	5.88%
56. Ring-billed Gull	5.85%
57. American Coot	5.78%
58. Brown-headed Cowbird	5.71%
59. Winter Wren	5.67%
60. American Kestrel	5.57%
61. Field Sparrow	5.56%
62. Blue-headed Vireo	5.05%
63. Gray Catbird	5.05%
64. Ring-necked Duck	5.00%
65. Bald Eagle	4.98%
66. Hooded Merganser	4.74%
67. Eastern Meadowlark	4.66%
68. Laughing Gull	4.58%
69. Tree Swallow	4.55%
70. Cooper's Hawk	4.47%
71. Boat-tailed Grackle	4.17%
72. Brown Pelican	4.14%
73. Ruddy Duck	4.10%
74. Pine Siskin	4.08%
75. White Ibis	4.00%
76. Snowy Egret	3.90%

77. Orange-crowned Warbler	3.70%
78. Common Yellowthroat	3.61%
79. Anhinga	3.60%
80. Purple Finch	3.56%
81. Wood Duck	3.56%
82. Osprey	3.54%
83. House Sparrow	3.54%
84. Northern Harrier	3.21%
85. Gadwall	3.17%
86. Northern Shoveler	2.94%
87. Wilson's Snipe	2.89%
88. Green-winged Teal	2.85%
89. Bufflehead	2.83%
90. Loggerhead Shrike	2.71%
91. American Pipit	2.70%
92. Little Blue Heron	2.66%
93. Forster's Tern	2.65%
94. Lesser Scaup	2.64%
95. Brown Creeper	2.63%
96. Sanderling	2.58%
97. Common Gallinule	2.57%
98. Wood Stork	2.43%
99. Blue-gray Gnatcatcher	2.40%
100. Willet	2.35%
101. Least Sandpiper	2.32%
102. Royal Tern	2.29%
103. Dunlin	2.24%

104.	Clapper Rail	2.19%
105.	American Herring Gull	2.17%
106.	Common Loon	2.15%
107.	Greater Yellowlegs	2.13%
108.	Tricolored Heron	2.07%
109.	Barred Owl	2.06%
110.	Blue-winged Teal	1.95%
111.	Eurasian Collared-Dove	1.94%
112.	Black-and-white Warbler	1.87%
113.	Red-breasted Nuthatch	1.83%
114.	Sharp-shinned Hawk	1.80%
115.	White-eyed Vireo	1.77%
116.	Vesper Sparrow	1.69%
117.	Ruddy Turnstone	1.62%
118.	Horned Grebe	1.56%
119.	Black-bellied Plover	1.45%
120.	White-crowned Sparrow	1.45%
121.	Great Horned Owl	1.44%
122.	Rusty Blackbird	1.40%
123.	Marsh Wren	1.37%
124.	Common Ground Dove	1.37%
125.	Semipalmated Plover	1.31%
126.	Redhead	1.28%
127.	Sandhill Crane	1.28%
128.	Black Skimmer	1.25%
129.	American Wigeon	1.21%
130.	Black-crowned Night Heron	1.02%

131.	Black Scoter	0.9829%
132.	Baltimore Oriole	0.9601%
133.	Western Sandpiper	0.9358%
134.	Wild Turkey	0.9237%
135.	Sedge Wren	0.9146%
136.	Spotted Sandpiper	0.8583%
137.	American White Pelican	0.8568%
138.	Bonaparte's Gull	0.8158%
139.	Red-breasted Merganser	0.7596%
140.	Merlin	0.7353%
141.	Lesser Black-backed Gull	0.7277%
142.	Fox Sparrow	0.7186%
143.	Northern Pintail	0.7049%
144.	Lesser Yellowlegs	0.7049%
145.	Piping Plover	0.6836%
146.	Ruby-throated Hummingbird	0.6411%
147.	Yellow-throated Warbler	0.6305%
148.	Sora	0.6198%
149.	American Oystercatcher	0.6183%
150.	Sandwich Tern	0.6183%
151.	Roseate Spoonbill	0.6183%
152.	Tennessee Warbler	0.5894%
153.	Short-billed Dowitcher	0.5423%
154.	Snow Goose	0.5287%
155.	Caspian Tern	0.5059%
156.	American Avocet	0.5013%
157.	Northern Gannet	0.4618%

158.	Surf Scoter	0.4375%
159.	Canvasback	0.4208%
160.	Red Knot	0.4132%
161.	Painted Bunting	0.3935%
162.	Great Black-backed Gull	0.3752%
163.	Yellow-crowned Night Heron	0.3676%
164.	Seaside Sparrow	0.3631%
165.	Virginia Rail	0.3600%
166.	Glossy Ibis	0.3600%
167.	Rufous Hummingbird	0.3357%
168.	Western Cattle-Egret	0.3357%
169.	Eastern Screech-Owl	0.3357%
170.	King Rail	0.3175%
171.	Brewer's Blackbird	0.3054%
172.	Northern Bobwhite	0.2962%
173.	American Bittern	0.2917%
174.	Green Heron	0.2902%
175.	Horned Lark	0.2902%
176.	Black-bellied Whistling-Duck	0.2856%
177.	Ross's Goose	0.2765%
178.	Saltmarsh Sparrow	0.2567%
179.	American Black Duck	0.2507%
180.	Greater Scaup	0.2476%
181.	Nelson's Sparrow	0.2476%
182.	Magnolia Warbler	0.2355%
183.	Peregrine Falcon	0.2309%
184.	American Woodcock	0.2264%

185.	Lincoln's Sparrow	0.2172%
186.	Ovenbird	0.2081%
187.	Marbled Godwit	0.2021%
188.	Reddish Egret	0.2021%
189.	Mottled Duck	0.1929%
190.	Bay-breasted Warbler	0.1914%
191.	White-winged Scoter	0.1899%
192.	Grasshopper Sparrow	0.1899%
193.	Calliope Hummingbird	0.1853%
194.	Indigo Bunting	0.1808%
195.	Limpkin	0.1747%
196.	Long-billed Dowitcher	0.1656%
197.	Wilson's Plover	0.1565%
198.	Red-cockaded Woodpecker	0.1504%
199.	Northern Rough-winged Swallow	0.1489%
200.	Barn Swallow	0.1489%
201.	American Redstart	0.1474%
202.	Northern Parula	0.1443%
203.	Vermilion Flycatcher	0.1428%
204.	Common Raven	0.1428%
205.	Black-throated Green Warbler	0.1337%
206.	Rose-breasted Grosbeak	0.1322%
207.	Franklin's Gull	0.1261%
208.	Hooded Warbler	0.1230%
209.	Black-throated Blue Warbler	0.1230%
210.	Pectoral Sandpiper	0.1170%
211.	Greater White-fronted Goose	0.1124%

212.	Henslow's Sparrow	0.1079%
213.	Purple Sandpiper	0.1018%
214.	Nashville Warbler	0.1003%
215.	Cape May Warbler	0.0957%
216.	Eared Grebe	0.0835%
217.	Western Kingbird	0.0835%
218.	Bachman's Sparrow	0.0835%
219.	Lark Sparrow	0.0835%
220.	LeConte's Sparrow	0.0835%
221.	Prairie Warbler	0.0835%
222.	Say's Phoebe	0.0820%
223.	White-winged Dove	0.0805%
224.	Stilt Sandpiper	0.0805%
225.	Eastern Wood-Pewee	0.0775%
226.	Black-chinned Hummingbird	0.0760%
227.	Snow Bunting	0.0760%
228.	American Barn Owl	0.0729%
229.	Brant	0.0684%
230.	Yellow-billed Cuckoo	0.0684%
231.	Ruff	0.0653%
232.	Common Goldeneye	0.0638%
233.	Ash-throated Flycatcher	0.0623%
234.	Common Eider	0.0608%
235.	Whimbrel	0.0577%
236.	Blackpoll Warbler	0.0577%
237.	Red-throated Loon	0.0562%
238.	Long-tailed Duck	0.0532%

239.	American Golden-Plover	0.0532%
240.	Brown Booby	0.0501%
241.	Summer Tanager	0.0486%
242.	Wilson's Phalarope	0.0456%
243.	Great Cormorant	0.0425%
244.	Wood Thrush	0.0425%
245.	Wilson's Warbler	0.0425%
246.	Yellow-breasted Chat	0.0410%
247.	Neotropic Cormorant	0.0395%
248.	Swainson's Thrush	0.0365%
249.	Clay-colored Sparrow	0.0319%
250.	Blue Grosbeak	0.0319%
251.	Northern Waterthrush	0.0289%
252.	Long-billed Curlew	0.0273%
253.	Parasitic Jaeger	0.0273%
254.	Chestnut-sided Warbler	0.0258%
255.	Common Tern	0.0243%
256.	Red-necked Grebe	0.0243%
257.	Dickcissel	0.0243%
258.	Northern Saw-whet Owl	0.0228%
259.	Red-eyed Vireo	0.0228%
260.	Bar-tailed Godwit	0.0213%
261.	Red Crossbill	0.0213%
262.	Lapland Longspur	0.0213%
263.	Snowy Plover	0.0198%
264.	Hudsonian Godwit	0.0198%
265.	Green-breasted Mango	0.0182%

266.	Buff-bellied Hummingbird	0.0182%
267.	Purple Gallinule	0.0182%
268.	Blackburnian Warbler	0.0182%
269.	Common Merganser	0.0167%
270.	Broad-billed Hummingbird	0.0167%
271.	Cave Swallow	0.0167%
272.	Red Phalarope	0.0152%
273.	Golden Eagle	0.0152%
274.	Scissor-tailed Flycatcher	0.0152%
275.	Scarlet Tanager	0.0152%
276.	Cackling Goose	0.0137%
277.	White-rumped Sandpiper	0.0137%
278.	Pomarine Jaeger	0.0137%
279.	White-faced Ibis	0.0137%
280.	Short-eared Owl	0.0137%
281.	Yellow Warbler	0.0137%
282.	Tundra Swan	0.0121%
283.	Common Nighthawk	0.0121%
284.	Solitary Sandpiper	0.0121%
285.	Pacific Loon	0.0121%
286.	Burrowing Owl	0.0121%
287.	Orchard Oriole	0.0121%
288.	Prothonotary Warbler	0.0121%
289.	Cinnamon Teal	0.0106%
290.	Eastern Whip-poor-will	0.0106%
291.	Black-legged Kittiwake	0.0106%
292.	Yellow-headed Blackbird	0.0106%

293.	Black-throated Gray Warbler	0.0106%
294.	Chimney Swift	0.0091%
295.	Bobolink	0.0091%
296.	Ruffed Grouse	0.0076%
297.	Crested Caracara	0.0076%
298.	Semipalmated Sandpiper	0.0061%
299.	Black-headed Gull	0.0061%
300.	Iceland Gull	0.0061%
301.	Philadelphia Vireo	0.0061%
302.	Black-necked Stilt	0.0046%
303.	Glaucous Gull	0.0046%
304.	Gray Kingbird	0.0046%
305.	Western Tanager	0.0046%
306.	Inca Dove	0.0030%
307.	Chuck-will's-widow	0.0030%
308.	Broad-tailed Hummingbird	0.0030%
309.	Black Rail	0.0030%
310.	Bridled Tern	0.0030%
311.	Western Grebe	0.0030%
312.	Acadian Flycatcher	0.0030%
313.	Least Flycatcher	0.0030%
314.	Yellow-throated Vireo	0.0030%
315.	Cliff Swallow	0.0030%
316.	Gray-cheeked Thrush	0.0030%
317.	Plain Chachalaca	0.0015%
318.	Allen's Hummingbird	0.0015%
319.	Curlew Sandpiper	0.0015%

320.	Baird's Sandpiper	0.0015%
321.	South Polar Skua	0.0015%
322.	Little Gull	0.0015%
323.	Black Tern	0.0015%
324.	Black-capped Petrel	0.0015%
325.	Magnificent Frigatebird	0.0015%
326.	Least Bittern	0.0015%
327.	Mississippi Kite	0.0015%
328.	Broad-winged Hawk	0.0015%
329.	Bank Swallow	0.0015%
330.	Sage Thrasher	0.0015%
331.	Veery	0.0015%
332.	Shiny Cowbird	0.0015%
333.	Mourning Warbler	0.0015%
334.	Fulvous Whistling-Duck	0.0000%
335.	King Eider	0.0000%
336.	Harlequin Duck	0.0000%
337.	Rivoli's Hummingbird	0.0000%
338.	Anna's Hummingbird	0.0000%
339.	Whooping Crane	0.0000%
340.	Dovekie	0.0000%
341.	Manx Shearwater	0.0000%
342.	Masked Booby	0.0000%
343.	Snowy Owl	0.0000%
344.	Long-eared Owl	0.0000%
345.	Great Crested Flycatcher	0.0000%
346.	Eastern Kingbird	0.0000%

347. Evening Grosbeak	0.0000%
348. Harris's Sparrow	0.0000%
EXOTIC: PROVISIONAL	
349. Egyptian Goose	0.0030% frequency
EXOTIC: ESCAPEE	
Muscovy Duck	1.28% frequency
Red Junglefowl	0.0532%
Mute Swan	0.0456%
Swan Goose	0.0349%
Graylag Goose	0.0319%
Helmeted Guineafowl	0.0106%
Indian Peafowl	0.0015%
Nanday Parakeet	0.0015%
Black Swan	0.0000%
Mandarin Duck	0.0000%
Ring-necked Pheasant	0.0000%
Rosy-faced Lovebird	0.0000%
Monk Parakeet	0.0000%
Trumpeter Swan	0.0000%
HYBRIDS	
Mallard x American Black Duck (hybrid)	0.0076% frequency
Muscovy Duck x Mallard (hybrid)	0.0061%
Snow x Canada Goose (hybrid)	0.0046%
Mallard x Mottled Duck (hybrid)	0.0046%
Graylag x Swan Goose (hybrid)	0.0030%
Swan Goose x Canada Goose (hybrid)	0.0015%
Graylag x Canada Goose (hybrid)	0.0015%

Domestic goose sp. x Canada Goose (hybrid)	0.0015%
--	----------------

Dark-eyed Junco x White-throated Sparrow (hybrid)	0.0000%
---	----------------