

Target Species

Based on 73,811 complete checklists

367 species observed in $\underline{\text{Georgia}, \text{US}\,(\text{region/US-GA})}$ in $\underline{\text{Oct}}$ that you need for your $\underline{\text{World Life List}}$

	GR CON 6
1. Northern Cardinal	67.68% frequency
2. Carolina Wren	61.06%
3. Blue Jay	59.61%
4. Carolina Chickadee	54.50%
5. Red-bellied Woodpecker	53.80%
6. Tufted Titmouse	50.67%
7. Northern Mockingbird	45.63%
8. Eastern Phoebe	44.55%
9. Downy Woodpecker	44.50%
10. American Crow	43.41%
11. Eastern Bluebird	34.65%
12. Mourning Dove	34.08%
13. House Finch	33.07%
14. Brown Thrasher	31.25%
15. Eastern Towhee	29.98%
16. White-breasted Nuthatch	28.75%
17. Northern Flicker	28.16%
18. Brown-headed Nuthatch	27.77%
19. Turkey Vulture	23.86%
20. Gray Catbird	22.42%
21. Pine Warbler	21.82%
22. American Robin	21.70%

23. Red-shouldered Hawk	19.33%
24. Pileated Woodpecker	18.71%
25. Palm Warbler	17.59%
26. Great Blue Heron	17.07%
27. Belted Kingfisher	16.66%
28. Ruby-crowned Kinglet	16.26%
29. Song Sparrow	16.10%
30. American Goldfinch	14.29%
31. Black Vulture	14.00%
32. Great Egret	13.50%
33. Yellow-rumped Warbler	13.16%
34. Common Yellowthroat	12.96%
35. Canada Goose	12.83%
36. Chipping Sparrow	12.33%
37. White-eyed Vireo	11.74%
38. Red-tailed Hawk	11.46%
39. American Redstart	11.14%
40. Red-winged Blackbird	10.88%
41. Eastern Wood-Pewee	10.87%
42. European Starling	10.11%
43. Tennessee Warbler	9.99%
44. Magnolia Warbler	9.97%
45. Yellow-bellied Sapsucker	9.94%
46. Killdeer	9.51%
47. Ruby-throated Hummingbird	9.11%
48. Fish Crow	9.02%
49. Mallard	8.99%

50. Rose-breasted Grosbeak	8.61%
51. Double-crested Cormorant	8.41%
52. Northern House Wren	8.33%
53. Red-headed Woodpecker	8.26%
54. Common Grackle	8.11%
55. Hairy Woodpecker	8.02%
56. Chimney Swift	7.16%
57. Golden-crowned Kinglet	7.06%
58. Indigo Bunting	7.00%
59. Brown-headed Cowbird	6.81%
60. Boat-tailed Grackle	6.47%
61. Swainson's Thrush	6.44%
62. White-throated Sparrow	6.31%
63. Cooper's Hawk	6.28%
64. Rock Pigeon	6.21%
65. Black-and-white Warbler	6.17%
66. Osprey	6.13%
67. Snowy Egret	6.10%
68. Laughing Gull	6.07%
69. Red-eyed Vireo	5.68%
70. Northern Parula	5.64%
71. Tree Swallow	5.60%
72. Swamp Sparrow	5.44%
73. Pied-billed Grebe	5.31%
74. White Ibis	4.99%
75. Bald Eagle	4.97%
76. Hooded Warbler	<u>4.</u> 67%

77. Brown Pelican	4.4 1%
78. Wood Stork	4. 31%
79. Chestnut-sided Warbler	4.30%
80. Little Blue Heron	<u>4.</u> 29%
81. Scarlet Tanager	<u>4.</u> 26%
82. Blue-gray Gnatcatcher	<u>4.</u> 17%
83. American Kestrel	4.07%
84. Black-throated Green Warbler	4.05%
85. Royal Tern	4.05%
86. House Sparrow	3.98%
87. Anhinga	3.80%
88. Blue-headed Vireo	3.77%
89. Clapper Rail	3.66%
90. Wood Thrush	3.63%
91. Tricolored Heron	3.57%
92. Savannah Sparrow	3.53%
93. Wood Duck	3.47%
94. Yellow-billed Cuckoo	3.36%
95. Eastern Meadowlark	3.16%
96. Blue-winged Teal	3.09%
97. Sanderling	3.00%
98. Bay-breasted Warbler	3.00%
99. Barred Owl	2 .97%
100. Painted Bunting	2.93%
101. Summer Tanager	2 .91%
102. Yellow-throated Warbler	2.87%
103. Black-throated Blue Warbler	2.86%

104. Forster's Tern	2.80%
105. Willet	2.76%
106. Hermit Thrush	2.75%
107. Roseate Spoonbill	2.72%
108. Common Gallinule	2.62%
109. Northern Harrier	2.53%
110. Northern Rough-winged Swallow	2.46%
111. Least Sandpiper	2.40%
112. Winter Wren	2.32%
113. Field Sparrow	2.28%
114. Caspian Tern	2.19%
115. Ring-billed Gull	2.19%
116. Marsh Wren	2.15%
117. Eurasian Collared-Dove	2.09%
118. Cape May Warbler	2.07%
119. Blackburnian Warbler	2.01%
120. Northern Waterthrush	1.97%
121. Black-bellied Plover	1.95%
122. Ovenbird	1.93%
123. American Coot	1.92%
124. Loggerhead Shrike	1.92%
125. American Herring Gull	1.91%
126. Common Ground Dove	1.91%
127. Black-crowned Night Heron	1.91%
128. Prairie Warbler	1.91%
129. Ruddy Turnstone	1.89%
130. Yellow-throated Vireo	1.83%

	7.000/
131. Semipalmated Plover	1.80%
132. Sharp-shinned Hawk	1.80%
133. Greater Yellowlegs	1.73%
134. Barn Swallow	1.73%
135. Gray-cheeked Thrush	1.67%
136. Merlin	1.64%
137. Great Horned Owl	1.59%
138. Black Skimmer	1.54%
139. Peregrine Falcon	1.51%
140. Spotted Sandpiper	1.50%
141. Sandwich Tern	1.43%
142. Cedar Waxwing	1.43%
143. Blue Grosbeak	1.43%
144. Wilson's Snipe	1.42%
145. Western Cattle-Egret	1.34%
146. Orange-crowned Warbler	1.32%
147. Lesser Black-backed Gull	1.30%
148. Northern Shoveler	1.29%
149. Green Heron	1.19%
150. Yellow-crowned Night Heron	1.17%
151. Acadian Flycatcher	1.16%
152. Red-breasted Nuthatch	1.15%
153. Western Sandpiper	1.12%
154. Wild Turkey	1.11%
155. Lesser Yellowlegs	1.10%
156. Dunlin	1.09%
157. Yellow Warbler	1.04%

158. Sedge Wren	1.04%
159. American Oystercatcher	0.9023%
160. Piping Plover	0.8955%
161. Green-winged Teal	0.8928%
162. Short-billed Dowitcher	0.8915%
163. Philadelphia Vireo	0.8779%
164. Sora	0.8495%
165. Dark-eyed Junco	0.8373%
166. Baltimore Oriole	0.8142%
167. Pine Siskin	0.7777%
168. Ruddy Duck	0.7600%
169. American White Pelican	0.7519%
170. Eastern Screech-Owl	0.7384%
171. Glossy Ibis	0.7262%
172. Black-bellied Whistling-Duck	0.7004%
173. White-crowned Sparrow	0.6679%
174. Brown Creeper	0.6463%
175. Nashville Warbler	0.6395%
176. Veery	0.6232%
177. Great Black-backed Gull	0.6205%
178. Ring-necked Duck	0.6151%
179. Pectoral Sandpiper	0.5826%
180. Red Knot	0.5758%
181. Gadwall	0.5501%
182. Reddish Egret	0.5487%
183. Seaside Sparrow	0.5460%
184. American Avocet	0.5379%

	0.50400/
185. Bobolink	0.5040%
186. Mottled Duck	0.4986%
187. Lincoln's Sparrow	0.4959%
188. Marbled Godwit	0.4742%
189. Vesper Sparrow	0.4403%
190. Wilson's Plover	0.3753%
191. Common Nighthawk	0.3726%
192. Semipalmated Sandpiper	0.3374%
193. Northern Bobwhite	0.3225%
194. Solitary Sandpiper	0.3170%
195. Yellow-breasted Chat	0.3157%
196. American Wigeon	0.3048%
197. American Pipit	0.3035%
198. Blackpoll Warbler	0.2872%
199. Common Tern	0.2791%
200. Broad-winged Hawk	0.2764%
201. King Rail	0.2696%
202. Great Crested Flycatcher	0.2655%
203. Golden-winged Warbler	0.2588%
204. Stilt Sandpiper	0.2520%
205. Purple Finch	0.2506%
206. Northern Pintail	0.2466%
207. Grasshopper Sparrow	0.2439%
208. American Bittern	0.2425%
209. Wilson's Warbler	0.2412%
210. Virginia Rail	0.2249%
211. Whimbrel	0.2181%

212. Blue-winged Warbler	0.2141%
213. Worm-eating Warbler	0.2127%
214. Common Loon	0.2019%
215. Clay-colored Sparrow	0.1870%
216. Long-billed Curlew	0.1802%
217. Common Raven	0.1463%
218. Hooded Merganser	0.1368%
219. Red-cockaded Woodpecker	0.1341%
220. Long-billed Dowitcher	0.1328%
221. Nelson's Sparrow	0.1246%
222. Mourning Warbler	0.1138%
223. Horned Lark	0.1125%
224. Eastern Kingbird	0.1084%
225. Bachman's Sparrow	0.1084%
226. Lesser Scaup	0.1070%
227. Sandhill Crane	0.1057%
228. Limpkin	0.1016%
229. Saltmarsh Sparrow	0.0989%
230. Henslow's Sparrow	0.0908%
231. Canada Warbler	0.0853%
232. White-rumped Sandpiper	0.0813%
233. American Barn Owl	0.0799%
234. American Woodcock	0.0786%
235. Purple Gallinule	0.0772%
236. Purple Martin	0.0759%
237. Rufous Hummingbird	0.0732%
238. Vermilion Flycatcher	0.0732%

239. Least Bittern	0.0718%
240. Gull-billed Tern	0.0677%
241. Least Flycatcher	0.0677%
242. Wilson's Phalarope	0.0637%
243. Black Tern	0.0637%
244. Black Scoter	0.0623%
245. Redhead	0.0610%
246. Plain Chachalaca	0.0583%
247. Black-necked Stilt	0.0583%
248. Dickcissel	0.0569%
249. Eastern Whip-poor-will	0.0556%
250. Black-billed Cuckoo	0.0542%
251. Horned Grebe	0.0542%
252. White-winged Dove	0.0515%
253. Franklin's Gull	0.0515%
254. Rusty Blackbird	0.0501%
255. Brown Booby	0.0488%
256. Red-footed Booby	0.0474%
257. Fox Sparrow	0.0461%
258. American Golden-Plover	0.0447%
259. Lark Sparrow	0.0447%
260. American Black Duck	0.0433%
261. Ruffed Grouse	0.0433%
262. Bank Swallow	0.0420%
263. Cliff Swallow	0.0393%
264. Prothonotary Warbler	0.0393%
265. Yellow-headed Blackbird	0.0366%

266. Neotropic Cormorant	0.0352%
267. Yellow-bellied Flycatcher	0.0352%
268. Eared Grebe	0.0339%
269. Heermann's Gull	0.0298%
270. Bonaparte's Gull	0.0284%
271. Snow Goose	0.0244%
272. Western Kingbird	0.0244%
273. Ruff	0.0217%
274. Northern Gannet	0.0217%
275. Surf Scoter	0.0203%
276. Say's Phoebe	0.0203%
277. Gray Kingbird	0.0176%
278. Warbling Vireo	0.0176%
279. Red-breasted Merganser	0.0163%
280. Red-necked Phalarope	0.0163%
281. Scissor-tailed Flycatcher	0.0163%
282. Kentucky Warbler	0.0163%
283. Greater White-fronted Goose	0.0149%
284. Bufflehead	0.0149%
285. Hammond's Flycatcher	0.0149%
286. Rock Wren	0.0149%
287. Red Crossbill	0.0136%
288. Cave Swallow	0.0122%
289. Brewer's Blackbird	0.0108%
290. Cerulean Warbler	0.0108%
291. Common Merganser	0.0095%
292. Black-chinned Hummingbird	0.0095%

293. Buff-breasted Sandpiper	0.0095%
294. Parasitic Jaeger	0.0095%
295. Hudsonian Godwit	0.0081%
296. Pacific Loon	0.0081%
297. Magnificent Frigatebird	0.0081%
298. Orchard Oriole	0.0081%
299. Connecticut Warbler	0.0081%
300. Ross's Goose	0.0068%
301. Cinnamon Teal	0.0068%
302. Snowy Plover	0.0068%
303. South Polar Skua	0.0068%
304. Willow Flycatcher	0.0068%
305. LeConte's Sparrow	0.0068%
306. Swainson's Warbler	0.0068%
307. Black-throated Gray Warbler	0.0068%
308. Common Eider	0.0054%
309. Baird's Sandpiper	0.0054%
310. Pomarine Jaeger	0.0054%
311. White-faced Ibis	0.0054%
312. Golden Eagle	0.0054%
313. Burrowing Owl	0.0054%
314. Short-eared Owl	0.0054%
315. Ash-throated Flycatcher	0.0054%
316. Chuck-will's-widow	0.0041%
316. Chuck-will's-widow317. Green-breasted Mango	0.0041% 0.0041%
317. Green-breasted Mango	0.0041%

320. Greater Scaup	0.0027%
321. White-winged Scoter	0.0027%
322. Black Rail	0.0027%
323. Red Phalarope	0.0027%
324. Northern Saw-whet Owl	0.0027%
325. Olive-sided Flycatcher	0.0027%
326. MacGillivray's Warbler	0.0027%
327. Fulvous Whistling-Duck	0.0014%
328. Long-tailed Duck	0.0014%
329. Inca Dove	0.0014%
330. Smooth-billed Ani	0.0014%
331. Allen's Hummingbird	0.0014%
332. Buff-bellied Hummingbird	0.0014%
333. Upland Sandpiper	0.0014%
334. Bar-tailed Godwit	0.0014%
335. Purple Sandpiper	0.0014%
336. Sooty Tern	0.0014%
337. Bridled Tern	0.0014%
338. Red-throated Loon	0.0014%
339. Great Shearwater	0.0014%
340. Sargasso Shearwater	0.0014%
341. Swallow-tailed Kite	0.0014%
342. Mississippi Kite	0.0014%
343. Rough-legged Hawk	0.0014%
344. Dusky Flycatcher	0.0014%
345. Evening Grosbeak	0.0014%
346. Brant	0.0000%

347. Calliope Hummingbird	0.0000%
348. Yellow Rail	0.0000%
349. Sabine's Gull	0.0000%
350. American Flamingo	0.0000%
351. Red-necked Grebe	0.0000%
352. Great Cormorant	0.0000%
353. American Goshawk	0.0000%
354. Fork-tailed Flycatcher	0.0000%
355. Bell's Vireo	0.0000%
356. Florida Scrub-Jay	0.0000%
357. Bewick's Wren	0.0000%
358. Bicknell's Thrush	0.0000%
359. Northern Wheatear	0.0000%
360. Lapland Longspur	0.0000%
361. Bullock's Oriole	0.0000%
362. Shiny Cowbird	0.0000%
363. Louisiana Waterthrush	0.0000%
364. Kirtland's Warbler	0.0000%
365. Western Tanager	0.0000%
366. Black-headed Grosbeak	0.0000%
EXOTIC: PROVISIONAL	
367. Egyptian Goose	0.0176 % frequency
EXOTIC: ESCAPEE	
Muscovy Duck	0.9497 % frequency
Mute Swan	0.0257%
Helmeted Guineafowl	0.0163%
Graylag Goose	0.0081%

Swan Goose	0.0068%
Indian Peafowl	0.0041%
Red Junglefowl	0.0027%
Rosy-faced Lovebird	0.0027%
Black Swan	0.0014%
Common Shelduck	0.0014%
Golden Pheasant	0.0014%
Ring-necked Pheasant	0.0014%
Scaly-breasted Munia	0.0014%
Monk Parakeet	0.0000%
Nanday Parakeet	0.0000%
HYBRIDS	
Mallard x American Black Duck (hybrid)	0.0054 % frequency
Brewster's Warbler (hybrid)	0.0041%
Snow x Canada Goose (hybrid)	0.0027%
Muscovy Duck x Mallard (hybrid)	0.0027%