

## Target Species

Based on 73,811 complete checklists

367 species observed in  $\underline{\text{Georgia}, \text{US}\,(\text{region/US-GA})}$  in  $\underline{\text{Oct}}$  that you need for your  $\underline{\text{World Life List}}$ 

1. Black-bellied Whistling-Duck	<b>0.7004</b> % frequency
2. Fulvous Whistling-Duck	0.0014%
3. Snow Goose	0.0244%
4. Ross's Goose	0.0068%
5. Greater White-fronted Goose	0.0149%
6. Brant	0.0000%
7. Canada Goose	12.83%
8. Wood Duck	3.47%
9. Blue-winged Teal	3.09%
10. Cinnamon Teal	0.0068%
11. Northern Shoveler	1.29%
12. <b>Gadwall</b>	0.5501%
13. American Wigeon	0.3048%
14. Mallard	8.99%
15. American Black Duck	0.0433%
16. Mottled Duck	0.4986%
17. Northern Pintail	0.2466%
18. <b>Green-winged Teal</b>	0.8928%
19. Canvasback	0.0027%
20. Redhead	0.0610%
21. Ring-necked Duck	0.6151%
22. Greater Scaup	0.0027%

23. Lesser Scaup	0.1070%
24. Common Eider	0.0054%
25. Surf Scoter	0.0203%
26. White-winged Scoter	0.0027%
27. Black Scoter	0.0623%
28. Long-tailed Duck	0.0014%
29. Bufflehead	0.0149%
30. Hooded Merganser	0.1368%
31. Common Merganser	0.0095%
32. Red-breasted Merganser	0.0163%
33. Ruddy Duck	0.7600%
34. Plain Chachalaca	0.0583%
35. Northern Bobwhite	0.3225%
36. Wild Turkey	1.11%
37. Ruffed Grouse	0.0433%
38. Rock Pigeon	6.21%
39. Eurasian Collared-Dove	2.09%
40. Inca Dove	0.0014%
41. Common Ground Dove	1.91%
42. White-winged Dove	0.0515%
43. Mourning Dove	34.08%
44. Smooth-billed Ani	0.0014%
45. Yellow-billed Cuckoo	3.36%
46. Black-billed Cuckoo	0.0542%
47. Common Nighthawk	0.3726%
48. Chuck-will's-widow	0.0041%
49. Eastern Whip-poor-will	0.0556%

50. Chimney Swift	<u>7.16</u> %
51. Green-breasted Mango	0.0041%
52. Ruby-throated Hummingbird	9.11%
53. Black-chinned Hummingbird	0.0095%
54. Calliope Hummingbird	0.0000%
55. Rufous Hummingbird	0.0732%
56. Allen's Hummingbird	0.0014%
57. Buff-bellied Hummingbird	0.0014%
58. King Rail	0.2696%
59. Clapper Rail	3.66%
60. Virginia Rail	0.2249%
61. <b>Sora</b>	0.8495%
62. Common Gallinule	2.62%
63. American Coot	1.92%
64. Purple Gallinule	0.0772%
65. Yellow Rail	0.0000%
66. Black Rail	0.0027%
67. Limpkin	0.1016%
68. Sandhill Crane	0.1057%
69. Black-necked Stilt	0.0583%
70. American Avocet	0.5379%
71. American Oystercatcher	0.9023%
72. Black-bellied Plover	1.95%
73. American Golden-Plover	0.0447%
74. Killdeer	9.51%
75. Semipalmated Plover	1.80%
76. Piping Plover	0.8955%

	.3753%
78. Snowy Plover 0	.0068%
79. Upland Sandpiper O	.0014%
80. Whimbrel O	.2181%
81. Long-billed Curlew 0	.1802%
82. Bar-tailed Godwit 0	.0014%
83. Hudsonian Godwit 0	.0081%
84. Marbled Godwit 0	.4742%
85. Short-billed Dowitcher	.8915%
86. Long-billed Dowitcher	.1328%
87. American Woodcock 0	.0786%
88. Wilson's Snipe	.42%
89. Wilson's Phalarope O	.0637%
90. Red Phalarope O	.0027%
91. Red-necked Phalarope O	.0163%
92. Spotted Sandpiper 1.	.50%
93. Solitary Sandpiper 0	.3170%
94. Lesser Yellowlegs 1.	.10%
95. Willet 2	.76%
96. Greater Yellowlegs 1.	.73%
97. Ruddy Turnstone	.89%
98. Red Knot	.5758%
99. <b>Ruff O</b>	.0217%
100. Stilt Sandpiper	0.2520%
	0.0095%
101. Buff-breasted Sandpiper O	
	3.00%

104. Purple Sandpiper	0.0014%
105. Baird's Sandpiper	0.0054%
106. White-rumped Sandpiper	0.0813%
107. Least Sandpiper	2.40%
108. Pectoral Sandpiper	0.5826%
109. Western Sandpiper	1.12%
110. Semipalmated Sandpiper	0.3374%
111. Parasitic Jaeger	0.0095%
112. Pomarine Jaeger	0.0054%
113. South Polar Skua	0.0068%
114. Sabine's Gull	0.0000%
115. Bonaparte's Gull	0.0284%
116. Laughing Gull	6.07%
117. Franklin's Gull	0.0515%
118. Heermann's Gull	0.0298%
119. Ring-billed Gull	2.19%
120. American Herring Gull	1.91%
121. Great Black-backed Gull	0.6205%
122. Lesser Black-backed Gull	1.30%
123. Black Skimmer	1.54%
124. Sooty Tern	0.0014%
125. Bridled Tern	0.0014%
126. Gull-billed Tern	0.0677%
127. Caspian Tern	2.19%
128. Black Tern	0.0637%
129. Forster's Tern	2.80%
130. Common Tern	0.2791%

131. Sandwich Tern	1.43%
132. Royal Tern	4.05%
133. American Flamingo	0.0000%
134. Pied-billed Grebe	5.31%
135. Horned Grebe	0.0542%
136. Red-necked Grebe	0.0000%
137. Eared Grebe	0.0339%
138. Red-throated Loon	0.0014%
139. Pacific Loon	0.0081%
140. Common Loon	0.2019%
141. Great Shearwater	0.0014%
142. Sargasso Shearwater	0.0014%
143. Wood Stork	<u>4.</u> 31%
144. Magnificent Frigatebird	0.0081%
145. Northern Gannet	0.0217%
146. Red-footed Booby	0.0474%
147. Brown Booby	0.0488%
148. Anhinga	3.80%
149. Great Cormorant	0.0000%
150. Double-crested Cormorant	8.41%
151. Neotropic Cormorant	0.0352%
152. White Ibis	4.99%
153. Glossy Ibis	0.7262%
154. White-faced Ibis	0.0054%
155. Roseate Spoonbill	2.72%
156. American Bittern	0.2425%
157. Least Bittern	0.0718%

158. Yellow-crowned Night Heron	1.17%
159. Black-crowned Night Heron	1.91%
160. Little Blue Heron	4.29%
161. Tricolored Heron	3.57%
162. Reddish Egret	0.5487%
163. Snowy Egret	6.10%
164. Green Heron	1.19%
165. Western Cattle-Egret	1.34%
166. Great Egret	13.50%
167. <b>Great Blue Heron</b>	17.07%
168. American White Pelican	0.7519%
169. Brown Pelican	<b>4.4</b> 1%
170. Black Vulture	14.00%
171. Turkey Vulture	23.86%
172. Osprey	6.13%
173. Swallow-tailed Kite	0.0014%
174. Golden Eagle	0.0054%
175. Sharp-shinned Hawk	1.80%
176. Cooper's Hawk	6.28%
177. American Goshawk	0.0000%
178. Northern Harrier	2.53%
179. Bald Eagle	4.97%
180. Mississippi Kite	0.0014%
181. Broad-winged Hawk	0.2764%
182. Red-shouldered Hawk	19.33%
183. <b>Red-tailed Hawk</b>	11.46%
184. Rough-legged Hawk	0.0014%

185. American Barn Owl	0.0799%
186. Eastern Screech-Owl	0.7384%
187. Great Horned Owl	1.59%
188. Burrowing Owl	0.0054%
189. Barred Owl	2.97%
190. Short-eared Owl	0.0054%
191. Northern Saw-whet Owl	0.0027%
192. Belted Kingfisher	16.66%
193. Yellow-bellied Sapsucker	9.94%
194. Red-headed Woodpecker	8.26%
195. Red-bellied Woodpecker	53.80%
196. Downy Woodpecker	44.50%
197. Red-cockaded Woodpecker	0.1341%
198. Hairy Woodpecker	8.02%
199. Pileated Woodpecker	18.71%
200. Northern Flicker	28.16%
201. American Kestrel	4.07%
202. Merlin	1.64%
203. Peregrine Falcon	1.51%
204. Olive-sided Flycatcher	0.0027%
205. Eastern Wood-Pewee	10.87%
206. Yellow-bellied Flycatcher	0.0352%
207. Acadian Flycatcher	1.16%
208. Willow Flycatcher	0.0068%
209. Least Flycatcher	0.0677%
210. Hammond's Flycatcher	0.0149%
211. Dusky Flycatcher	0.0014%

212. Eastern Phoebe	44.55%
213. Say's Phoebe	0.0203%
214. Vermilion Flycatcher	0.0732%
215. Ash-throated Flycatcher	0.0054%
216. Great Crested Flycatcher	0.2655%
217. Western Kingbird	0.0244%
218. Eastern Kingbird	0.1084%
219. <b>Gray Kingbird</b>	0.0176%
220. Scissor-tailed Flycatcher	0.0163%
221. Fork-tailed Flycatcher	0.0000%
222. White-eyed Vireo	11.74%
223. Bell's Vireo	0.0000%
224. Yellow-throated Vireo	1.83%
225. Blue-headed Vireo	<u>3.</u> 77%
226. Philadelphia Vireo	0.8779%
227. Warbling Vireo	0.0176%
228. Red-eyed Vireo	5.68%
229. Loggerhead Shrike	1.92%
230. Blue Jay	59.61%
231. Florida Scrub-Jay	0.0000%
232. American Crow	43.41%
233. Fish Crow	9.02%
234. Common Raven	0.1463%
235. Carolina Chickadee	54.50%
236. Tufted Titmouse	50.67%
237. Horned Lark	0.1125%
238. Bank Swallow	0.0420%

239. Tree Swallow	5.60%
240. Purple Martin	0.0759%
241. Northern Rough-winged Swallow	2.46%
242. Barn Swallow	1.73%
243. Cliff Swallow	0.0393%
244. Cave Swallow	0.0122%
245. Ruby-crowned Kinglet	16.26%
246. Golden-crowned Kinglet	7.06%
247. White-breasted Nuthatch	28.75%
248. Brown-headed Nuthatch	27.77%
249. Red-breasted Nuthatch	1.15%
250. Brown Creeper	0.6463%
251. Blue-gray Gnatcatcher	<u>4.</u> 17%
252. Rock Wren	0.0149%
253. Northern House Wren	8.33%
254. Winter Wren	2.32%
255. Sedge Wren	1.04%
256. Marsh Wren	2.15%
257. Carolina Wren	61.06%
258. Bewick's Wren	0.0000%
259. European Starling	10.11%
260. Gray Catbird	22.42%
261. Brown Thrasher	31.25%
262. Northern Mockingbird	45.63%
263. Eastern Bluebird	34.65%
264. Veery	0.6232%
265. Gray-cheeked Thrush	1.67%

OCC. Bisky allia Thursh	0.0000%
266. Bicknell's Thrush	0.0000%
267. Swainson's Thrush	6.44%
268. Hermit Thrush	2.75%
269. Wood Thrush	3.63%
270. American Robin	21.70%
271. Northern Wheatear	0.0000%
272. Cedar Waxwing	1.43%
273. House Sparrow	3.98%
274. American Pipit	0.3035%
275. Evening Grosbeak	0.0014%
276. House Finch	33.07%
277. Purple Finch	0.2506%
278. Red Crossbill	0.0136%
279. Pine Siskin	0.7777%
280. American Goldfinch	14.29%
281. Lapland Longspur	0.0000%
282. Bachman's Sparrow	0.1084%
283. Grasshopper Sparrow	0.2439%
284. Chipping Sparrow	12.33%
285. Clay-colored Sparrow	0.1870%
286. Field Sparrow	2.28%
287. Lark Sparrow	0.0447%
288. Fox Sparrow	0.0461%
289. Dark-eyed Junco	0.8373%
290. White-crowned Sparrow	0.6679%
291. White-throated Sparrow	6.31%
292. Vesper Sparrow	0.4403%

293. LeConte's Sparrow	0.0068%
294. Seaside Sparrow	0.5460%
295. Nelson's Sparrow	0.1246%
296. Saltmarsh Sparrow	0.0989%
297. Savannah Sparrow	3.53%
298. Henslow's Sparrow	0.0908%
299. Song Sparrow	16.10%
300. Lincoln's Sparrow	0.4959%
301. Swamp Sparrow	5.44%
302. Eastern Towhee	29.98%
303. Yellow-breasted Chat	0.3157%
304. Yellow-headed Blackbird	0.0366%
305. Bobolink	0.5040%
306. Eastern Meadowlark	3.16%
307. Orchard Oriole	0.0081%
308. Bullock's Oriole	0.0000%
309. Baltimore Oriole	0.8142%
310. Red-winged Blackbird	10.88%
311. Shiny Cowbird	0.0000%
312. Brown-headed Cowbird	6.81%
313. Rusty Blackbird	0.0501%
314. Brewer's Blackbird	0.0108%
315. Common Grackle	8.11%
316. Boat-tailed Grackle	6.47%
317. Ovenbird	1.93%
318. Worm-eating Warbler	0.2127%
319. Louisiana Waterthrush	0.0000%

320. Northern Waterthrush	1.97%
321. Golden-winged Warbler	0.2588%
322. Blue-winged Warbler	0.2141%
323. Black-and-white Warbler	<u>6.1</u> 7%
324. Prothonotary Warbler	0.0393%
325. Swainson's Warbler	0.0068%
326. Tennessee Warbler	9.99%
327. Orange-crowned Warbler	1.32%
328. Nashville Warbler	0.6395%
329. Connecticut Warbler	0.0081%
330. MacGillivray's Warbler	0.0027%
331. Mourning Warbler	0.1138%
332. Kentucky Warbler	0.0163%
333. Common Yellowthroat	12.96%
334. Hooded Warbler	<b>4.</b> 67%
335. American Redstart	11.14%
336. Kirtland's Warbler	0.0000%
337. Cape May Warbler	2.07%
338. Cerulean Warbler	0.0108%
339. Northern Parula	5.64%
340. Magnolia Warbler	9.97%
341. Bay-breasted Warbler	3.00%
342. Blackburnian Warbler	2.01%
343. Yellow Warbler	1.04%
344. Chestnut-sided Warbler	<u>4.</u> 30%
345. Blackpoll Warbler	0.2872%
346. Black-throated Blue Warbler	2.86%

347. Palm Warbler	17.59%
348. Pine Warbler	21.82%
349. Yellow-rumped Warbler	13.16%
350. Yellow-throated Warbler	2.87%
351. Prairie Warbler	1.91%
352. Black-throated Gray Warbler	0.0068%
353. Townsend's Warbler	0.0041%
354. Black-throated Green Warbler	4.05%
355. Canada Warbler	0.0853%
356. Wilson's Warbler	0.2412%
357. Summer Tanager	<b>2</b> .91%
358. Scarlet Tanager	4.26%
359. Western Tanager	0.0000%
360. Northern Cardinal	67.68%
361. Rose-breasted Grosbeak	8.61%
362. Black-headed Grosbeak	0.0000%
363. Blue Grosbeak	1.43%
364. Indigo Bunting	7.00%
365. Painted Bunting	2.93%
366. Dickcissel	0.0569%
EXOTIC: PROVISIONAL	
367. Egyptian Goose	0.0176% frequency
EXOTIC: ESCAPEE	
Graylag Goose	<b>0.0081</b> % frequency
Swan Goose	0.0068%
Mute Swan	0.0257%
Black Swan	0.0014%

Common Shelduck	0.0014%
Muscovy Duck	0.9497%
Helmeted Guineafowl	0.0163%
Golden Pheasant	0.0014%
Ring-necked Pheasant	0.0014%
Indian Peafowl	0.0041%
Red Junglefowl	0.0027%
Rosy-faced Lovebird	0.0027%
Monk Parakeet	0.0000%
Nanday Parakeet	0.0000%
Scaly-breasted Munia	0.0014%
HYBRIDS	
Snow x Canada Goose (hybrid)	<b>0.0027</b> % frequency
Muscovy Duck x Mallard (hybrid)	0.0027%
Mallard x American Black Duck (hybrid)	0.0054%
Brewster's Warbler (hybrid)	0.0041%