



Target Species

Based on 69,820 complete checklists

348 species observed in Georgia, US (region/US-GA) in **Sep** that you need for your **World Life List**

1. Northern Cardinal	68.55% frequency
2. Carolina Wren	62.30%
3. Blue Jay	57.30%
4. Carolina Chickadee	54.96%
5. Tufted Titmouse	53.68%
6. Red-bellied Woodpecker	47.35%
7. Downy Woodpecker	44.40%
8. American Crow	43.73%
9. Mourning Dove	43.04%
10. Ruby-throated Hummingbird	38.97%
11. Northern Mockingbird	33.42%
12. White-breasted Nuthatch	32.01%
13. House Finch	30.03%
14. Brown-headed Nuthatch	29.58%
15. Eastern Phoebe	29.40%
16. Eastern Bluebird	29.35%
17. Brown Thrasher	27.53%
18. Eastern Towhee	26.86%
19. White-eyed Vireo	25.29%
20. American Goldfinch	23.62%
21. Eastern Wood-Pewee	22.93%
22. Red-shouldered Hawk	22.63%

23. Pine Warbler	22.34%
24. Gray Catbird	21.21%
25. Pileated Woodpecker	20.01%
26. Turkey Vulture	18.66%
27. American Robin	17.71%
28. American Redstart	17.46%
29. Chimney Swift	17.24%
30. Red-eyed Vireo	16.85%
31. Great Blue Heron	15.74%
32. Blue-gray Gnatcatcher	15.00%
33. Canada Goose	13.78%
34. Great Egret	13.77%
35. Belted Kingfisher	13.73%
36. Summer Tanager	12.87%
37. Northern Parula	12.13%
38. Common Yellowthroat	12.11%
39. Black Vulture	11.26%
40. Chipping Sparrow	11.22%
41. Chestnut-sided Warbler	11.07%
42. Killdeer	10.74%
43. Northern Flicker	10.74%
44. Red-headed Woodpecker	10.43%
45. Mallard	9.90%
46. Magnolia Warbler	9.69%
47. European Starling	9.47%
48. Red-tailed Hawk	9.37%
49. Hooded Warbler	9.32%

50. Song Sparrow	8.75%
51. Hairy Woodpecker	8.49%
52. Fish Crow	8.02%
53. Yellow-throated Vireo	7.85%
54. Black-and-white Warbler	7.83%
55. Tennessee Warbler	7.83%
56. Swainson's Thrush	7.00%
57. Scarlet Tanager	6.77%
58. Indigo Bunting	6.59%
59. Rock Pigeon	6.38%
60. Acadian Flycatcher	5.91%
61. Osprey	5.84%
62. Palm Warbler	5.72%
63. Yellow-billed Cuckoo	5.56%
64. Common Grackle	5.42%
65. Little Blue Heron	5.36%
66. Great Crested Flycatcher	5.28%
67. Snowy Egret	5.11%
68. Cooper's Hawk	5.10%
69. Rose-breasted Grosbeak	5.07%
70. Green Heron	4.56%
71. Barn Swallow	4.53%
72. Wood Duck	4.50%
73. Blue Grosbeak	4.43%
74. Laughing Gull	4.33%
75. Red-winged Blackbird	4.10%
76. Barred Owl	4.02%

77. Yellow-throated Warbler	4.01%
78. Double-crested Cormorant	3.98%
79. Wood Thrush	3.95%
80. Prairie Warbler	3.94%
81. Least Sandpiper	3.87%
82. Brown-headed Cowbird	3.76%
83. Northern House Wren	3.71%
84. Northern Waterthrush	3.64%
85. White Ibis	3.51%
86. House Sparrow	3.33%
87. Northern Rough-winged Swallow	3.24%
88. Blue-winged Teal	3.23%
89. Boat-tailed Grackle	3.13%
90. Blackburnian Warbler	3.07%
91. Anhinga	3.07%
92. Wood Stork	3.05%
93. Veery	3.03%
94. Royal Tern	2.95%
95. Common Nighthawk	2.91%
96. Eastern Kingbird	2.88%
97. Baltimore Oriole	2.79%
98. Eurasian Collared-Dove	2.72%
99. Western Cattle-Egret	2.69%
100. Bald Eagle	2.67%
101. Spotted Sandpiper	2.51%
102. Brown Pelican	2.45%
103. Tricolored Heron	2.38%

104.	Yellow Warbler	2.37%
105.	Pectoral Sandpiper	2.24%
106.	Painted Bunting	2.15%
107.	Pied-billed Grebe	2.13%
108.	Black-throated Green Warbler	2.12%
109.	Worm-eating Warbler	2.02%
110.	Clapper Rail	2.01%
111.	Common Ground Dove	2.00%
112.	Sanderling	1.88%
113.	Semipalmated Plover	1.80%
114.	Blue-winged Warbler	1.77%
115.	Ovenbird	1.71%
116.	Lesser Yellowlegs	1.71%
117.	American Kestrel	1.69%
118.	Roseate Spoonbill	1.68%
119.	Willet	1.68%
120.	Loggerhead Shrike	1.66%
121.	Gray-cheeked Thrush	1.60%
122.	Forster's Tern	1.59%
123.	Common Gallinule	1.51%
124.	Tree Swallow	1.50%
125.	Field Sparrow	1.48%
126.	Semipalmated Sandpiper	1.46%
127.	Canada Warbler	1.42%
128.	Great Horned Owl	1.39%
129.	Caspian Tern	1.36%
130.	Solitary Sandpiper	1.35%

131.	Golden-winged Warbler	1.32%
132.	Broad-winged Hawk	1.27%
133.	Ruddy Turnstone	1.23%
134.	Sandwich Tern	1.16%
135.	Greater Yellowlegs	1.14%
136.	Black-bellied Plover	1.13%
137.	Wild Turkey	1.13%
138.	Cape May Warbler	1.11%
139.	Ring-billed Gull	1.11%
140.	Philadelphia Vireo	1.09%
141.	Black-throated Blue Warbler	1.06%
142.	Black-crowned Night Heron	1.04%
143.	Yellow-breasted Chat	1.03%
144.	Black Skimmer	1.02%
145.	Blue-headed Vireo	1.02%
146.	Yellow-crowned Night Heron	1.02%
147.	Eastern Screech-Owl	1.01%
148.	American Herring Gull	0.9940%
149.	Eastern Meadowlark	0.9797%
150.	Bobolink	0.8278%
151.	Lesser Black-backed Gull	0.8107%
152.	Common Tern	0.8092%
153.	Black-bellied Whistling-Duck	0.8035%
154.	Black Tern	0.7663%
155.	Sharp-shinned Hawk	0.7405%
156.	Western Sandpiper	0.7247%
157.	Bay-breasted Warbler	0.6989%

158.	Merlin	0.6903%
159.	Cedar Waxwing	0.6732%
160.	Short-billed Dowitcher	0.6674%
161.	Peregrine Falcon	0.6545%
162.	Stilt Sandpiper	0.6331%
163.	Piping Plover	0.6101%
164.	Marsh Wren	0.6044%
165.	Kentucky Warbler	0.6015%
166.	Northern Shoveler	0.5872%
167.	American Oystercatcher	0.5586%
168.	Cerulean Warbler	0.5256%
169.	Northern Bobwhite	0.5242%
170.	Northern Harrier	0.5113%
171.	Prothonotary Warbler	0.5099%
172.	Bank Swallow	0.5013%
173.	Horned Lark	0.4927%
174.	Wilson's Warbler	0.4655%
175.	Red Knot	0.4225%
176.	Wilson's Snipe	0.4168%
177.	Nashville Warbler	0.4168%
178.	Buff-breasted Sandpiper	0.4111%
179.	Great Black-backed Gull	0.4068%
180.	Purple Martin	0.3838%
181.	Ruby-crowned Kinglet	0.3796%
182.	American Avocet	0.3681%
183.	American Golden-Plover	0.3638%
184.	Reddish Egret	0.3624%

185.	Glossy Ibis	0.3581%
186.	Wilson's Plover	0.3423%
187.	Marbled Godwit	0.3380%
188.	American Coot	0.2822%
189.	Least Flycatcher	0.2822%
190.	Cliff Swallow	0.2721%
191.	Mississippi Kite	0.2678%
192.	Mottled Duck	0.2406%
193.	Sora	0.2406%
194.	Olive-sided Flycatcher	0.2392%
195.	Whimbrel	0.2034%
196.	Sedge Wren	0.1977%
197.	American White Pelican	0.1962%
198.	Yellow-bellied Flycatcher	0.1962%
199.	King Rail	0.1833%
200.	Seaside Sparrow	0.1819%
201.	Louisiana Waterthrush	0.1762%
202.	Wilson's Phalarope	0.1733%
203.	Green-winged Teal	0.1719%
204.	Black-necked Stilt	0.1676%
205.	Swainson's Warbler	0.1676%
206.	Red-breasted Nuthatch	0.1604%
207.	Dark-eyed Junco	0.1547%
208.	Alder Flycatcher	0.1518%
209.	Baird's Sandpiper	0.1461%
210.	Grasshopper Sparrow	0.1461%
211.	Common Raven	0.1447%

212.	Brown Booby	0.1389%
213.	Clay-colored Sparrow	0.1346%
214.	Orchard Oriole	0.1318%
215.	Ring-necked Duck	0.1275%
216.	Bachman's Sparrow	0.1260%
217.	Eastern Whip-poor-will	0.1217%
218.	Gull-billed Tern	0.1146%
219.	Black-billed Cuckoo	0.1060%
220.	Yellow-bellied Sapsucker	0.1045%
221.	Long-billed Curlew	0.1003%
222.	Lark Sparrow	0.1003%
223.	Least Tern	0.0974%
224.	Purple Gallinule	0.0960%
225.	Ruddy Duck	0.0931%
226.	White-rumped Sandpiper	0.0888%
227.	Gray Kingbird	0.0888%
228.	Sooty Tern	0.0874%
229.	American Bittern	0.0874%
230.	Least Bittern	0.0874%
231.	Red-cockaded Woodpecker	0.0874%
232.	Warbling Vireo	0.0816%
233.	Magnificent Frigatebird	0.0802%
234.	Savannah Sparrow	0.0802%
235.	Red Phalarope	0.0773%
236.	Limpkin	0.0730%
237.	Long-billed Dowitcher	0.0730%
238.	Swallow-tailed Kite	0.0730%

239.	Red-necked Phalarope	0.0716%
240.	Upland Sandpiper	0.0702%
241.	Dunlin	0.0645%
242.	Sabine's Gull	0.0602%
243.	Dickcissel	0.0602%
244.	Common Loon	0.0587%
245.	Virginia Rail	0.0573%
246.	Willow Flycatcher	0.0530%
247.	Bridled Tern	0.0516%
248.	Mourning Warbler	0.0487%
249.	American Woodcock	0.0473%
250.	Parasitic Jaeger	0.0444%
251.	Orange-crowned Warbler	0.0444%
252.	American Barn Owl	0.0430%
253.	Blackpoll Warbler	0.0430%
254.	Chuck-will's-widow	0.0415%
255.	Sargasso Shearwater	0.0387%
256.	Black-capped Petrel	0.0344%
257.	Gadwall	0.0315%
258.	Rufous Hummingbird	0.0315%
259.	Yellow-rumped Warbler	0.0315%
260.	Northern Pintail	0.0301%
261.	Sandhill Crane	0.0287%
262.	Glaucous Gull	0.0287%
263.	Long-tailed Jaeger	0.0272%
264.	Eared Grebe	0.0215%
265.	Western Kingbird	0.0215%

266.	Hooded Merganser	0.0201%
267.	Ruffed Grouse	0.0186%
268.	Brown Noddy	0.0172%
269.	Scissor-tailed Flycatcher	0.0172%
270.	Green-breasted Mango	0.0158%
271.	Masked Booby	0.0158%
272.	Great Shearwater	0.0143%
273.	Ross's Goose	0.0129%
274.	Bufflehead	0.0129%
275.	Inca Dove	0.0129%
276.	Hudsonian Godwit	0.0129%
277.	Swamp Sparrow	0.0129%
278.	Red Crossbill	0.0115%
279.	Lark Bunting	0.0115%
280.	Snow Goose	0.0100%
281.	Snowy Plover	0.0100%
282.	Pomarine Jaeger	0.0100%
283.	Wilson's Storm-Petrel	0.0100%
284.	Winter Wren	0.0100%
285.	Pine Siskin	0.0100%
286.	Horned Grebe	0.0086%
287.	Cory's Shearwater	0.0086%
288.	Bell's Vireo	0.0086%
289.	Western Tanager	0.0086%
290.	American Black Duck	0.0072%
291.	Bonaparte's Gull	0.0072%
292.	Tropical Kingbird	0.0072%

293.	Plain Chachalaca	0.0057%
294.	White-winged Dove	0.0057%
295.	Calliope Hummingbird	0.0057%
296.	Lincoln's Sparrow	0.0057%
297.	Virginia's Warbler	0.0057%
298.	Connecticut Warbler	0.0057%
299.	Red-breasted Merganser	0.0043%
300.	Black-chinned Hummingbird	0.0043%
301.	Hermit Thrush	0.0043%
302.	White-throated Sparrow	0.0043%
303.	Black-throated Gray Warbler	0.0043%
304.	Greater White-fronted Goose	0.0029%
305.	Redhead	0.0029%
306.	Lesser Scaup	0.0029%
307.	Common Merganser	0.0029%
308.	Black Rail	0.0029%
309.	Scopoli's Shearwater	0.0029%
310.	Golden-crowned Kinglet	0.0029%
311.	Purple Finch	0.0029%
312.	White-crowned Sparrow	0.0029%
313.	MacGillivray's Warbler	0.0029%
314.	American Wigeon	0.0014%
315.	Canvasback	0.0014%
316.	Black Scoter	0.0014%
317.	Curlew Sandpiper	0.0014%
318.	Franklin's Gull	0.0014%
319.	Arctic Tern	0.0014%

320.	Northern Gannet	0.0014%
321.	White-faced Ibis	0.0014%
322.	Golden Eagle	0.0014%
323.	Say's Phoebe	0.0014%
324.	Bewick's Wren	0.0014%
325.	American Pipit	0.0014%
326.	Nelson's Sparrow	0.0014%
327.	Yellow-headed Blackbird	0.0014%
328.	Rusty Blackbird	0.0014%
329.	White-winged Scoter	0.0000%
330.	Passenger Pigeon	0.0000%
331.	Rivoli's Hummingbird	0.0000%
332.	Buff-bellied Hummingbird	0.0000%
333.	Black-legged Kittiwake	0.0000%
334.	White-tailed Tropicbird	0.0000%
335.	Band-rumped Storm-Petrel	0.0000%
336.	Sooty Shearwater	0.0000%
337.	Ivory-billed Woodpecker	0.0000%
338.	Cave Swallow	0.0000%
339.	Bicknell's Thrush	0.0000%
340.	Northern Wheatear	0.0000%
341.	Evening Grosbeak	0.0000%
342.	LeConte's Sparrow	0.0000%
343.	Henslow's Sparrow	0.0000%
344.	Shiny Cowbird	0.0000%
345.	Bachman's Warbler	0.0000%
346.	Kirtland's Warbler	0.0000%

347. Townsend's Warbler	0.0000%
EXOTIC: PROVISIONAL	
348. Egyptian Goose	0.0201% frequency
EXOTIC: ESCAPEE	
Muscovy Duck	1.03% frequency
Mute Swan	0.0287%
Swan Goose	0.0201%
Helmeted Guineafowl	0.0172%
Graylag Goose	0.0129%
Indian Peafowl	0.0086%
Scaly-breasted Munia	0.0057%
Cockatiel	0.0014%
Budgerigar	0.0014%
Orange-cheeked Waxbill	0.0014%
Red Junglefowl	0.0000%
Monk Parakeet	0.0000%
Nanday Parakeet	0.0000%
HYBRIDS	
Brewster's Warbler (hybrid)	0.0344% frequency
Golden-winged x Blue-winged Warbler (hybrid)	0.0086%
Lawrence's Warbler (hybrid)	0.0057%
Swan Goose x Canada Goose (hybrid)	0.0014%
Domestic goose sp. x Canada Goose (hybrid)	0.0014%
Muscovy Duck x Mallard (hybrid)	0.0014%