

Target Species

Based on 69,820 complete checklists

348 species observed in Georgia, US (region/US-GA) in Sep that you need for your World Life List

species observed in <u>Georgia, US (region/ US-GA)</u> in	1 Sep that you need for your world Life List
1. Black-bellied Whistling-Duck	0.8035 % frequency
2. Snow Goose	0.0100%
3. Ross's Goose	0.0129%
4. Greater White-fronted Goose	0.0029%
5. Canada Goose	13.78%
6. Wood Duck	4.50%
7. Blue-winged Teal	3.23%
8. Northern Shoveler	0.5872%
9. Gadwall	0.0315%
10. American Wigeon	0.0014%
11. Mallard	9.90%
12. American Black Duck	0.0072%
13. Mottled Duck	0.2406%
14. Northern Pintail	0.0301%
15. Green-winged Teal	0.1719%
16. Canvasback	0.0014%
17. Redhead	0.0029%
18. Ring-necked Duck	0.1275%
19. Lesser Scaup	0.0029%
20. White-winged Scoter	0.0000%
21. Black Scoter	0.0014%
22. Bufflehead	0.0129%

23. Hooded Merganser	0.0201%
24. Common Merganser	0.0029%
25. Red-breasted Merganser	0.0043%
26. Ruddy Duck	0.0931%
27. Plain Chachalaca	0.0057%
28. Northern Bobwhite	0.5242%
29. Wild Turkey	1.13%
30. Ruffed Grouse	0.0186%
31. Rock Pigeon	6.38%
32. Passenger Pigeon	0.0000%
33. Eurasian Collared-Dove	2.72%
34. Inca Dove	0.0129%
35. Common Ground Dove	2.00%
36. White-winged Dove	0.0057%
37. Mourning Dove	43.04%
38. Yellow-billed Cuckoo	5.56%
39. Black-billed Cuckoo	0.1060%
40. Common Nighthawk	2.91%
41. Chuck-will's-widow	0.0415%
42. Eastern Whip-poor-will	0.1217%
43. Chimney Swift	17.24%
44. Green-breasted Mango	0.0158%
45. Rivoli's Hummingbird	0.0000%
46. Ruby-throated Hummingbird	38.97%
47. Black-chinned Hummingbird	0.0043%
48. Calliope Hummingbird	0.0057%
49. Rufous Hummingbird	0.0315%

50. Buff-bellied Hummingbird	0.0000%
51. King Rail	0.1833%
52. Clapper Rail	2.01%
53. Virginia Rail	0.0573%
54. Sora	0.2406%
55. Common Gallinule	1.51%
56. American Coot	0.2822%
57. Purple Gallinule	0.0960%
58. Black Rail	0.0029%
59. Limpkin	0.0730%
60. Sandhill Crane	0.0287%
61. Black-necked Stilt	0.1676%
62. American Avocet	0.3681%
63. American Oystercatcher	0.5586%
64. Black-bellied Plover	1.13%
65. American Golden-Plover	0.3638%
66. Killdeer	10.74%
67. Semipalmated Plover	1.80%
68. Piping Plover	0.6101%
69. Wilson's Plover	0.3423%
70. Snowy Plover	0.0100%
71. Upland Sandpiper	0.0702%
72. Whimbrel	0.2034%
73. Long-billed Curlew	0.1003%
74. Hudsonian Godwit	0.0129%
75. Marbled Godwit	0.3380%
76. Short-billed Dowitcher	0.6674%

77. Long-billed Dowitcher	0.0730%
78. American Woodcock	0.0473%
79. Wilson's Snipe	0.4168%
80. Wilson's Phalarope	0.1733%
81. Red Phalarope	0.0773%
82. Red-necked Phalarope	0.0716%
83. Spotted Sandpiper	2.51%
84. Solitary Sandpiper	1.35%
85. Lesser Yellowlegs	1.71%
86. Willet	1.68%
87. Greater Yellowlegs	1.14%
88. Ruddy Turnstone	1.23%
89. Red Knot	0.4225%
90. Curlew Sandpiper	0.0014%
91. Stilt Sandpiper	0.6331%
92. Buff-breasted Sandpiper	0.4111%
93. Sanderling	1.88%
94. Dunlin	0.0645%
95. Baird's Sandpiper	0.1461%
96. White-rumped Sandpiper	0.0888%
97. Least Sandpiper	3.87%
98. Pectoral Sandpiper	2.24%
99. Western Sandpiper	0.7247%
100. Semipalmated Sandpiper	1.46%
101. Long-tailed Jaeger	0.0272%
102. Parasitic Jaeger	0.0444%
103. Pomarine Jaeger	0.0100%

104. Black-legged Kittiwake	0.0000%
105. Sabine's Gull	0.0602%
106. Bonaparte's Gull	0.0072%
107. Laughing Gull	4.33%
108. Franklin's Gull	0.0014%
109. Ring-billed Gull	1.11%
110. American Herring Gull	0.9940%
111. Great Black-backed Gull	0.4068%
112. Glaucous Gull	0.0287%
113. Lesser Black-backed Gull	0.8107%
114. Black Skimmer	1.02%
115. Brown Noddy	0.0172%
116. Sooty Tern	0.0874%
117. Bridled Tern	0.0516%
118. Least Tern	0.0974%
119. Gull-billed Tern	0.1146%
120. Caspian Tern	1.36%
121. Black Tern	0.7663%
122. Forster's Tern	1.59%
123. Arctic Tern	0.0014%
124. Common Tern	0.8092%
125. Sandwich Tern	1.16%
126. Royal Tern	2.95%
127. Pied-billed Grebe	2.13%
128. Horned Grebe	0.0086%
129. Eared Grebe	0.0215%
130. White-tailed Tropicbird	0.0000%

131. Common Loon	0.0587%
132. Wilson's Storm-Petrel	0.0100%
133. Band-rumped Storm-Petrel	0.0000%
134. Black-capped Petrel	0.0344%
135. Cory's Shearwater	0.0086%
136. Scopoli's Shearwater	0.0029%
137. Great Shearwater	0.0143%
138. Sooty Shearwater	0.0000%
139. Sargasso Shearwater	0.0387%
140. Wood Stork	3.05%
141. Magnificent Frigatebird	0.0802%
142. Northern Gannet	0.0014%
143. Brown Booby	0.1389%
144. Masked Booby	0.0158%
145. Anhinga	3.07%
146. Double-crested Cormorant	3.98%
147. White Ibis	3.51%
148. Glossy Ibis	0.3581%
149. White-faced Ibis	0.0014%
150. Roseate Spoonbill	1.68%
151. American Bittern	0.0874%
	T. Control of the con
152. Least Bittern	0.0874%
152. Least Bittern153. Yellow-crowned Night Heron	I
	0.0874%
153. Yellow-crowned Night Heron	0.0874%
153. Yellow-crowned Night Heron154. Black-crowned Night Heron	0.0874% 1.02% 1.04%
 153. Yellow-crowned Night Heron 154. Black-crowned Night Heron 155. Little Blue Heron 	0.0874% 1.02% 1.04% 5.36%

158. Snowy Egret	<u>5.11%</u>
159. Green Heron	<u>4.</u> 56%
160. Western Cattle-Egret	2.69%
161. Great Egret	13.77%
162. Great Blue Heron	15.74%
163. American White Pelican	0.1962%
164. Brown Pelican	2.45%
165. Black Vulture	11.26%
166. Turkey Vulture	18.66%
167. Osprey	5.84%
168. Swallow-tailed Kite	0.0730%
169. Golden Eagle	0.0014%
170. Sharp-shinned Hawk	0.7405%
171. Cooper's Hawk	5.10%
172. Northern Harrier	0.5113%
173. Bald Eagle	2.67%
174. Mississippi Kite	0.2678%
175. Broad-winged Hawk	1.27%
176. Red-shouldered Hawk	22.63%
177. Red-tailed Hawk	9.37%
178. American Barn Owl	0.0430%
179. Eastern Screech-Owl	1.01%
180. Great Horned Owl	1.39%
181. Barred Owl	<u>4.02%</u>
182. Belted Kingfisher	13.73%
183. Yellow-bellied Sapsucker	0.1045%
184. Red-headed Woodpecker	10.43%

185. Red-bellied Woodpecker	47.35%
186. Downy Woodpecker	44.40%
187. Red-cockaded Woodpecker	0.0874%
188. Hairy Woodpecker	8.49%
189. Ivory-billed Woodpecker	0.0000%
190. Pileated Woodpecker	20.01%
191. Northern Flicker	10.74%
192. American Kestrel	1.69%
193. Merlin	0.6903%
194. Peregrine Falcon	0.6545%
195. Olive-sided Flycatcher	0.2392%
196. Eastern Wood-Pewee	22.93%
197. Yellow-bellied Flycatcher	0.1962%
198. Acadian Flycatcher	5.91%
199. Alder Flycatcher	0.1518%
200. Willow Flycatcher	0.0530%
201. Least Flycatcher	0.2822%
202. Eastern Phoebe	29.40%
203. Say's Phoebe	0.0014%
204. Great Crested Flycatcher	5.28%
205. Tropical Kingbird	0.0072%
206. Western Kingbird	0.0215%
207. Eastern Kingbird	2.88%
208. Gray Kingbird	0.0888%
209. Scissor-tailed Flycatcher	0.0172%
210. White-eyed Vireo	25.29%
211. Bell's Vireo	0.0086%

212. Yellow-throated Vireo	7.85%
213. Blue-headed Vireo	1.02%
214. Philadelphia Vireo	1.09%
215. Warbling Vireo	0.0816%
216. Red-eyed Vireo	16.85%
217. Loggerhead Shrike	1.66%
218. Blue Jay	57.30%
219. American Crow	43.73%
220. Fish Crow	8.02%
221. Common Raven	0.1447%
222. Carolina Chickadee	54.96%
223. Tufted Titmouse	53.68%
224. Horned Lark	0.4927%
225. Bank Swallow	0.5013%
226. Tree Swallow	1.50%
227. Purple Martin	0.3838%
228. Northern Rough-winged Swallow	3.24%
229. Barn Swallow	4.53%
230. Cliff Swallow	0.2721%
231. Cave Swallow	0.0000%
232. Ruby-crowned Kinglet	0.3796%
233. Golden-crowned Kinglet	0.0029%
234. White-breasted Nuthatch	32.01%
235. Brown-headed Nuthatch	29.58%
236. Red-breasted Nuthatch	0.1604%
237. Blue-gray Gnatcatcher	15.00%
238. Northern House Wren	3.71%

239. Winter Wren	0.0100%
240. Sedge Wren	0.1977%
241. Marsh Wren	0.6044%
242. Carolina Wren	62.30%
243. Bewick's Wren	0.0014%
244. European Starling	9.47%
245. Gray Catbird	21.21%
246. Brown Thrasher	27.53%
247. Northern Mockingbird	33.42%
248. Eastern Bluebird	29.35%
249. Veery	3.03%
250. Gray-cheeked Thrush	1.60%
251. Bicknell's Thrush	0.0000%
252. Swainson's Thrush	7.00%
253. Hermit Thrush	0.0043%
254. Wood Thrush	3.95%
255. American Robin	17.71%
256. Northern Wheatear	0.0000%
257. Cedar Waxwing	0.6732%
258. House Sparrow	3.33%
259. American Pipit	0.0014%
260. Evening Grosbeak	0.0000%
261. House Finch	30.03%
262. Purple Finch	0.0029%
263. Red Crossbill	0.0115%
264. Pine Siskin	0.0100%
265. American Goldfinch	23.62%

266. Bachman's Sparrow	0.1260%
267. Grasshopper Sparrow	0.1461%
268. Chipping Sparrow	11.22%
269. Clay-colored Sparrow	0.1346%
270. Field Sparrow	1.48%
271. Lark Sparrow	0.1003%
272. Lark Bunting	0.0115%
273. Dark-eyed Junco	0.1547%
274. White-crowned Sparrow	0.0029%
275. White-throated Sparrow	0.0043%
276. LeConte's Sparrow	0.0000%
277. Seaside Sparrow	0.1819%
278. Nelson's Sparrow	0.0014%
279. Savannah Sparrow	0.0802%
280. Henslow's Sparrow	0.0000%
281. Song Sparrow	8.75%
282. Lincoln's Sparrow	0.0057%
283. Swamp Sparrow	0.0129%
284. Eastern Towhee	26.86%
285. Yellow-breasted Chat	1.03%
286. Yellow-headed Blackbird	0.0014%
287. Bobolink	0.8278%
288. Eastern Meadowlark	0.9797%
289. Orchard Oriole	0.1318%
290. Baltimore Oriole	2.79%
291. Red-winged Blackbird	<u>4.10%</u>
292. Shiny Cowbird	0.0000%

293. Brown-headed Cowbird	3.76%
294. Rusty Blackbird	0.0014%
295. Common Grackle	5.42%
296. Boat-tailed Grackle	3.13%
297. Ovenbird	1.71%
298. Worm-eating Warbler	2.02%
299. Louisiana Waterthrush	0.1762%
300. Northern Waterthrush	3.64%
301. Bachman's Warbler	0.0000%
302. Golden-winged Warbler	1.32%
303. Blue-winged Warbler	1.77% -
304. Black-and-white Warbler	7.83%
305. Prothonotary Warbler	0.5099%
306. Swainson's Warbler	0.1676%
307. Tennessee Warbler	7.83%
308. Orange-crowned Warbler	0.0444%
309. Nashville Warbler	0.4168%
310. Virginia's Warbler	0.0057%
311. Connecticut Warbler	0.0057%
312. MacGillivray's Warbler	0.0029%
313. Mourning Warbler	0.0487%
314. Kentucky Warbler	0.6015%
315. Common Yellowthroat	12.11%
316. Hooded Warbler	9.32%
317. American Redstart	17.46%
318. Kirtland's Warbler	0.0000%
319. Cape May Warbler	1.11%

320. Cerulean Warbler	0.5256%
321. Northern Parula	12.13%
322. Magnolia Warbler	9.69%
323. Bay-breasted Warbler	0.6989%
324. Blackburnian Warbler	3.07%
325. Yellow Warbler	2.37%
326. Chestnut-sided Warbler	11.07%
327. Blackpoll Warbler	0.0430%
328. Black-throated Blue Warbler	1.06%
329. Palm Warbler	5.72%
330. Pine Warbler	22.34%
331. Yellow-rumped Warbler	0.0315%
332. Yellow-throated Warbler	<u>4.</u> 01%
333. Prairie Warbler	3.94%
334. Black-throated Gray Warbler	0.0043%
335. Townsend's Warbler	0.0000%
336. Black-throated Green Warbler	2.12%
337. Canada Warbler	1.42%
338. Wilson's Warbler	0.4655%
339. Summer Tanager	12.87%
340. Scarlet Tanager	6.77%
341. Western Tanager	0.0086%
342. Northern Cardinal	68.55%
343. Rose-breasted Grosbeak	5.07%
344. Blue Grosbeak	4.43%
345. Indigo Bunting	6.59%
346. Painted Bunting	2.15%

347. Dickcissel	0.0602%
EXOTIC: PROVISIONAL	
348. Egyptian Goose	0.0201 % frequency
EXOTIC: ESCAPEE	
Graylag Goose	0.0129% frequency
Swan Goose	0.0201%
Mute Swan	0.0287%
Muscovy Duck	1.03%
Helmeted Guineafowl	0.0172%
Indian Peafowl	0.0086%
Red Junglefowl	0.0000%
Cockatiel	0.0014%
Budgerigar	0.0014%
Monk Parakeet	0.0000%
Nanday Parakeet	0.0000%
Scaly-breasted Munia	0.0057%
Orange-cheeked Waxbill	0.0014%
HYBRIDS	
Swan Goose x Canada Goose (hybrid)	0.0014 % frequency
Domestic goose sp. x Canada Goose (hybrid)	0.0014%
Muscovy Duck x Mallard (hybrid)	0.0014%
Golden-winged x Blue-winged Warbler (hybrid)	0.0086%
Brewster's Warbler (hybrid)	0.0344%
Lawrence's Warbler (hybrid)	0.0057%