



# Target Species

Based on 1,063,622 complete checklists

**443** species observed in Georgia, US (region/US-GA) that you need for your **World Life List**

1. Northern Cardinal	66.58% frequency
2. Carolina Wren	55.58%
3. Tufted Titmouse	49.62%
4. Carolina Chickadee	48.12%
5. Red-bellied Woodpecker	43.62%
6. Blue Jay	43.37%
7. Mourning Dove	41.74%
8. American Crow	39.22%
9. Downy Woodpecker	36.31%
10. Northern Mockingbird	35.83%
11. Eastern Bluebird	34.95%
12. Eastern Towhee	34.50%
13. House Finch	31.64%
14. American Robin	30.36%
15. Eastern Phoebe	29.02%
16. Chipping Sparrow	25.05%
17. Brown-headed Nuthatch	24.79%
18. American Goldfinch	24.76%
19. Pine Warbler	24.48%
20. White-breasted Nuthatch	24.25%
21. Brown Thrasher	23.25%
22. Yellow-rumped Warbler	21.83%

23. Turkey Vulture	21.75%
24. Song Sparrow	20.04%
25. Red-winged Blackbird	17.46%
26. Canada Goose	17.22%
27. Ruby-crowned Kinglet	17.09%
28. Red-shouldered Hawk	16.44%
29. Great Blue Heron	15.90%
30. White-throated Sparrow	14.04%
31. Blue-gray Gnatcatcher	13.83%
32. Pileated Woodpecker	13.53%
33. Common Grackle	12.69%
34. Black Vulture	12.69%
35. Ruby-throated Hummingbird	12.21%
36. White-eyed Vireo	12.14%
37. Northern Flicker	12.09%
38. Brown-headed Cowbird	12.04%
39. Fish Crow	11.70%
40. European Starling	11.45%
41. Gray Catbird	10.95%
42. Red-tailed Hawk	10.67%
43. Great Egret	10.56%
44. Belted Kingfisher	10.23%
45. Mallard	10.13%
46. Killdeer	10.06%
47. Great Crested Flycatcher	9.44%
48. Chimney Swift	8.96%
49. Red-eyed Vireo	8.73%

50. Double-crested Cormorant	8.50%
51. Common Yellowthroat	8.30%
52. Northern Parula	7.58%
53. Cedar Waxwing	7.56%
54. Red-headed Woodpecker	7.41%
55. Barn Swallow	7.32%
56. Indigo Bunting	7.28%
57. Northern Rough-winged Swallow	7.08%
58. Palm Warbler	6.80%
59. Yellow-bellied Sapsucker	6.38%
60. Rock Pigeon	6.22%
61. Golden-crowned Kinglet	6.21%
62. Hairy Woodpecker	6.18%
63. Summer Tanager	6.15%
64. Dark-eyed Junco	5.79%
65. Hermit Thrush	5.58%
66. Eastern Wood-Pewee	5.30%
67. Osprey	5.18%
68. House Sparrow	5.05%
69. Pied-billed Grebe	5.03%
70. Eastern Kingbird	4.96%
71. Black-and-white Warbler	4.93%
72. Field Sparrow	4.73%
73. Northern House Wren	4.70%
74. Snowy Egret	4.45%
75. Wood Thrush	4.33%
76. Yellow-throated Warbler	4.27%

77. Swamp Sparrow	4.23%
78. Boat-tailed Grackle	4.22%
79. Blue Grosbeak	4.22%
80. Wood Duck	4.20%
81. Tree Swallow	4.19%
82. Ring-billed Gull	4.08%
83. Little Blue Heron	4.02%
84. Laughing Gull	3.91%
85. Cooper's Hawk	3.85%
86. Hooded Warbler	3.75%
87. Eastern Meadowlark	3.72%
88. American Redstart	3.69%
89. Pine Siskin	3.69%
90. Green Heron	3.64%
91. Anhinga	3.43%
92. Barred Owl	3.36%
93. White Ibis	3.34%
94. Yellow-throated Vireo	3.32%
95. Brown Pelican	3.19%
96. Savannah Sparrow	3.18%
97. Yellow-billed Cuckoo	3.15%
98. Bald Eagle	3.12%
99. Blue-headed Vireo	3.11%
100. Scarlet Tanager	3.08%
101. Hooded Merganser	2.75%
102. American Kestrel	2.70%
103. Wood Stork	2.63%

104.	Purple Finch	2.59%
105.	Eurasian Collared-Dove	2.54%
106.	American Coot	2.54%
107.	Purple Martin	2.51%
108.	Royal Tern	2.50%
109.	Tricolored Heron	2.31%
110.	Acadian Flycatcher	2.28%
111.	Least Sandpiper	2.26%
112.	Orchard Oriole	2.25%
113.	Rose-breasted Grosbeak	2.24%
114.	Ring-necked Duck	2.21%
115.	Common Gallinule	2.17%
116.	Blue-winged Teal	2.17%
117.	Orange-crowned Warbler	2.15%
118.	Forster's Tern	2.14%
119.	Loggerhead Shrike	2.07%
120.	Willet	2.06%
121.	Spotted Sandpiper	2.01%
122.	Western Cattle-Egret	2.00%
123.	Prairie Warbler	1.99%
124.	Winter Wren	1.87%
125.	Painted Bunting	1.81%
126.	Louisiana Waterthrush	1.79%
127.	Bufflehead	1.77%
128.	Yellow-breasted Chat	1.76%
129.	Common Ground Dove	1.68%
130.	Sanderling	1.66%

131.	Mississippi Kite	1.64%
132.	Clapper Rail	1.63%
133.	Chestnut-sided Warbler	1.56%
134.	Magnolia Warbler	1.54%
135.	Black-throated Green Warbler	1.53%
136.	Northern Harrier	1.53%
137.	Wild Turkey	1.52%
138.	Tennessee Warbler	1.48%
139.	Greater Yellowlegs	1.46%
140.	American Herring Gull	1.42%
141.	Ruddy Duck	1.41%
142.	Northern Bobwhite	1.36%
143.	Swainson's Thrush	1.35%
144.	Wilson's Snipe	1.33%
145.	Ovenbird	1.32%
146.	Baltimore Oriole	1.30%
147.	Solitary Sandpiper	1.27%
148.	Semipalmated Plover	1.27%
149.	Black-bellied Plover	1.26%
150.	Black Skimmer	1.25%
151.	Northern Shoveler	1.23%
152.	Lesser Scaup	1.22%
153.	Ruddy Turnstone	1.21%
154.	Cliff Swallow	1.20%
155.	Black-crowned Night Heron	1.20%
156.	Gadwall	1.16%
157.	Lesser Yellowlegs	1.15%

158.	Cape May Warbler	1.13%
159.	Dunlin	1.13%
160.	Prothonotary Warbler	1.10%
161.	Marsh Wren	1.09%
162.	Roseate Spoonbill	1.05%
163.	Brown Creeper	1.03%
164.	Great Horned Owl	1.01%
165.	Black-throated Blue Warbler	1.00%
166.	Kentucky Warbler	0.9974%
167.	Broad-winged Hawk	0.9618%
168.	American Pipit	0.9615%
169.	Yellow-crowned Night Heron	0.9569%
170.	Green-winged Teal	0.9176%
171.	Common Loon	0.9149%
172.	Northern Waterthrush	0.9074%
173.	Worm-eating Warbler	0.8992%
174.	Blackpoll Warbler	0.8935%
175.	Sharp-shinned Hawk	0.8808%
176.	Rusty Blackbird	0.8796%
177.	Sandhill Crane	0.8449%
178.	Red-breasted Nuthatch	0.7974%
179.	Redhead	0.7557%
180.	Yellow Warbler	0.7441%
181.	Bonaparte's Gull	0.7259%
182.	Blackburnian Warbler	0.7073%
183.	American Oystercatcher	0.6902%
184.	Black-bellied Whistling-Duck	0.6858%

185.	<b>Short-billed Dowitcher</b>	<b>0.6836%</b>
186.	<b>Pectoral Sandpiper</b>	<b>0.6742%</b>
187.	<b>Glossy Ibis</b>	<b>0.6259%</b>
188.	<b>American White Pelican</b>	<b>0.6216%</b>
189.	<b>Chuck-will's-widow</b>	<b>0.6163%</b>
190.	<b>Western Sandpiper</b>	<b>0.5833%</b>
191.	<b>Fox Sparrow</b>	<b>0.5798%</b>
192.	<b>Horned Grebe</b>	<b>0.5745%</b>
193.	<b>Semipalmated Sandpiper</b>	<b>0.5741%</b>
194.	<b>Grasshopper Sparrow</b>	<b>0.5569%</b>
195.	<b>Common Nighthawk</b>	<b>0.5555%</b>
196.	<b>Sandwich Tern</b>	<b>0.5470%</b>
197.	<b>Veery</b>	<b>0.5427%</b>
198.	<b>Swainson's Warbler</b>	<b>0.5427%</b>
199.	<b>White-crowned Sparrow</b>	<b>0.5361%</b>
200.	<b>Red-breasted Merganser</b>	<b>0.5315%</b>
201.	<b>Vesper Sparrow</b>	<b>0.5241%</b>
202.	<b>Wilson's Plover</b>	<b>0.4846%</b>
203.	<b>Swallow-tailed Kite</b>	<b>0.4729%</b>
204.	<b>Caspian Tern</b>	<b>0.4700%</b>
205.	<b>Least Tern</b>	<b>0.4636%</b>
206.	<b>Eastern Screech-Owl</b>	<b>0.4606%</b>
207.	<b>American Wigeon</b>	<b>0.4355%</b>
208.	<b>Piping Plover</b>	<b>0.4242%</b>
209.	<b>Bachman's Sparrow</b>	<b>0.4145%</b>
210.	<b>Merlin</b>	<b>0.4139%</b>
211.	<b>Bay-breasted Warbler</b>	<b>0.4094%</b>



212.	<b>Black-necked Stilt</b>	<b>0.3943%</b>
213.	<b>Sedge Wren</b>	<b>0.3908%</b>
214.	<b>Lesser Black-backed Gull</b>	<b>0.3791%</b>
215.	<b>Bobolink</b>	<b>0.3724%</b>
216.	<b>Horned Lark</b>	<b>0.3612%</b>
217.	<b>Whimbrel</b>	<b>0.3556%</b>
218.	<b>Red Knot</b>	<b>0.3543%</b>
219.	<b>Northern Gannet</b>	<b>0.3430%</b>
220.	<b>Sora</b>	<b>0.3410%</b>
221.	<b>Mottled Duck</b>	<b>0.3270%</b>
222.	<b>American Avocet</b>	<b>0.3005%</b>
223.	<b>Great Black-backed Gull</b>	<b>0.2942%</b>
224.	<b>Canada Warbler</b>	<b>0.2861%</b>
225.	<b>Black Scoter</b>	<b>0.2842%</b>
226.	<b>Eastern Whip-poor-will</b>	<b>0.2831%</b>
227.	<b>King Rail</b>	<b>0.2794%</b>
228.	<b>Blue-winged Warbler</b>	<b>0.2750%</b>
229.	<b>Marbled Godwit</b>	<b>0.2730%</b>
230.	<b>Gray-cheeked Thrush</b>	<b>0.2695%</b>
231.	<b>Peregrine Falcon</b>	<b>0.2618%</b>
232.	<b>American Woodcock</b>	<b>0.2536%</b>
233.	<b>Red-cockaded Woodpecker</b>	<b>0.2500%</b>
234.	<b>Gull-billed Tern</b>	<b>0.2398%</b>
235.	<b>Canvasback</b>	<b>0.2284%</b>
236.	<b>Northern Pintail</b>	<b>0.2260%</b>
237.	<b>Least Bittern</b>	<b>0.2090%</b>
238.	<b>Seaside Sparrow</b>	<b>0.2052%</b>

239.	Cerulean Warbler	0.1944%
240.	American Bittern	0.1934%
241.	Rufous Hummingbird	0.1928%
242.	Common Tern	0.1919%
243.	Stilt Sandpiper	0.1748%
244.	Greater Scaup	0.1672%
245.	Reddish Egret	0.1671%
246.	Virginia Rail	0.1638%
247.	Common Raven	0.1630%
248.	Snow Goose	0.1627%
249.	Dickcissel	0.1619%
250.	Black Tern	0.1532%
251.	Bank Swallow	0.1450%
252.	Philadelphia Vireo	0.1334%
253.	Red-throated Loon	0.1331%
254.	Golden-winged Warbler	0.1317%
255.	Brewer's Blackbird	0.1300%
256.	Long-billed Dowitcher	0.1209%
257.	Nashville Warbler	0.1206%
258.	Limpkin	0.1204%
259.	American Black Duck	0.1111%
260.	Common Goldeneye	0.1078%
261.	American Barn Owl	0.1023%
262.	Purple Gallinule	0.0995%
263.	Greater White-fronted Goose	0.0985%
264.	White-rumped Sandpiper	0.0883%
265.	Saltmarsh Sparrow	0.0878%

266.	<b>Ross's Goose</b>	<b>0.0859%</b>
267.	<b>Gray Kingbird</b>	<b>0.0854%</b>
268.	<b>Nelson's Sparrow</b>	<b>0.0850%</b>
269.	<b>Surf Scoter</b>	<b>0.0835%</b>
270.	<b>Lincoln's Sparrow</b>	<b>0.0800%</b>
271.	<b>Willow Flycatcher</b>	<b>0.0763%</b>
272.	<b>White-winged Scoter</b>	<b>0.0762%</b>
273.	<b>Wilson's Warbler</b>	<b>0.0713%</b>
274.	<b>American Golden-Plover</b>	<b>0.0712%</b>
275.	<b>Western Kingbird</b>	<b>0.0699%</b>
276.	<b>Calliope Hummingbird</b>	<b>0.0643%</b>
277.	<b>Vermilion Flycatcher</b>	<b>0.0616%</b>
278.	<b>Long-tailed Duck</b>	<b>0.0602%</b>
279.	<b>Henslow's Sparrow</b>	<b>0.0595%</b>
280.	<b>Upland Sandpiper</b>	<b>0.0592%</b>
281.	<b>Red Crossbill</b>	<b>0.0561%</b>
282.	<b>Purple Sandpiper</b>	<b>0.0551%</b>
283.	<b>Wilson's Phalarope</b>	<b>0.0540%</b>
284.	<b>Scissor-tailed Flycatcher</b>	<b>0.0540%</b>
285.	<b>Buff-breasted Sandpiper</b>	<b>0.0505%</b>
286.	<b>Black-chinned Hummingbird</b>	<b>0.0494%</b>
287.	<b>Long-billed Curlew</b>	<b>0.0478%</b>
288.	<b>Least Flycatcher</b>	<b>0.0472%</b>
289.	<b>White-winged Dove</b>	<b>0.0449%</b>
290.	<b>Lark Sparrow</b>	<b>0.0435%</b>
291.	<b>Connecticut Warbler</b>	<b>0.0428%</b>
292.	<b>Western Tanager</b>	<b>0.0392%</b>

293.	<b>Ruffed Grouse</b>	<b>0.0363%</b>
294.	<b>Olive-sided Flycatcher</b>	<b>0.0347%</b>
295.	<b>Eared Grebe</b>	<b>0.0341%</b>
296.	<b>Clay-colored Sparrow</b>	<b>0.0338%</b>
297.	<b>Say's Phoebe</b>	<b>0.0312%</b>
298.	<b>Evening Grosbeak</b>	<b>0.0300%</b>
299.	<b>Bullock's Oriole</b>	<b>0.0300%</b>
300.	<b>Common Merganser</b>	<b>0.0292%</b>
301.	<b>Brown Booby</b>	<b>0.0256%</b>
302.	<b>Ash-throated Flycatcher</b>	<b>0.0244%</b>
303.	<b>LeConte's Sparrow</b>	<b>0.0227%</b>
304.	<b>Parasitic Jaeger</b>	<b>0.0224%</b>
305.	<b>Black-billed Cuckoo</b>	<b>0.0209%</b>
306.	<b>Tundra Swan</b>	<b>0.0207%</b>
307.	<b>Red Phalarope</b>	<b>0.0207%</b>
308.	<b>Red-necked Grebe</b>	<b>0.0194%</b>
309.	<b>Baird's Sandpiper</b>	<b>0.0191%</b>
310.	<b>Short-eared Owl</b>	<b>0.0183%</b>
311.	<b>Trumpeter Swan</b>	<b>0.0181%</b>
312.	<b>Mourning Warbler</b>	<b>0.0176%</b>
313.	<b>Glaucous Gull</b>	<b>0.0160%</b>
314.	<b>Yellow-bellied Flycatcher</b>	<b>0.0159%</b>
315.	<b>Burrowing Owl</b>	<b>0.0154%</b>
316.	<b>Franklin's Gull</b>	<b>0.0147%</b>
317.	<b>Red-necked Phalarope</b>	<b>0.0146%</b>
318.	<b>Buff-bellied Hummingbird</b>	<b>0.0142%</b>
319.	<b>Snowy Plover</b>	<b>0.0138%</b>

320.	<b>White-faced Ibis</b>	<b>0.0137%</b>
321.	<b>Lapland Longspur</b>	<b>0.0136%</b>
322.	<b>Sooty Tern</b>	<b>0.0131%</b>
323.	<b>Inca Dove</b>	<b>0.0129%</b>
324.	<b>Sargasso Shearwater</b>	<b>0.0120%</b>
325.	<b>Alder Flycatcher</b>	<b>0.0120%</b>
326.	<b>Bridled Tern</b>	<b>0.0117%</b>
327.	<b>Great Cormorant</b>	<b>0.0117%</b>
328.	<b>Ruff</b>	<b>0.0117%</b>
329.	<b>Snowy Owl</b>	<b>0.0115%</b>
330.	<b>Varied Thrush</b>	<b>0.0112%</b>
331.	<b>Cackling Goose</b>	<b>0.0108%</b>
332.	<b>Warbling Vireo</b>	<b>0.0106%</b>
333.	<b>Razorbill</b>	<b>0.0105%</b>
334.	<b>Pacific Loon</b>	<b>0.0104%</b>
335.	<b>Golden Eagle</b>	<b>0.0104%</b>
336.	<b>Plain Chachalaca</b>	<b>0.0103%</b>
337.	<b>Lark Bunting</b>	<b>0.0098%</b>
338.	<b>Broad-billed Hummingbird</b>	<b>0.0097%</b>
339.	<b>Wilson's Storm-Petrel</b>	<b>0.0097%</b>
340.	<b>Hooded Oriole</b>	<b>0.0093%</b>
341.	<b>Couch's Kingbird</b>	<b>0.0091%</b>
342.	<b>Common Eider</b>	<b>0.0090%</b>
343.	<b>Northern Lapwing</b>	<b>0.0089%</b>
344.	<b>Snow Bunting</b>	<b>0.0089%</b>
345.	<b>Magnificent Frigatebird</b>	<b>0.0087%</b>
346.	<b>Yellow-headed Blackbird</b>	<b>0.0087%</b>

347.	<b>Allen's Hummingbird</b>	<b>0.0085%</b>
348.	<b>Neotropic Cormorant</b>	<b>0.0077%</b>
349.	<b>American Flamingo</b>	<b>0.0074%</b>
350.	<b>Cave Swallow</b>	<b>0.0072%</b>
351.	<b>Rough-legged Hawk</b>	<b>0.0071%</b>
352.	<b>Pomarine Jaeger</b>	<b>0.0068%</b>
353.	<b>Black-legged Kittiwake</b>	<b>0.0068%</b>
354.	<b>Baird's Sparrow</b>	<b>0.0068%</b>
355.	<b>Mountain Bluebird</b>	<b>0.0066%</b>
356.	<b>Black Rail</b>	<b>0.0065%</b>
357.	<b>Manx Shearwater</b>	<b>0.0055%</b>
358.	<b>American Tree Sparrow</b>	<b>0.0049%</b>
359.	<b>Brant</b>	<b>0.0047%</b>
360.	<b>Heermann's Gull</b>	<b>0.0046%</b>
361.	<b>Black-capped Petrel</b>	<b>0.0046%</b>
362.	<b>Harris's Sparrow</b>	<b>0.0043%</b>
363.	<b>Sabine's Gull</b>	<b>0.0042%</b>
364.	<b>Great Shearwater</b>	<b>0.0042%</b>
365.	<b>Thick-billed Longspur</b>	<b>0.0041%</b>
366.	<b>Western Meadowlark</b>	<b>0.0039%</b>
367.	<b>Bell's Vireo</b>	<b>0.0038%</b>
368.	<b>Ivory Gull</b>	<b>0.0037%</b>
369.	<b>Shiny Cowbird</b>	<b>0.0037%</b>
370.	<b>Green-breasted Mango</b>	<b>0.0036%</b>
371.	<b>Iceland Gull</b>	<b>0.0036%</b>
372.	<b>Western Grebe</b>	<b>0.0035%</b>
373.	<b>Cinnamon Teal</b>	<b>0.0034%</b>

374.	<b>Red-footed Booby</b>	<b>0.0033%</b>
375.	<b>Fulvous Whistling-Duck</b>	<b>0.0031%</b>
376.	<b>Northern Saw-whet Owl</b>	<b>0.0031%</b>
377.	<b>Yellow-billed Loon</b>	<b>0.0030%</b>
378.	<b>Broad-tailed Hummingbird</b>	<b>0.0029%</b>
379.	<b>Townsend's Warbler</b>	<b>0.0029%</b>
380.	<b>Hudsonian Godwit</b>	<b>0.0027%</b>
381.	<b>Long-tailed Jaeger</b>	<b>0.0026%</b>
382.	<b>Black-headed Gull</b>	<b>0.0025%</b>
383.	<b>Cory's Shearwater</b>	<b>0.0024%</b>
384.	<b>Green-tailed Towhee</b>	<b>0.0024%</b>
385.	<b>Whooping Crane</b>	<b>0.0023%</b>
386.	<b>Bar-tailed Godwit</b>	<b>0.0023%</b>
387.	<b>Redpoll</b>	<b>0.0023%</b>
388.	<b>South Polar Skua</b>	<b>0.0020%</b>
389.	<b>Virginia's Warbler</b>	<b>0.0020%</b>
390.	<b>Anna's Hummingbird</b>	<b>0.0018%</b>
391.	<b>Crested Caracara</b>	<b>0.0018%</b>
392.	<b>Leach's Storm-Petrel</b>	<b>0.0017%</b>
393.	<b>Little Gull</b>	<b>0.0016%</b>
394.	<b>Brown Noddy</b>	<b>0.0016%</b>
395.	<b>Black-throated Gray Warbler</b>	<b>0.0016%</b>
396.	<b>Smith's Longspur</b>	<b>0.0015%</b>
397.	<b>Masked Booby</b>	<b>0.0014%</b>
398.	<b>Short-tailed Hawk</b>	<b>0.0013%</b>
399.	<b>Sprague's Pipit</b>	<b>0.0012%</b>
400.	<b>Hammond's Flycatcher</b>	<b>0.0010%</b>

401.	Rock Wren	0.0010%
402.	White-winged Crossbill	0.0009%
403.	Eurasian Wigeon	0.0008%
404.	Band-rumped Storm-Petrel	0.0008%
405.	Arctic Tern	0.0007%
406.	Roseate Tern	0.0007%
407.	Black-headed Grosbeak	0.0007%
408.	Long-eared Owl	0.0006%
409.	Harlequin Duck	0.0005%
410.	Curlew Sandpiper	0.0005%
411.	Tropical Kingbird	0.0005%
412.	Scopoli's Shearwater	0.0004%
413.	Sooty Shearwater	0.0004%
414.	MacGillivray's Warbler	0.0004%
415.	Sage Thrasher	0.0003%
416.	Gray-headed Swamphen	0.0002%
417.	Atlantic Puffin	0.0002%
418.	White-tailed Tropicbird	0.0002%
419.	Snail Kite	0.0002%
420.	Bewick's Wren	0.0002%
421.	Spotted Towhee	0.0002%
422.	Scott's Oriole	0.0002%
423.	Lazuli Bunting	0.0002%
424.	King Eider	0.0001%
425.	Smooth-billed Ani	0.0001%
426.	Blue-throated Mountain-gem	0.0001%
427.	Yellow Rail	0.0001%



428.	Dovekie	0.0001%
429.	California Gull	0.0001%
430.	American Goshawk	0.0001%
431.	Dusky Flycatcher	0.0001%
432.	Passenger Pigeon	0.0000%
433.	Rivoli's Hummingbird	0.0000%
434.	Red-billed Tropicbird	0.0000%
435.	Ivory-billed Woodpecker	0.0000%
436.	Fork-tailed Flycatcher	0.0000%
437.	Florida Scrub-Jay	0.0000%
438.	Bicknell's Thrush	0.0000%
439.	Northern Wheatear	0.0000%
440.	Bachman's Warbler	0.0000%
441.	Kirtland's Warbler	0.0000%
442.	Red-faced Warbler	0.0000%
EXOTIC: PROVISIONAL		
443.	Egyptian Goose	0.0064% frequency
EXOTIC: ESCAPEE		
	Muscovy Duck	1.05% frequency <div><div></div></div>
	Mute Swan	0.0305% <div><div></div></div>
	Swan Goose	0.0187%
	Helmeted Guineafowl	0.0135%
	Red Junglefowl	0.0117%
	Graylag Goose	0.0111%
	Indian Peafowl	0.0076%
	Monk Parakeet	0.0044%
	Ring-necked Pheasant	0.0016%

Black Swan	0.0008%
Scaly-breasted Munia	0.0007%
Budgerigar	0.0003%
Nanday Parakeet	0.0003%
Barnacle Goose	0.0002%
Mandarin Duck	0.0002%
Golden Pheasant	0.0002%
Rosy-faced Lovebird	0.0002%
European Goldfinch	0.0002%
Red-crested Cardinal	0.0002%
Whooper Swan	0.0001%
Common Shelduck	0.0001%
Green Peafowl	0.0001%
Spotted Dove	0.0001%
Cockatiel	0.0001%
Zebra Finch	0.0001%
Orange-cheeked Waxbill	0.0001%
Yellow-fronted Canary	0.0001%
Saffron Finch	0.0001%
Coscoroba Swan	0.0000%
Ruddy Shelduck	0.0000%
Chukar	0.0000%
Pin-tailed Whydah	0.0000%
HYBRIDS	
Mallard x American Black Duck (hybrid)	0.0054% frequency
Northern Shoveler x Gadwall (hybrid)	0.0046%
Brewster's Warbler (hybrid)	0.0036%

Domestic goose sp. x Canada Goose (hybrid)	<b>0.0033%</b>
Muscovy Duck x Mallard (hybrid)	<b>0.0022%</b>
Graylag x Canada Goose (hybrid)	<b>0.0020%</b>
Blue-winged x Cinnamon Teal (hybrid)	<b>0.0020%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0012%</b>
Golden-winged x Blue-winged Warbler (hybrid)	<b>0.0010%</b>
Lawrence's Warbler (hybrid)	<b>0.0010%</b>
Graylag x Swan Goose (hybrid)	<b>0.0009%</b>
Snow x Canada Goose (hybrid)	<b>0.0009%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0008%</b>
Blue-winged Teal x Northern Shoveler (hybrid)	<b>0.0005%</b>
Greater White-fronted x Canada Goose (hybrid)	<b>0.0004%</b>
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	<b>0.0002%</b>
House x Purple Finch (hybrid)	<b>0.0002%</b>
Trumpeter x Whooper Swan (hybrid)	<b>0.0001%</b>
Blue-winged x Green-winged Teal (hybrid)	<b>0.0001%</b>
Bullock's x Baltimore Oriole (hybrid)	<b>0.0001%</b>
Black-chinned x Rufous Hummingbird (hybrid)	<b>0.0000%</b>
Dark-eyed Junco x White-throated Sparrow (hybrid)	<b>0.0000%</b>